

**2009**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**53**

Loudoun County  
Town of Hamilton  
Town of Hillsboro  
Town of Leesburg  
Town of Lovettsville  
Town of Middleburg  
Town of Purcellville  
Town of Round Hill

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
7	Harry Flood Byrd Hwy	Loudoun County	0.89	23000	G	97%	1%	1%	0%	1%	0%	F	0.111	F	26000	G	
7	Harry Flood Byrd Hwy	Loudoun County	3.02	24000	A	97%	1%	1%	0%	1%	0%	C	0.114	A	0.798	27000	A
7	Harry Flood Byrd Hwy	Loudoun County	1.07	23000	G	97%	1%	1%	0%	1%	0%	F	0.098	F	26000	G	
7	Harry Flood Byrd Hwy	Loudoun County	2.07	24000	G	97%	1%	1%	0%	1%	0%	F	0.094	F	28000	G	
7	Harry Flood Byrd Hwy	Town of Purcellville (Maint: 53)	0.94	24000	G	97%	1%	1%	0%	1%	0%	F	0.094	F	28000	G	
7	Harry Flood Byrd Hwy	Loudoun County	1.04	24000	G	97%	1%	1%	0%	1%	0%	F	0.094	F	28000	G	
7	Harry Flood Byrd Hwy	Loudoun County	2.07	37000	G	97%	1%	1%	0%	1%	0%	F	0.089	F	41000	G	
7	Harry Flood Byrd Hwy	Loudoun County	2.37	38000	G	97%	1%	1%	0%	1%	0%	F	0.091	F	43000	G	
7	Harry Flood Byrd Hwy	Loudoun County	2.38	58000	F	98%	0%	1%	0%	1%	0%	C	0.094	A	0.728	64000	F
7	Market St West	Town of Leesburg (Maint: 53)	1.85	53000	G	98%	0%	1%	0%	1%	0%	F	0.082	F	59000	G	
7	15 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.44	60000	G	97%	1%	1%	1%	1%	0%	C	0.082	F	65000	G	
7	15 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.63	50000	G	96%	1%	1%	1%	2%	0%	C	0.073	F	55000	G	
7	15 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.53	57000	G	95%	1%	1%	1%	2%	0%	C	0.076	F	62000	G	
7	Market St East	Town of Leesburg (Maint: 53)	1.83	62000	G	98%	0%	1%	0%	1%	0%	F	NA		65000	G	
7	Harry Flood Byrd Hwy	Loudoun County	2.38	70000	G	98%	0%	1%	0%	1%	0%	F	NA		75000	G	
7	Harry Flood Byrd Hwy	Loudoun County	2.99	82000	G	98%	0%	1%	0%	1%	0%	F	NA		87000	G	
7	Harry Flood Byrd Hwy	Loudoun County	4.07	69000	G	98%	0%	1%	0%	1%	0%	F	NA		75000	G	
Bus																	
7	Market St	Loudoun County	0.09	13000	G	98%	1%	1%	0%	0%	0%	F	0.098	F	14000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 7 Market St	From: WCL Leesburg Town of Leesburg	0.12	13000	G	98%	1%	1%	0%	0%	0%	F	0.098	F	14000	G	
Bus 7 Market St	To: Fairview St From: WCL Leesburg	0.25	11000	G	98%	1%	1%	0%	0%	0%	C	0.096	F	12000	G	
Bus 7 Market St	To: 253-4206 Loudoun St From: WCL Leesburg	0.27	8400	G	98%	1%	1%	0%	0%	0%	F	0.098	F	9200	G	
Bus 7 Market St	To: 253-4205 Ayr St From: WCL Leesburg	0.36	9300	G	98%	1%	1%	0%	0%	0%	F	0.091	F	10000	G	
Bus 7 Market St	To: Bus US 15 From: WCL Leesburg	0.09	11000	G	99%	0%	1%	0%	0%	0%	F	0.081	F	12000	G	
Bus 7 Market St	To: Church St From: WCL Leesburg	0.23	9300	G	99%	0%	1%	0%	0%	0%	C	0.088	F	10000	G	
Bus 7 Market St	To: 253-4206 Loudoun St From: WCL Leesburg	0.27	19000	G	99%	0%	1%	0%	0%	0%	F	NA		21000	G	
Bus 7 Market St	To: 253-4200 Catoctin Circle From: WCL Leesburg	0.71	33000	G	99%	0%	1%	0%	0%	0%	F	0.077	F	36000	G	
Bus 7 Loudoun Street West	To: US 15; SR 7 From: SR 7 West Of Round Hill Loudoun County	0.31	1800	G	96%	2%	1%	1%	0%	0%	F	0.234	F	0.729	1900	G
Bus 7 Loudoun St	To: WCL Round Hill From: SR 7 West Of Round Hill Town of Round Hill (Maint: 53)	0.32	1800	N	96%	2%	1%	1%	0%	0%	N	0.234	N	0.729	1900	N
Bus 7 Loudoun St	To: 53-719 Main St From: WCL Round Hill Town of Round Hill (Maint: 53)	0.25	5200	G	96%	2%	1%	1%	0%	0%	F	0.092	F	5500	G	
Bus 7 Loudoun Street East	To: ECL Round Hill From: 53-719 Main St Loudoun County	0.24	5200	N	96%	2%	1%	1%	0%	0%	N	0.092	N	5500	N	
Bus 7 Loudoun Street East	To: SR 7 Between Round Hill and Purcellville From: ECL Round Hill Loudoun County	1.66	9200	G	96%	2%	1%	1%	0%	0%	C	0.094	F	9800	G	
Bus 7 Main St	To: WCL Purcellville From: SR 7 Between Round Hill and Purcellville Town of Purcellville (Maint: 53)	2.06	9200	N	96%	2%	1%	1%	0%	0%	N	0.094	N	9800	N	
Bus 7 Colonial Highway	To: SR 287 Berlin Tpke From: WCL Purcellville Town of Purcellville (Maint: 53)	0.07	8500	N	96%	2%	1%	1%	0%	0%	N	0.127	N	9100	N	
Bus 7 Colonial Highway	To: ECL Purcellville From: SR 287 Berlin Tpke Loudoun County	1.00	8500	G	96%	2%	1%	1%	0%	0%	F	0.127	F	9100	G	
	To: WCL Hamilton															



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 7 West Colonial Hwy	From: WCL Hamilton Town of Hamilton (Maint: 53)	0.96	8500	N	96%	2%	1%	1%	0%	0%	N	0.127	N	9100	N	
Bus 7 Colonial Highway	From: ECL Hamilton Loudoun County To: SR 7, SR 9 Clarkes Gap	2.41	8500	N	96%	2%	1%	1%	0%	0%	N	0.127	N	9100	N	
9 Charles Town Pike	From: West Virginia State Line Loudoun County To: 53-671 Harpers Ferry Rd	3.10	11000	G	98%	0%	1%	0%	0%	0%	F	0.089	F	11000	G	
9 Charles Town Pike	From: 53-671 Harpers Ferry Rd Loudoun County To: WCL Hillsboro	1.80	14000	G	98%	0%	1%	0%	1%	0%	C	0.089	F	15000	G	
9 Charles Town Pike	From: WCL Hillsboro Town of Hillsboro (Maint: 53) To: ECL Hillsboro	0.41	14000	N	98%	0%	1%	0%	1%	0%	N	0.089	N	15000	N	
9 Charles Town Pike	From: ECL Hillsboro Loudoun County To: 53-690 Hillsboro Rd	0.27	14000	N	98%	0%	1%	0%	1%	0%	N	0.089	N	15000	N	
9 Charles Town Pike	From: 53-690 Hillsboro Rd Loudoun County To: SR 287 Berlin Tpke	2.19	13000	G	98%	0%	1%	0%	0%	0%	C	0.083	F	14000	G	
9 Charles Town Pike	From: SR 287 Berlin Tpke Loudoun County To: 53-704 Hamilton Station Rd	3.10	15000	G	98%	0%	1%	0%	0%	0%	F	0.080	F	16000	G	
9 Charles Town Pike	From: 53-704 Hamilton Station Rd Loudoun County To: SR 7 Clarkes Gap	2.21	19000	G	98%	0%	1%	0%	0%	0%	F	0.084	F	20000	G	
15 James Monroe Hwy	From: Prince William County Line Loudoun County To: US 50 John Mosby Hwy	2.58	13000	G	92%	1%	2%	1%	4%	0%	C	0.091	F	13000	G	
15 James Monroe Hwy	From: US 50 John Mosby Hwy Loudoun County To: 53-704 Church Rd	7.82	11000	G	91%	1%	2%	2%	4%	0%	C	0.084	F	11000	G	
15 James Monroe Hwy	From: 53-704 Church Rd Loudoun County To: SCL Leesburg	1.25	14000	G	94%	1%	1%	1%	3%	0%	C	0.086	F	15000	G	
15 King St	From: SCL Leesburg Town of Leesburg To: 253-4209 Evergreen Mill Rd	1.09	16000	G	94%	1%	1%	1%	3%	0%	C	0.082	F	17000	G	
15 King St	From: 253-4209 Evergreen Mill Rd Town of Leesburg To: SR 7, Bus US 15	0.38	29000	G	94%	1%	1%	1%	3%	0%	F	0.087	F	31000	G	
15 7 Leesburg Bypass	From: SR 7, Bus US 15 Town of Leesburg (Maint: 53) To: SR 267 Dulles Greenway	0.44	60000	G	97%	1%	1%	1%	1%	0%	C	0.082	F	65000	G	
15 7 Leesburg Bypass	From: SR 267 Dulles Greenway Town of Leesburg (Maint: 53) To: Sycolin Rd	0.63	50000	G	96%	1%	1%	1%	2%	0%	C	0.073	F	55000	G	
15 7 Leesburg Bypass	From: Sycolin Rd Town of Leesburg (Maint: 53) To: SR 7 Market Street East	0.53	57000	G	95%	1%	1%	1%	2%	0%	C	0.076	F	62000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
15 Leesburg Bypass	Town of Leesburg	0.75	52000	G	96%	1%	1%	1%	2%	0%	F	NA		53000	G	
15 Leesburg Bypass	Town of Leesburg	1.18	32000	G	96%	1%	1%	1%	2%	0%	F	0.071	F	33000	G	
15 Leesburg Bypass	Loudoun County	0.59	24000	G	96%	1%	1%	1%	2%	0%	F	0.085	F	25000	G	
15 James Monroe Hwy	Loudoun County	5.56	21000	B	96%	1%	1%	1%	2%	0%	C	0.1	A	0.658	22000	B
15 James Monroe Hwy	Loudoun County	4.41	18000	G	96%	1%	1%	1%	2%	0%	F	0.087	F	0.668	18000	G
Bus 15 King St	Town of Leesburg	0.56	29000	G	98%	0%	1%	0%	0%	0%	C	0.1	F	32000	G	
Bus 15 King St	Town of Leesburg	0.08	14000	G	97%	1%	1%	0%	0%	0%	F	NA		15000	G	
Bus 15 King St	Town of Leesburg	0.40	9700	G	97%	1%	1%	0%	0%	0%	F	0.084	F	11000	G	
Bus 15 King St	Town of Leesburg	0.23	8500	G	97%	1%	1%	0%	0%	0%	F	0.077	F	9400	G	
Bus 15 King St	Town of Leesburg	1.30	8300	G	97%	1%	1%	0%	0%	0%	F	0.084	F	9200	G	
Bus 15 James Monroe Highway	Loudoun County	0.35	4900	F	97%	1%	1%	0%	0%	0%	C	0.159	B	0.508	5300	F
17 50 John S Mosby Hwy	Fauquier County (Maint: 53)	1.11	11000	G	96%	1%	1%	1%	2%	0%	C	0.098	F	12000	G	
28 Sully Rd	Loudoun County	0.66	98000	F	98%	0%	1%	1%	1%	0%	F	NA		109000	F	
28 Sully Rd	Loudoun County	1.00	112000	G	98%	0%	1%	1%	1%	0%	F	NA		124000	G	
28 Sully Rd	Loudoun County	0.62	110000	G	98%	0%	1%	1%	1%	0%	F	NA		122000	G	
28 Sully Rd	Loudoun County	1.13	103000	G	98%	0%	1%	1%	1%	0%	F	NA		115000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
28 Sully Rd	From:	53-625 Waxpool Rd														
	Loudoun County	3.16	7000	G	98%	0%	1%	1%	1%	0%	F	NA		78000	G	
	To:	SR 7 Harry Byrd Hwy														
50 17 John S Mosby Hwy	From:	Clarke County Line														
	Fauquier County (Maint: 53)	1.11	11000	G	96%	1%	1%	1%	2%	0%	C	0.098	F	12000	G	
	To:	US 17 Winchester Rd, Paris														
50 John S Mosby Hwy	From:	Fauquier County (Maint: 53)														
	Fauquier County (Maint: 53)	5.71	6000	G	97%	0%	1%	1%	1%	0%	F	0.102	F	6500	G	
	To:	Loudoun County Line														
50 John S Mosby Hwy	From:	Fauquier County Line														
	Loudoun County	0.08	6600	G	97%	0%	1%	1%	1%	0%	C	0.1	F	7100	G	
	To:	30-623 E, Rokeby Rd														
50 John S Mosby Hwy	From:	Loudoun County														
	Loudoun County	0.52	6600	G	97%	0%	1%	1%	1%	0%	F	0.097	F	7100	G	
	To:	Fauquier County Line														
50 John S Mosby Hwy	From:	Loudoun County Line														
	Fauquier County (Maint: 53)	2.10	8000	G	97%	0%	1%	1%	1%	0%	C	0.100	F	8500	G	
	To:	53-611 Saint Louis Rd														
50 John S Mosby Hwy	From:	Fauquier County (Maint: 53)														
	Fauquier County (Maint: 53)	2.03	8500	G	97%	0%	1%	1%	1%	0%	F	0.101	F	9100	G	
	To:	Loudoun County Line														
50 John S Mosby Hwy	From:	Fauquier County Line														
	Loudoun County	0.63	9800	G	97%	0%	1%	1%	1%	0%	F	0.1	F	10000	G	
	To:	WCL Middleburg														
50 Washington St W	From:	Town of Middleburg (Maint: 53)														
	Town of Middleburg (Maint: 53)	0.61	9900	G	97%	0%	1%	1%	1%	0%	C	0.1	F	11000	G	
	To:	W 53-626 The Plains Rd														
50 Washington St	From:	Town of Middleburg (Maint: 53)														
	Town of Middleburg (Maint: 53)	0.65	9300	G	97%	0%	1%	1%	1%	0%	F	0.098	F	10000	G	
	To:	ECL Middleburg														
50 John S Mosby Hwy	From:	Loudoun County														
	Loudoun County	5.89	8500	G	96%	1%	1%	1%	1%	0%	C	0.096	F	9100	G	
	To:	US 15 Near Aldie														
50 John S Mosby Hwy	From:	Loudoun County														
	Loudoun County	5.75	15000	G	95%	1%	1%	1%	1%	0%	C	0.094	F	16000	G	
	To:	53-827 Pinebrook Rd														
50 John S Mosby Hwy	From:	Loudoun County														
	Loudoun County	0.51	27000	G	95%	1%	1%	1%	1%	0%	F	0.087	F	29000	G	
	To:	53-606 Old Ox Rd														
50 John S Mosby Hwy	From:	Loudoun County														
	Loudoun County	2.75	40000	G	96%	0%	1%	2%	1%	0%	C	NA		43000	G	
	To:	Fairfax County Line														
209 Innovation Ave	From:	SR 28 Sully Rd														
	Loudoun County	0.88	1600	G	98%	0%	0%	0%	0%	0%	C	0.123	F	1800	G	
	To:	Entrance to C.I.T.														
East 267 Dulles Greenway	From:	US 15 Leesburg Bypass														
	Town of Leesburg (Maint: TOL)	0.39	18000	G	98%	0%	0%	0%	0%	0%	F	NA		18000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		35000	G	98%	0%	1%	0%	1%	0%	F	NA		35000	G	
	To:	SCL Leesburg														

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 267 Dulles Greenway	From: SCL Leesburg															
	Loudoun County (Maint: TOL)	0.75	18000	G	98%	0%	0%	0%	0%	F	NA			18000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		35000	G	98%	0%	1%	0%	1%	F	NA			35000	G	
East 267 Dulles Greenway	To: Battlefield Pkwy															
	Loudoun County (Maint: TOL)	2.08	19000	G	98%	0%	0%	0%	0%	F	NA			19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	98%	0%	1%	0%	1%	F	NA			37000	G	
East 267 Dulles Greenway	To: 53-653 Shreve Mill Rd															
	Loudoun County (Maint: TOL)	2.26	17000	G	98%	0%	0%	0%	0%	F	0.167	F		19000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	G	98%	0%	1%	0%	1%	F	NA			37000	G	
East 267 Dulles Greenway	To: 53-659 Belmont Ridge Rd															
	Loudoun County (Maint: TOL)	1.06	17000	G	98%	0%	0%	0%	0%	F	0.167	N		21000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	G	98%	0%	1%	0%	1%	F	NA			41000	G	
East 267 Dulles Greenway	To: 53-901 Claiborne Pkwy															
	Loudoun County (Maint: TOL)	1.79	20000	G	98%	0%	0%	0%	0%	F	0.167	N		23000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		39000	G	98%	0%	1%	0%	1%	F	NA			46000	G	
East 267 Dulles Greenway	To: 53-772 Ashburn Village Blvd															
	Loudoun County (Maint: TOL)	1.40	22000	G	98%	0%	0%	0%	0%	F	0.167	N		26000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	G	98%	0%	1%	0%	1%	F	NA			51000	G	
East 267 Dulles Greenway	To: 53-1950 Loudoun County Pkwy															
	Loudoun County (Maint: TOL)	1.08	24000	G	98%	0%	0%	0%	0%	F	0.167	N		28000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	G	98%	0%	1%	0%	1%	F	NA			55000	G	
East 267 Dulles Greenway	To: 53-606 Old Ox Rd															
	Loudoun County (Maint: TOL)	1.72	23000	G	98%	0%	0%	0%	0%	F	0.167	N		27000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		45000	G	98%	0%	1%	0%	1%	F	NA			53000	G	
East 267 Dulles Toll Rd	To: SR 28 Sully Rd															
	Loudoun County (Maint: 29)	1.23	43000	F	98%	0%	0%	0%	0%	F	NA			51000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		88000	F	98%	0%	1%	0%	1%	F	NA			104000	F	
West 267 Dulles Greenway	To: Fairfax County Line															
	From: US 15 Leesburg Bypass															
	Town of Leesburg (Maint: TOL)	0.68	17000	G	98%	0%	1%	0%	1%	F	NA			17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		35000	G	98%	0%	1%	0%	1%	F	NA			35000	G	
West 267 Dulles Greenway	To: SCL Leesburg															
	Loudoun County (Maint: TOL)	0.34	17000	G	98%	0%	1%	0%	1%	F	NA			17000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		35000	G	98%	0%	1%	0%	1%	F	NA			35000	G	
	To: Battlefield Pkwy															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 267 Dulles Greenway	From: Battlefield Pkwy Loudoun County (Maint: TOL)	2.31	18000	G	98%	0%	1%	0%	1%	0%	F	NA		18000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		37000	G	98%	0%	1%	0%	1%	0%	F	NA		37000	G	
West 267 Dulles Greenway	To: 53-653 Shreve Mill Rd From: Loudoun County (Maint: TOL)	2.31	17000	G	98%	0%	1%	0%	1%	0%	F	0.149	F	18000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	G	98%	0%	1%	0%	1%	0%	F	NA		37000	G	
West 267 Dulles Greenway	To: 53-659 Belmont Ridge Rd From: Loudoun County (Maint: TOL)	0.87	17000	G	98%	0%	1%	0%	1%	0%	F	0.149	N	20000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	G	98%	0%	1%	0%	1%	0%	F	NA		41000	G	
West 267 Dulles Greenway	To: 53-901 Claiborne Pkwy From: Loudoun County (Maint: TOL)	1.82	19000	G	98%	0%	1%	0%	1%	0%	F	0.149	N	23000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		39000	G	98%	0%	1%	0%	1%	0%	F	NA		46000	G	
West 267 Dulles Greenway	To: 53-772 Ashburn Village Blvd From: Loudoun County (Maint: TOL)	1.32	21000	G	98%	0%	1%	0%	1%	0%	F	0.149	N	25000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	G	98%	0%	1%	0%	1%	0%	F	NA		51000	G	
West 267 Dulles Greenway	To: 53-1950 Loudoun County Pkwy From: Loudoun County (Maint: TOL)	1.24	23000	G	98%	0%	1%	0%	1%	0%	F	0.149	N	27000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	G	98%	0%	1%	0%	1%	0%	F	NA		55000	G	
West 267 Dulles Greenway	To: 53-606 Old Ox Rd From: Loudoun County (Maint: TOL)	1.75	22000	G	98%	0%	1%	0%	1%	0%	F	0.149	N	26000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		45000	G	98%	0%	1%	0%	1%	0%	F	NA		53000	G	
West 267 Dulles Toll Rd	To: SR 28 Sully Rd From: Loudoun County (Maint: 29)	1.24	45000	F	98%	0%	1%	0%	1%	0%	F	NA		53000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		88000	F	98%	0%	1%	0%	1%	0%	F	NA		104000	F	
287 Berlin Tpk	To: Fairfax County Line From: BUS SR 7 Town of Purcellville (Maint: 53)	0.55	4700	N	94%	2%	2%	0%	1%	0%	N	0.098	N	5000	N	
287 Berlin Tpk	To: NCL Purcellville From: Loudoun County	3.21	4700	G	94%	2%	2%	0%	1%	0%	C	0.098	F	5000	G	
287 Berlin Tpk	To: SR 9 Charles Town Pike From: Loudoun County	2.37	6900	G	95%	2%	2%	1%	1%	0%	F	0.089	F	7400	G	
287 Berlin Tpk	To: 53-693 Morrisonville Rd; Ash George Rd From: Loudoun County	3.37	5900	G	95%	2%	2%	1%	1%	0%	C	0.09	F	6300	G	
287 Berlin Tpk	To: SCL Lovettsville From: Town of Lovettsville (Maint: 53)	1.42	5900	N	95%	2%	2%	1%	1%	0%	N	0.09	N	6300	N	
	To: NCL Lovettsville															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
287 Berlin Tpke	From: NCL Lovettsville															
	Loudoun County	1.75	3800	G	95%	2%	2%	1%	1%	0%	F	0.099	F	4100	G	
	To: Maryland State Line															
340 Jefferson Pike	From: Maryland State Line															
	Loudoun County	0.57	26000	G	91%	1%	1%	1%	8%	0%	F	0.084	F	24000	G	
	To: West Virginia State Line															
9004 Dulles Access Rd	From: Washington Dulles International Airport															
	Loudoun County (Maint: US )	0.71	44000	O								NA		2000	G	
	To: Fairfax County Line															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(F819) Roxbury Hall Rd	0.16	110	R								NA			NA		09/15/2009
(F819) Roxbury Hall Rd	0.20	60	R								NA			NA		09/15/2009
(F820) White Gate Place	0.01	NA									NA			NA		
(F821) Beechnut Rd	0.40	49	R								NA			NA		09/15/2009
(F822) Leland Orchard Rd	0.02	NA									NA			NA		
(F822) Leland Orchard Rd	0.34	130	R								NA			NA		09/15/2009
(F823) Ft Johnston Rd	0.13	46	R								NA			NA		09/15/2009
(F824) Farm Market Rd	0.29	660	R								NA			NA		09/15/2009
(F825) Hidden Gap Rd	0.04	410	R								NA			NA		09/09/2008
(F826) Phillips Ct	0.03	NA									NA			NA		
<b>Town of Leesburg</b>																
(F826) Phillips Ct	0.06	NA									NA			NA		
(F929) Childrens Center Rd	0.25	NA									NA			NA		
<b>Loudoun County</b>																
(F961) Osburn Rd	0.41	90	R								NA			NA		09/15/2009
(F962) Hirst Rd	1.05	NA									NA			NA		
(F1000) Golf Club Rd	0.29	240	R								NA			NA		09/15/2009
(601) Blue Ridge Mountain Rd	1.12	1700	F	96%	1%	1%	1%	1%	0%	C	0.127	F	0.714	1800	F	2009
(601) Raven Rocks Rd	0.11	380	N	95%	3%	1%	0%	0%	0%	N	0.11	N	0.659	400	N	2009
(600) New Rd	0.45	350	R								NA			NA		05/16/2005
(600) New Rd	0.90	480	G	95%	2%	3%	0%	0%	0%	C	0.190	F	0.924	480	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
600 New Rd	0.10	1100	R									NA		NA		05/16/2005
						From: 53-624 Peach Orchard Lane										
						To: 53-705 Braddock Rd										
600 Lenah Rd	2.00	650	R									NA		NA		03/01/2002
						From: US 50 John S Mosby Hwy										
						To: Dead End										
601 Raven Rocks Rd	0.40	140	R									NA		NA		1999
						From: West Virginia State Line										
						To: 53-671 S, Harpers Ferry Rd										
602 Russell Rd	0.44	210	R									NA		NA		02/01/2002
						From: 53-671 N, Harpers Ferry Rd										
						To: Fairfax County Line										
603 Brockman Lane	0.13	320	R									NA		NA		04/21/2005
						From: 53-1637 Yorktown Dr										
603 Brockman Lane	0.16	860	R									NA		NA		1999
						From: Dead End										
						To: Dead End										
604 Alcott Way	0.21	40	R									NA		NA		1999
						From: 53-1500 Englewood Dr										
604 Alcott Way	0.21	180	R									NA		NA		02/16/2005
						From: 53-625 Church Rd; 53-1454										
604 Sugarland Rd	0.25	8200	G	100%	0%	0%	0%	0%	0%	C	0.103	F		8900	G	2009
						From: Fairfax County Line										
						To: Fairfax County Line										
605 Rock Hill Rd	0.60	2100	R									NA		NA		04/05/2005
						From: 53-606 Old Ox Rd										
						To: 53-606; Rock Hill Rd										
605 Old Ox Rd	0.43	NA										NA		NA		
						From: Cul-de-Sac										
						To: 53-2237 Edgewater St										
606 Loudoun County Pkwy	1.92	NA										NA		NA		
						From: US 50 John S Mosby Hwy										
606 Loudoun County Pkwy	0.81	28000	G	92%	2%	2%	2%	2%	0%	F	0.092	F		31000	G	2009
						From: 53-621 Evergreen Mills Rd										
606 Loudoun County Pkwy	0.77	20000	N	92%	2%	2%	2%	2%	0%	N	0.086	N		21000	N	2009
						From: 53-842 Arcola Rd										
606 Old Ox Rd	1.21	20000	G	92%	2%	2%	2%	2%	0%	F	0.086	F		21000	G	2009
						From: 53-857 Bears School Rd										
606 Old Ox Rd	3.03	24000	G	92%	2%	2%	2%	2%	0%	C	0.086	F		26000	G	2009
						From: SR 267 Dulles Toll Rd										
606 Old Ox Rd	2.12	30000	G	92%	2%	2%	2%	2%	0%	F	0.089	F		32000	G	2009
						From: SR 28 Sully Rd										
606 Old Ox Rd	1.09	34000	G	98%	0%	1%	1%	0%	0%	C	0.083	F		38000	G	2009
						From: 53-605 Rock Hill Rd										
606 Old Ox Rd	0.03	31000	G	98%	0%	1%	1%	0%	0%	F	0.085	N		33000	G	2009
						From: WCL Herndon										
						To: 53-625 Waxpool Rd										
607 Smith Switch Rd	2.50	890	R									NA		NA		01/25/2005
						From: SR 7 Harry Byrd Hwy										
607 Presidential Dr	0.35	330	R									NA		NA		1999
						From: 53-1050 George Washington Blvd										
						To: 53-662 Loudoun Orchard Rd										
608 Foxhill Rd	0.49	120	R									NA		NA		1999
						From: Dead End										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
609 Pleasant Valley Rd	0.56	2100	G	99%	0%	0%	0%	0%	0%	C	0.108	F	0.829	2300	G	2009
			From: Fairfax County Line													
609 Pleasant Valley Rd	0.65	3300	R									NA		NA		01/06/2005
			From: US 50 John S Mosby Hwy													
			To: Dulles Airport													
			From: Dead End													
610 Ruritan Rd	0.40	400	R									NA		NA		1999
			To: 53-859 Ruritan Circle													
<b>Fauquier County</b>																
611 New Ford Rd	0.10	3200	G	96%	1%	2%	1%	0%	0%	C	0.117	F		3400	G	2009
			From: US 50 John S Mosby Hwy													
			To: Loudoun County Line													
<b>Loudoun County</b>																
611 Saint Louis Rd	1.45	3200	N	96%	1%	2%	1%	0%	0%	N	0.117	N		3400	N	2009
			From: Fauquier County Line													
611 Saint Louis Rd	2.22	2200	G	96%	1%	2%	1%	0%	0%	F	0.124	F	0.513	2400	G	2009
			From: 53-743 Millville Welbourne Rds													
611 Saint Louis Rd	2.31	2100	G	96%	1%	2%	1%	0%	0%	F	0.117	F	0.587	2200	G	2009
			From: 53-626 Foxcroft Rd													
611 Saint Louis Rd	1.36	2200	G	96%	1%	2%	1%	0%	0%	F	0.111	F	0.552	2300	G	2009
			From: 53-630 Unison JEB Stuart Rds													
611 Telegraph Springs Rd	0.61	320	R									NA		NA		05/17/2005
			From: 53-734 Snickersville Tpke West													
611 Telegraph Springs Rd	1.73	250	R									NA		NA		05/17/2005
			From: 53-734 Snickersville Tpke East													
611 Telegraph Springs Rd	0.28	530	R									NA		NA		05/17/2005
			From: 53-730 Colchester Rd													
611 Telegraph Springs Rd	0.24	600	R									NA		NA		05/17/2005
			From: 53-622 N, Shoemaker Sch Rd													
611 Telegraph Springs Rd	0.80	770	R									NA		NA		05/17/2005
			From: 0.28 MN 53-622 N													
611 Telegraph Springs Rd	1.28	1900	R									NA		NA		04/25/2005
			From: 53-794 Guinea Bridge Rd													
611 Purcellville Rd	0.67	1300	R									NA		NA		04/25/2005
			From: 53-725 W, Bolyn Rd													
611 Purcellville Rd	0.40	600	R									NA		NA		04/25/2005
			From: SCL Purcellville													
611 Purcellville Rd	1.60	440	R									NA		NA		04/25/2005
			From: NCL Purcellville; SR 7													
611 Purcellville Rd	0.51	390	R									NA		NA		04/25/2005
			From: 53-711 Alder School Rd													
611 Purcellville Rd	1.53	310	R									NA		NA		04/25/2005
			From: 0.40 MN 53-711													
611 Purcellville Rd	0.25	210	R									NA		NA		04/25/2005
			From: 2.00 MN 53-711													
611 Purcellville Rd	0.53	240	R									NA		NA		04/25/2005
			From: SR 9 Charles Town Pike													
611 Purcellville Rd	0.91	290	R									NA		NA		04/25/2005
			From: 53-697 South Nixon Rd													
611 Purcellville Rd	0.09	110	R									NA		NA		04/25/2005
			From: 53-697 North Legard Farm Rd													
611 Purcellville Rd												NA		NA		04/25/2005
			From: 0.53 MN 53-697													
611 Purcellville Rd												NA		NA		04/25/2005
			From: 1.44 MN 53-697													
611 Purcellville Rd												NA		NA		04/25/2005
			From: 53-693 Morrisonville Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(612) Tail Race Rd	3.21	180	R								NA		NA			05/16/2005
(613) Ticonderoga Rd	1.80	910	R								NA		NA			01/06/2005
(614) Beaver Meador Rd	1.60	760	R								NA		NA			01/20/2005
(615) Old Carolina Rd	0.20	890	R								NA		NA			05/16/2005
(615) Old Carolina Rd	1.03	840	R								NA		NA			05/16/2005
(616) Goshen Rd	1.92	740	R								NA		NA			01/10/2005
(616) Goshen Rd	0.23	450	R								NA		NA			03/01/2002
(616) Fleetwood Rd	0.07	590	R								NA		NA			01/10/2005
(616) Fleetwood Rd	2.43	380	R								NA		NA			1999
(617) Red Hill Rd	1.95	700	R								NA		NA			01/20/2005
(617) Red Hill Rd	0.05	820	R								NA		NA			01/20/2005
<b>Fauquier County</b>																
(618) Snake Den Rd	0.27	70	R								NA		NA			03/02/2002
<b>Loudoun County</b>																
(618) Snake Den Rd	0.63	70	N								NA		NA			03/02/2002
<b>Fauquier County</b>																
(619) Trappe Rd	0.20	490	R								NA		NA			1999
<b>Loudoun County</b>																
(619) Trappe Rd	2.10	490	N								NA		NA			1999
(619) Trappe Rd	3.00	280	R								NA		NA			05/19/2005
(619) Trappe Rd	1.30	170	R								NA		NA			05/19/2005
(620) Braddock Rd	0.50	310	R								NA		NA			03/01/2002
(620) Braddock Rd	1.80	190	R								NA		NA			03/01/2002
(620) Braddock Rd	2.98	5700	G	98%	0%	1%	1%	0%	0%	C	0.104	F	0.657	6100	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(621) Bull Run Post Office Rd	0.28	570	R								NA			NA		01/06/2005
(621) Bull Run Post Office Rd	1.73	1700	R								NA			NA		01/06/2005
(621) Elk Lick Rd	1.56	6300	R								NA			NA		01/06/2005
(621) Vance Rd	0.05	190	R								NA			NA		01/06/2005
(621) Vance Rd	0.17	340	R								NA			NA		1999
(621) Evergreen Mills Rd	0.69	11000	G	96%	0%	1%	2%	1%	0%	F	0.092	F		11000	G	2009
(621) Evergreen Mills Rd	0.49	11000	G	96%	0%	1%	2%	1%	0%	F	0.091	F		12000	G	2009
(621) Evergreen Mills Rd	0.41	15000	G	96%	0%	1%	2%	1%	0%	F	0.091	F		16000	G	2009
(621) Evergreen Mills Rd	2.88	6100	G	96%	0%	1%	2%	1%	0%	F	0.097	F		6500	G	2009
(621) Evergreen Mills Rd	2.74	9300	G	96%	0%	1%	2%	1%	0%	C	0.102	F		10000	G	2009
(621) Evergreen Mills Rd	2.04	7200	G	96%	0%	1%	2%	1%	0%	F	0.095	F		7700	G	2009
(621) Evergreen Mills Rd	0.65	7600	G	96%	0%	1%	2%	1%	0%	F	0.096	F		8100	G	2009
(621) Evergreen Mills Rd	1.54	7700	G	96%	0%	1%	2%	1%	0%	F	0.101	F		8300	G	2009
(622) Shoemaker Sch Rd	1.54	290	R								NA			NA		05/17/2005
(622) Greggsville Rd	1.90	170	R								NA			NA		05/17/2005
(622) Greggsville Rd	1.00	220	R								NA			NA		05/17/2005
<b>Fauquier County</b>																
(623) Willisville Rd	0.03	810	G	95%	0%	2%	2%	1%	0%	C	0.110	F	0.564	870	G	2009
<b>Loudoun County</b>																
(623) Willisville Rd	1.61	810	N	95%	0%	2%	2%	1%	0%	N	0.110	N	0.564	870	N	2009
(623) Willisville Rd	1.50	440	R								NA			NA		05/17/2005
(623) Willisville Rd	1.46	200	R								NA			NA		05/17/2005
(624) Peach Orchard Lane	1.90	70	G	85%	1%	11%	3%	1%	0%	C	0.2	F	0.667	70	G	2009
(625) Sycolin Rd	1.20	3200	G	96%	0%	1%	2%	0%	0%	C	0.126	F		3400	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(625) Sycolin Rd	2.73	2500	G	96%	0%	1%	2%	0%	0%	F	0.111	F	0.751	2700	G	2009
(625) Ashburn Farm Pkwy	0.55	7100	G	98%	1%	1%	0%	0%	0%	F	0.106	F		7600	G	2009
(625) Ashburn Farm Pkwy	0.50	11000	G	98%	1%	1%	0%	0%	0%	F	0.093	F		11000	G	2009
(625) Ashburn Farm Pkwy	1.18	21000	G	98%	1%	1%	0%	0%	0%	C	0.092	F		22000	G	2009
(625) Farmwell Rd	0.56	26000	G	98%	0%	0%	1%	0%	0%	F	0.089	F		28000	G	2009
(625) Farmwell Rd	0.80	36000	G	98%	0%	0%	1%	0%	0%	C	0.086	F		39000	G	2009
(625) Waxpool Rd	0.51	46000	G	98%	1%	1%	0%	0%	0%	F	0.089	F		49000	G	2009
(625) Waxpool Rd	1.29	63000	G	98%	1%	1%	0%	0%	0%	F	0.089	N		68000	G	2009
(625) Waxpool Rd	0.30	26000	G	98%	1%	1%	0%	0%	0%	C	0.092	F		29000	G	2009
(625) Church Rd	0.60	26000	G	98%	1%	1%	0%	0%	0%	F	0.091	F		28000	G	2009
(625) Church Rd	1.21	9900	G	98%	1%	1%	0%	0%	0%	C	0.101	F		11000	G	2009
(625) Church Rd	0.27	9600	G	99%	0%	1%	0%	0%	0%	C	0.101	F		10000	G	2009
(625) Church Rd	0.33	40	G	98%	1%	1%	0%	0%	0%	F	0.163	F	0.5	48	G	2009
(625) Church Rd	0.26	9400	G	98%	1%	1%	0%	0%	0%	F	0.100	F		10000	G	2009
(626) The Plains Rd	0.10	1700	G	97%	0%	1%	1%	1%	0%	C	0.114	F	0.509	1800	G	2009
<b>Town of Middleburg</b>																
(626) The Plains Rd	0.21	1700	N	97%	0%	1%	1%	1%	0%	N	0.114	N	0.509	1800	N	2009
(626) Foxcroft Rd	0.20	2000	R								NA			NA		1999
<b>Loudoun County</b>																
(626) Foxcroft Rd	4.62	910	R								NA			NA		05/19/2005
(626) Foxcroft Rd	1.30	1300	R								NA			NA		05/19/2005
(626) Bloomfield Rd	0.10	960	R								NA			NA		05/19/2005
(626) Bloomfield Rd	0.17	1100	R								NA			NA		05/19/2005
(626) Bloomfield Rd	0.56	60	R								NA			NA		03/02/2002
(626) Bloomfield Rd	0.59	350	R								NA			NA		05/19/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(626) Bloomfield Rd	0.85	230	R			From: 53-623 Willisville Rd					NA			NA		05/19/2005
						To: 53-719 E, Airmont Rd										
(626) Foggy Bottom Rd	1.04	160	R			From: 53-719 W, Airmont Rd					NA			NA		05/19/2005
						To: 53-739 Austin Grove Rd										
(626) Foggy Bottom Rd	0.97	310	R			From: 53-765 Ridgeside Rd					NA			NA		05/19/2005
						To: 53-759 Hollow Oak Rd										
(626) Foggy Bottom Rd	1.30	840	R			From: 53-734 Snickersville Rd					NA			NA		05/12/2005
						To: Fauquier County Line										
(627) Parsons Rd	1.30	100	R			From: US 50 W, John S Mosby Hwy					NA			NA		03/02/2002
						To: US 50 E, John S Mosby Hwy										
(627) Carters Farm Lane	0.70	700	R			From: 53-838 Oakham Rd					NA			NA		05/18/2005
						To: 53-734 Snickersville Tpke										
(627) Carters Farm Lane	2.60	170	R			From: Fauquier County Line; 30-628 Logans Mill Rd					NA			NA		02/02/2002
						To: Dead End										
(629) Champe Ford Rd	2.10	230	R			From: Fauquier County Line					NA			NA		05/16/2005
						To: US 50 E, John S Mosby Hwy										
(629) Cobb House Rd	1.00	340	R			From: US 50 W, John S Mosby Hwy					NA			NA		05/16/2005
						To: 53-734 Snickersville Tpke										
(630) Quaker Lane	1.70	200	R			From: 53-743 Welbourne Rd					NA			NA		05/17/2005
						To: 53-790 Newlin Mill Rd										
(630) Unison Rd	0.94	130	R			From: 0.94 ME 53-790					NA			NA		05/17/2005
						To: 53-626 W, Bloomfield Rd										
(630) Unison Rd	0.20	480	R			From: 53-626 E, Foxcroft Rd					NA			NA		05/17/2005
						To: 53-700 Woodtrail Rd										
(630) Unison Rd	0.45	420	R			From: 53-611 Saint Louis Rd					NA			NA		05/17/2005
						To: 53-746 Beaverdam Br Rd										
(630) Jeb Stuart Rd	1.35	430	R			From: 53-734 W, Snickersville Tpke					NA			NA		05/17/2005
						To: 53-730 Colchester Rd										
(630) Jeb Stuart Rd	0.30	210	R			From: 53-622 Greggsville Rd					NA			NA		05/17/2005
						To: 53-734 E, Snickersville Tpke										
(631) New Mountain Rd	0.30	390	R			From: 53-764 Buchannon Gap Rd					NA			NA		05/16/2005
						To: 53-780 Mossridge Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(631) New Mountain Rd	1.70	710	R									NA		NA		05/16/2005
(632) Aldie Dam Rd	1.80	130	R									NA		NA		02/02/2002
(633) Sally Mill Rd	0.20	30	R									NA		NA		02/02/2002
(633) Sally Mill Rd	0.70	230	R									NA		NA		05/16/2005
(634) Moran Rd	1.02	5400	G	91%	1%	2%	4%	2%	0%	C	0.118	F		5900	G	2009
(634) Moran Rd	0.53	410	G	91%	1%	2%	4%	2%	0%	F	0.136	F	0.792	440	G	2009
(635) Douglas Ct	0.19	210	R									NA		NA		1999
(636) Shaw Rd	0.20	30	R									NA		NA		1999
(636) Shaw Rd	0.95	14000	R									NA		NA		01/25/2005
(636) Shaw Rd	0.62	9800	R									NA		NA		01/25/2005
(636) Shaw Rd	0.40	8900	R									NA		NA		01/25/2005
(636) Shaw Rd	0.11	7800	R									NA		NA		1999
(637) Cascades Pkwy	1.19	27000	G	98%	0%	1%	0%	0%	0%	C	0.100	F		30000	G	2009
(637) Potomac View Rd	0.95	8100	G	98%	0%	1%	0%	0%	0%	F	0.088	F		8800	G	2009
(637) Potomac View Rd	0.89	11000	G	98%	1%	1%	0%	0%	0%	F	0.091	F		12000	G	2009
(637) Potomac View Rd	0.28	8000	G	98%	1%	1%	0%	0%	0%	F	0.119	F		8800	G	2009
(637) Potomac View Rd	0.91	8200	G	98%	1%	1%	0%	0%	0%	C	0.108	F		8900	G	2009
(638) Maries Rd	1.27	480	R									NA		NA		04/05/2005
(638)	0.61	720	R									NA		NA		1999
(638)	0.04	1100	R									NA		NA		01/06/2005
(639) Willard Rd	0.60	310	R									NA		NA		1999
(640) Broadlands Blvd	0.75	4600	R									NA		NA		09/29/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(640) Broadlands Blvd	0.60	3500	R				From: 53-901 Claiborne Pkwy				NA			NA		09/12/2008
(640) Waxpool Rd	0.43	NA					From: 53-643 Shellhorn Rd				NA			NA		
(640) Waxpool Rd	1.35	9000	G	98%	1%	1%	0%	0%	0%	F	0.088	F		9600	G	2009
(641) Ashburn Rd	0.27	2000	R				From: 53-2119 Waxpool Rd				NA			NA		01/25/2005
(641) Ashburn Rd	0.92	5500	G	98%	1%	1%	0%	0%	0%	F	0.115	F		5900	G	2009
(641) Ashburn Rd	0.76	9400	G	98%	1%	1%	0%	0%	0%	F	0.102	F		10000	G	2009
(641) Ashburn Rd	0.32	9100	G	98%	1%	1%	0%	0%	0%	F	0.097	F		9700	G	2009
(641) Ashburn Rd	0.39	9400	G	98%	1%	1%	0%	0%	0%	C	0.098	F		10000	G	2009
(641) Ashburn Rd	1.48	9400	N	98%	1%	1%	0%	0%	0%	N	0.098	N		10000	N	2009
(642) Hearford Lane	0.40	10	R				From: Dead End				NA			NA		03/02/2002
(642) Hay Rd	1.80	2800	R				From: 53-659 Belmont Ridge Rd				NA			NA		01/20/2005
(642) Jenkins Lane	0.20	240	R				From: 53-641 Ashburn Rd				NA			NA		1999
(643) Shellhorn Rd	1.74	6200	G	96%	0%	1%	2%	0%	0%	F	0.105	F		6700	G	2009
(644) Little Spring Rd	0.05	30	R				From: Dead End				NA			NA		1999
(645) Croson Lane	1.00	100	R				From: Dead End				NA			NA		03/02/2002
(646) Alford Rd	0.40	50	R				From: 53-772 Ryan Rd				NA			NA		03/02/2002
(647) Stubble Rd	0.56	1200	G	98%	0%	1%	1%	0%	0%	C	0.170	F	0.581	1200	G	2009
(648) Gulick Mill Rd	1.41	80	R				From: Dead End				NA			NA		03/02/2002
(649) Hogeland Mill Rd	0.40	50	R				From: 53-621 Evergreen Mills Rd				NA			NA		1999
(650) Oatlands Rd	3.80	610	R				From: 53-734 Snickersville Rd				NA			NA		05/16/2005
(650) Oatlands Mill Rd	1.35	330	R				From: US 15 S, James Monroe Hwy				NA			NA		05/16/2005
							To: US 15 MID; James Monroe Hwy									
							To: 53-771 The Woods Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(650) Gleedsville Rd	0.55	490	R								NA			NA		05/16/2005
(650) Gleedsville Rd	0.44	310	R								NA			NA		05/16/2005
(650) Gleedsville Rd	2.36	1100	R								NA			NA		01/20/2005
(651) Gap Rd	0.80	260	R								NA			NA		05/16/2005
(651) Hogback Mountain Rd	2.00	340	R								NA			NA		05/16/2005
(652) Gant Rd	0.60	30	R								NA			NA		03/02/2002
(653) Shreve Mill Rd	1.20	810	G	59%	1%	5%	27%	9%	0%	F	0.149	F	0.729	870	G	2009
(653) Cochran Mill Rd	0.60	280	G	59%	1%	5%	27%	9%	0%	F	0.177	F	0.655	300	G	2009
(653) Cochran Mill Rd	1.70	380	G	59%	1%	5%	27%	9%	0%	F	0.149	F		410	G	2009
(653) Cochran Mill Rd	0.10	1200	G	59%	1%	5%	27%	9%	0%	F	0.109	F		1200	G	2009
(653) Cochran Mill Rd	0.90	1400	G	59%	1%	5%	27%	9%	0%	C	0.111	F		1500	G	2009
(655) Whites Ferry Rd	1.30	1700	R								NA			NA		1999
(656) Hibler Rd	1.50	150	R								NA			NA		03/02/2002
(657) Spinks Ferry Rd	1.50	380	R								NA			NA		04/27/2005
(657) Spinks Ferry Rd	1.10	280	R								NA			NA		04/27/2005
(657) Spinks Ferry Rd	0.80	220	R								NA			NA		04/27/2005
(657) Spinks Ferry Rd	0.90	70	R								NA			NA		03/02/2002
(658) Evans Pond Rd	1.50	670	R								NA			NA		04/27/2005
(658) Saint Clair Lane	1.90	510	R								NA			NA		04/27/2005
(659) Gum Spring Rd	2.60	7800	G	92%	1%	2%	3%	2%	0%	F	0.107	F		8300	G	2009
(659) Gum Spring Rd	1.72	7400	G	92%	1%	2%	3%	2%	0%	F	0.098	F		8000	G	2009



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(659) Gum Spring Rd	2.02	9600	G	92%	1%	2%	3%	2%	0%	C	0.093	F		10000	G	2009
			From: 53-620 Braddock Rd													
(659) Gum Spring Rd	1.06	5700	G	92%	1%	2%	3%	2%	0%	F	0.093	F		6200	G	2009
			To: US 50 John S Mosby Hwy													
(659) Belmont Ridge Rd	2.34	11000	G	92%	1%	2%	3%	2%	0%	F	0.095	F		11000	G	2009
			From: 53-621 E, Evergreen Mills Rd													
(659) Belmont Ridge Rd	1.69	9800	G	92%	1%	2%	3%	2%	0%	F	0.108	F		10000	G	2009
			To: 53-772 Ryan Rd													
(659) Belmont Ridge Rd	1.80	8200	G	92%	1%	2%	3%	2%	0%	F	0.095	F		8800	G	2009
			From: 53-625 N, Waxpool Rd													
(659) Belmont Ridge Rd	0.35	12000	G	93%	1%	1%	4%	1%	0%	F	0.085	N		13000	G	2009
			From: SR 267 Dulles Greenway													
(659) Belmont Ridge Rd	0.47	13000	G	93%	1%	1%	4%	1%	0%	F	0.085	F		14000	G	2009
			To: 53-900 Ashburn Farm													
(659) Belmont Ridge Rd	1.66	12000	G	93%	1%	1%	4%	1%	0%	C	0.096	F		13000	G	2009
			From: 53-642 N, Hearford Lane													
(659) Belmont Ridge Rd	0.99	12000	G	93%	1%	1%	4%	1%	0%	F	0.092	F		13000	G	2009
			To: 53-2150 Gloucester Pkwy													
(659) Belmont Ridge Rd	0.43	12000	G	93%	1%	1%	4%	1%	0%	F	0.092	F		13000	G	2009
			From: SR 7 Harry Byrd Hwy													
(659) Belmont Ridge Rd	0.45	3400	G	93%	1%	1%	4%	1%	0%	F	0.19	F	0.653	3700	G	2009
			To: 53-2401 Riverside Pkwy													
			Cul-de-Sac													
(660) Nolands Ferry Rd	0.90	140	R								NA			NA		03/02/2002
			From: 53-662 Lost Corner Rd													
			To: Dead End													
(661) Montresor Rd	3.10	250	R								NA			NA		04/27/2005
			From: 53-662 W, Stumptown Rd													
(661) Limestone School Rd	2.20	520	R								NA			NA		04/27/2005
			To: US 15 N, James Monroe Hwy													
(661) Limestone School Rd	1.10	470	R								NA			NA		04/27/2005
			From: 53-656 Hibler Rd													
(661) Spinks Ferry Rd	0.20	270	R								NA			NA		04/27/2005
			To: 53-657 W, Spinks Ferry Rd													
(661) Chapel Lane	1.30	150	R								NA			NA		04/27/2005
			From: 53-657 E, Spinks Ferry Rd													
(662) Loudoun Orchard Rd	0.45	410	R								NA			NA		05/25/2005
			To: 53-662 E, Lucketts Rd													
(662) Loudoun Orchard Rd	0.85	340	R								NA			NA		05/25/2005
			From: 53-797 Mount Gilead Rd													
(662) Loudoun Orchard Rd	0.40	320	R								NA			NA		05/25/2005
			To: 53-608 Foxhill Rd													
(662) Loudoun Orchard Rd	0.60	300	R								NA			NA		05/25/2005
			From: 0.85 ME 53-608													
(662) Canby Rd	1.10	160	R								NA			NA		05/25/2005
			To: 53-729 Shelburne Glebe Rd													
(662) Canby Rd	0.50	190	R								NA			NA		04/27/2005
			From: 53-704 Harmony Church Rd													
(662) Canby Rd	0.30	270	R								NA			NA		04/27/2005
			To: 53-820 Thomas Mill Rd													
			From: 53-707 Digges Valley Rd													
			To: 53-795 Surreyfield Way													

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(662) Canby Rd	0.81	60	R									NA		NA		02/02/2002
(662) Canby Rd	0.49	450	R									NA		NA		04/27/2005
(662) Simpson Circle	1.02	1100	R									NA		NA		04/27/2005
(662) Clarks Gap Rd	2.40	3100	G	98%	1%	1%	0%	0%	0%	C	0.110	F	0.806	3300	G	2009
(662) Factory St	0.17	2200	R									NA		NA		04/27/2005
(662) Second St	0.32	1600	R									NA		NA		09/15/2009
(662) Main St	0.26	2500	R									NA		NA		09/15/2009
(662) Clover Hill Rd	1.20	240	R									NA		NA		04/27/2005
(662) Clover Hill Rd	1.40	700	R									NA		NA		04/27/2005
(662) Stumptown Rd	3.02	1500	R									NA		NA		04/27/2005
(662) Stumptown Rd	0.54	1300	R									NA		NA		04/27/2005
(662) Stumptown Rd	0.16	370	R									NA		NA		1999
(662) Lucketts Rd	2.00	1100	R									NA		NA		04/27/2005
(662) Lost Corner Rd	2.00	600	R									NA		NA		04/27/2005
(663) Tollhouse Rd	0.69	130	R									NA		NA		03/02/2002
(663) Tollhouse Rd	0.21	120	R									NA		NA		04/28/2005
(663) Wenner Rd	0.94	570	R									NA		NA		04/28/2005
(663) Quarter Branch Rd	0.40	360	R									NA		NA		04/28/2005
(663) Quarter Branch Rd	1.70	260	R									NA		NA		04/28/2005
(663) Downey Mill Rd	0.90	280	R									NA		NA		04/28/2005
(663) Downey Mill Rd	0.60	220	R									NA		NA		04/28/2005
(663) Downey Mill Rd	1.40	140	R									NA		NA		04/28/2005
(663) Downey Mill Rd	0.07	80	R									NA		NA		02/02/2002
(663) Downey Mill Rd	0.01	670	R									NA		NA		04/28/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(663) Taylorstown Rd	0.21	830	G	97%	1%	From: 53-668 Taylorstown Rd				C	0.124	F	0.832	890	G	2009
(663) Taylorstown Rd	0.23	800	R			To: 53-665 W, Loyalty Rd								NA		04/28/2005
(663) Taylorstown Rd	0.38	830	R			From: 53-665 E, Furnace Mtn Rd								NA		04/28/2005
(663) Taylorstown Rd	1.32	850	R			To: 0.38 ME 53-665								NA		04/28/2005
(663) Taylorstown Rd	2.75	980	R			From: 53-664 Wilt Store Rd								NA		04/28/2005
(664) Wilt Store Rd	1.80	280	R			To: US 15 James Monroe Hwy								NA		04/28/2005
(665) High St/Butchers Row	0.52	2300	G	95%	2%	From: 53-662 S, Factory St				F	0.131	F	0.756	2500	G	2009
(665) Loyalty Rd	1.73	1100	G	95%	2%	To: 53-698 E, Old Waterford Rd				C	0.101	F	0.607	1200	G	2009
(665) Loyalty Rd	3.50	340	G	95%	2%	From: 53-662 N, Clover Hill Rd				F	0.141	F	0.703	360	G	2009
(665) Furnace Mountain Rd	2.40	140	R			To: 53-663 W, Taylorstown Rd 53-663 E, Taylorstown Rd								NA		03/02/2002
(666) Browns Lane	1.20	410	R			From: 53-672 Lovettsville Rd								NA		02/02/2002
(667) Yakey Lane	1.11	120	R			To: Dead End								NA		03/02/2002
(668) Taylorstown Rd	1.91	740	G	96%	1%	From: 53-663 Taylorstown Rd				C	0.128	F	0.748	800	G	2009
(668) Ropp Lane	1.30	390	R			To: 53-672 W, Lovettsville Rd 53-672 E, Lovettsville Rd								NA		03/02/2002
(669) Tankerville Rd	0.89	150	R			From: 53-672 Lovettsville Rd								NA		04/28/2005
(669) Tankerville Rd	0.03	90	R			To: 0.89 ME 53-672								NA		03/02/2002
(670) Folly Lane	1.20	300	R			From: 53-668 Taylorstown Rd								NA		03/02/2002
(671) Harpers Ferry Rd	1.44	3200	G	98%	0%	To: 53-672 Lovettsville Rd				C	0.095	F	0.760	3500	G	2009
(671) Harpers Ferry Rd	1.84	3000	G	97%	1%	From: SR 9 Charles Town Pike				C	0.097	F	0.776	3300	G	2009
(671) Harpers Ferry Rd	3.48	3100	G	97%	1%	To: 53-787 Kidwell Rd				F	0.098	F	0.837	3400	G	2009
(671) Harpers Ferry Rd	0.79	3300	G	97%	1%	From: 53-687 Sagle Rd				F	0.087	F		3500	G	2009
						To: 53-683 Branchriver Rd										
						From: US 340 Jefferson Pike										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Lovettsville</b>																	
(672) Lovettsville Rd	0.08	1900	G	95%	2%	2%	0%	0%	0%	C	0.103	F	0.516	2000	G	2009	
						From: 53-673 Broad Way East											
						To: ECL Lovettsville											
<b>Loudoun County</b>																	
(672) Lovettsville Rd	3.03	1900	N	95%	2%	2%	0%	0%	0%	N	0.103	N	0.516	2000	N	2009	
						From: ECL Lovettsville											
(672) Lovettsville Rd	2.64	1400	G	95%	2%	2%	0%	0%	0%	F	0.106	F	0.779	1500	G	2009	
						From: 53-667 Yaakey; 53-668 E. Ropp Lane											
						To: US 15 James Monroe Hwy											
(673) Evan Rd	0.50	120	R								NA			NA		05/02/2005	
						From: 53-680 Axline Rd											
(673) Evan Rd	0.70	180	R								NA			NA		05/02/2005	
						From: 53-675 Fry Farm Rd											
(673) Irish Corner Rd	0.30	480	G	94%	3%	2%	1%	0%	0%	F	0.105	F	0.673	510	G	2009	
						From: 53-690 Mountain Rd											
(673) Irish Corner Rd	0.32	640	G	94%	3%	2%	1%	0%	0%	C	0.097	F	0.627	690	G	2009	
						From: 53-853 Long Lane											
(673) Irish Corner Rd/Broad	1.53	1200	G	94%	3%	2%	1%	0%	0%	F	0.100	F	0.699	1300	G	2009	
						From: 53-852 Georges Mill Rd											
						To: WCL Lovettsville											
<b>Town of Lovettsville</b>																	
(673) Irish Corner Rd/Broad	0.30	1200	N	94%	3%	2%	1%	0%	0%	N	0.100	N	0.699	1300	N	2009	
						From: WCL Lovettsville											
(673) Broad Way East	0.22	2900	G	96%	2%	1%	1%	1%	0%	C	0.111	F	0.685	3100	G	2009	
						From: SR 287 Berlin Tpke											
(673) Broad Way East	0.07	2700	G	96%	2%	1%	1%	1%	0%	F	0.112	F	0.77	2900	G	2009	
						From: 53-796 Loudoun St											
(673) Broad Way East	0.25	3300	G	96%	2%	1%	1%	1%	0%	F	0.109	F	0.709	3500	G	2009	
						From: 53-1503 Locust St											
						To: 53-672 SCL Lovettsville											
<b>Loudoun County</b>																	
(673) Milltown Rd	2.05	320	R								NA			NA		05/02/2005	
						From: 53-672 SCL Lovettsville											
(673) Featherbed Lane	2.70	110	R								NA			NA		05/02/2005	
						From: 53-681 S. Orrison Rd											
(673) Bald Hill Rd	2.00	220	R								NA			NA		05/02/2005	
						From: 53-665 N. Loyalty Rd											
						To: 53-665 S. Loyalty Rd											
(674) Dutchmans Creek Rd	1.40	90	R								NA			NA		03/02/2002	
						From: 53-663 Taylorsville Rd											
(674) Dutchmans Creek Rd	0.41	290	R								NA			NA		04/28/2005	
						From: Dead End											
(674) Dutchmans Creek Rd	0.52	80	R								NA			NA		03/02/2002	
						From: 53-663 Tollhouse Rd											
(674) Dutchmans Creek Rd	0.10	110	R								NA			NA		04/28/2005	
						From: 53-854 Purcell Rd											
						To: 0.52 MS 53-854											
(675) Fry Farm Rd	1.07	100	R								NA			NA		05/02/2005	
						From: 53-673 Irish Corner Rd											
						To: 53-673 Evan Rd											
<b>Town of Lovettsville</b>																	
(675) Fry Farm Rd	0.10	440	R								NA			NA		1999	
						From: WCL Lovettsville											
						To: 53-1648 Milhoven Dr											

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Lovettsville</b>																
(675) Church St S	0.18	430	R				From: 53-1648 Milhoven Dr					NA		NA		1999
(675) Church St S	0.10	580	R				From: 53-1644 Fox Meadow Dr					NA		NA		1999
							To: SR 287 Berlin Tpke									
<b>Loudoun County</b>																
(676) Lutheran Church Rd	0.80	210	R				From: 53-680 Axline Rd					NA		NA		05/02/2005
(676) Lutheran Church Rd	0.40	300	R				From: SR 287 Berlin Tpke					NA		NA		05/02/2005
(676) Everhart Rd	0.20	210	R				From: 53-678 Lutheran Church Rd					NA		NA		03/02/2002
							To: Dead End									
(677) Partlow Rd	0.24	830	R				From: 53-1849 Preddy Ct					NA		NA		02/07/2005
							To: 53-641 Ashburn Rd									
(678) Lutheran Church Rd	0.60	300	R				From: 53-682 Rodeffer Rd					NA		NA		1999
							To: 53-676 Everhart Rd									
(679) Woodland Rd	0.26	70	R				From: 53-1902					NA		NA		1999
(679) Woodland Rd	0.15	180	R				From: 53-889 Cedar Lane					NA		NA		1999
(679) Woodland Rd	0.13	260	R				From: Ashgrove Court					NA		NA		1999
(679) Woodland Rd	0.19	300	R				From: Stonetree Court					NA		NA		1999
							To: 53-637 Cascades Pkwy									
(680) Axline Rd	0.40	210	R				From: 53-682 Householder Rd					NA		NA		05/02/2005
(680) Axline Rd	0.50	200	R				From: 53-676 Lutheran Church Rd					NA		NA		05/02/2005
(680) Axline Rd	0.45	130	R				From: 53-673 Elvan Rd					NA		NA		05/02/2005
(680) Axline Rd	0.95	250	R				From: 53-850 Picnic Woods Rd					NA		NA		05/02/2005
							To: 53-690 Mountain Rd									
(681) Milltown Rd	3.37	1200	R				From: 53-698 Old Wheatland Rd					NA		NA		1999
(681) Milltown Rd	0.88	1100	R				From: 53-682 S, Compher Rd					NA		NA		1999
(681) Orrison Rd	0.70	140	R				From: 53-673 Featherbed Rd					NA		NA		03/02/2002
							From: 53-673 Featherbed Lane					NA		NA		03/02/2002
(681) Slater Rd	0.57	60	R				From: Dead End					NA		NA		03/02/2002
							To: 53-663 Downey Mill Rd									
(682) Britain Rd	0.15	260	R				From: 53-690 Mountain Rd					NA		NA		05/02/2005
(682) Britain Rd	0.85	250	R				From: 0.15 MS 53-690					NA		NA		1999
(682) Householder Rd	1.19	510	R				From: 53-850 S, Picnic Woods Rd					NA		NA		09/09/2008
							From: 53-850 N, Picnic Woods Rd.					NA		NA		09/09/2008
							To: 53-680 Axline Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(682) Householder Rd	0.46	720	R													05/02/2005
			From: 53-680 Axline Rd													
			To: SR 287 N, Berlin Tpke													
(682) Rodeffer Rd	0.40	360	R													05/02/2005
			From: SR 287 S, Berlin Tpke													
(682) Rodeffer Rd	1.50	220	R													05/02/2005
			From: 53-678 Lutheran Church Rd													
			To: 53-681 N, Milltown Rd													
(682) Compher Rd	0.10	40	R													03/02/2002
			From: 53-681 S, Milltown Rd													
			To: Dead End													
(683) Branchriver Rd	0.07	180	R													05/04/2005
			From: 53-671 Harpers Ferry Rd													
(683) Branchriver Rd	1.00	90	R													1999
			From: 0.07 ME 53-671													
			To: Dead End													
(684) Snider Lane	0.20	150	R													02/02/2002
			From: 53-671 Harpers Ferry Rd													
			To: Dead End													
(685) Arnold Lane	1.00	20	R													03/02/2002
			From: 53-686 Sawmill Lane													
			To: Dead End													
(686) Sawmill Rd	1.00	70	R													02/02/2002
			From: Dead End													
			To: 53-671 Harpers Ferry Rd													
(687) Sagle Rd	2.40	270	R													05/04/2005
			From: SR 9 Charles Town Pike													
			To: 53-671 Harpers Ferry Rd													
(688) Simmons Rd	0.65	80	R													03/02/2002
			From: Bus SR 7, Main St West													
			To: Dead End													
(689) Creamer Lane	0.80	200	R													03/02/2002
			From: Dead End													
			To: SR 9 Charles Town Pike													
(690) Silcott Springs Rd	2.87	2500	G	95%	1%	2%	1%	1%	0%	C	0.094	F	0.567	2600	G	2009
			From: 53-611 Saint Louis Rd; 53-734													
(690) Silcott Springs Rd	1.57	3100	G	95%	1%	2%	1%	1%	0%	F	0.087	F	0.636	3400	G	2009
			From: 53-762 Lickey Mill Rd													
			To: SCL Purcellville													
(690) Hillsboro Rd	1.36	NA														
			From: NCL Purcellville													
(690) Hillsboro Rd	2.62	2800	G	97%	1%	1%	1%	0%	0%	C	0.117	F	0.831	3000	G	2009
			From: 53-711 Alder School Rd													
(690) Hillsboro Rd	0.32	2600	G	97%	1%	1%	1%	0%	0%	F	0.11	F	0.827	2800	G	2009
			From: 53-812 Gaver Mill Rd													
			To: SR 9 W, Charles Town Pike													
(690) Mountain Rd	1.74	940	G	95%	2%	2%	1%	0%	0%	F	0.116	F	0.777	1000	G	2009
			From: SR 9 E, Charles Town Pike													
(690) Mountain Rd	1.51	590	G	95%	2%	2%	1%	0%	0%	C	0.108	F	0.824	630	G	2009
			From: 53-697 Legard Farm Rd													
(690) Mountain Rd	0.94	500	G	95%	2%	2%	1%	0%	0%	F	0.111	F	0.831	540	G	2009
			From: 53-693 Morrisonville Rd													
(690) Mountain Rd	2.87	300	G	95%	2%	2%	1%	0%	0%	F	0.122	F	0.585	320	G	2009
			From: 53-682 Britain Rd													
			To: 53-673 Irish Corner Rd													

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(691) Rehobeth Church Rd	0.80	200	R								NA			NA		05/03/2005
(691) Bolington Rd	0.05	440	R								NA			NA		05/03/2005
(691) Bolington Rd	1.21	230	R								NA			NA		05/03/2005
(691) Bolington Rd	1.39	120	R								NA			NA		05/03/2005
(692) Rickard Rd	0.80	170	R								NA			NA		05/03/2005
(692) Rickard Rd	0.40	380	R								NA			NA		05/03/2005
(692) Bolington Rd	1.40	210	R								NA			NA		05/03/2005
(692) Rocky Lane	0.30	80	R								NA			NA		03/02/2002
(693) Morrisonville Rd	1.65	240	R								NA			NA		05/03/2005
(693) Morrisonville Rd	1.50	810	R								NA			NA		05/03/2005
(693) Ash George Rd	1.35	250	R								NA			NA		05/03/2005
(694) John Wolford Rd	0.81	120	R								NA			NA		03/02/2002
(694) John Wolford Rd	2.35	230	R								NA			NA		03/02/2002
(694) John Wolford Rd	0.45	330	R								NA			NA		05/03/2005
(694) The Narrows Rd	0.40	190	R								NA			NA		02/02/2002
(695) Creek Lane	0.70	120	R								NA			NA		02/02/2002
(696) Polecat Hill Rd	1.30	140	R								NA			NA		03/02/2002
(697) Legard Farm Rd	0.90	160	R								NA			NA		05/09/2005
(697) Nixon Rd	0.20	200	R								NA			NA		05/09/2005
(697) Nixon Rd	0.80	270	R								NA			NA		05/09/2005
(698) Old Wheatland Rd	2.95	330	R								NA			NA		05/03/2005
(698) Old Wheatland Rd	0.20	980	R								NA			NA		05/03/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(698) Water St	0.20	470	R													05/03/2005
From: 53-662 E, Main St						To: 53-665 W, Butchers Row										
(698) Old Waterford Rd	1.80	650	R													05/03/2005
From: 53-665 E, Loyalty Rd						To: 53-703 Hurley Lane										
(698) Old Waterford Rd	1.80	890	R													05/03/2005
From: 53-703 Hurley Lane						To: 53-755 Nestlewood Rd										
(698) Old Waterford Rd	1.39	490	R													05/03/2005
From: 53-755 Nestlewood Rd						To: 1.39 MS 53-755										
(698) Old Waterford Rd	0.31	540	R													05/03/2005
From: 1.39 MS 53-755						To: NCL Leesburg										
(699) Dry Mill Rd	0.06	4200	G	99%	0%	0%	0%	0%	0%	C	0.17	F		4500	G	2009
From: WCL Leesburg						To: 53-1015										
(699) Dry Mill Rd	0.65	3400	G	99%	0%	0%	0%	0%	0%	F	0.186	F		3600	G	2009
From: 53-1015						To: 53-820 Thomas Mill Rd										
(699) Dry Mill Rd	2.04	2800	R													05/05/2005
From: 53-820 Thomas Mill Rd						To: SR 7 Harry Byrd Hwy										
(700) Woodtrail Rd	0.40	180	R													05/19/2005
From: SR 7 Harry Byrd Hwy						To: 53-630 Unison Rd										
(700) Woodtrail Rd	2.10	220	R													05/19/2005
From: 53-630 Unison Rd						To: 53-756 Poor House Lane										
(701) Otley Rd	0.70	80	R													05/26/2005
From: 53-756 Poor House Lane						To: 53-719 Airmont Rd										
From: 53-719 Airmont Rd						To: 53-735 Black Oak Rd										
(702) Koerner Lane	0.10	260	R													1999
From: 53-735 Black Oak Rd						To: 53-690 Silcott Springs Rd										
(702) Koerner Lane	0.40	90	R													1999
From: 53-690 Silcott Springs Rd						To: 53-690 Hillsboro Rd										
(703) Hurley Lane	0.75	710	R													05/03/2005
From: 53-690 Hillsboro Rd						To: 0.10 ME 53-690										
(703) Hurley Lane	0.65	250	R													05/03/2005
From: 0.10 ME 53-690						To: Dead End										
(704) Harmony Church Rd	3.21	3000	G	98%	1%	1%	1%	0%	0%	C	0.118	F	0.816	3200	G	2009
From: Dead End						To: 53-662 Clarkes Gap Rd										
(704) Harmony Church Rd	1.86	2200	G	98%	1%	1%	1%	0%	0%	F	0.119	F	0.827	2400	G	2009
From: 53-662 Clarkes Gap Rd						To: 0.75 ME 53-662										
(704) Harmony Church Rd	0.46	2400	G	98%	1%	1%	1%	0%	0%	F	0.113	F	0.821	2600	G	2009
From: 0.75 ME 53-662						To: SR 7 BUS WEST										
(704) Hamilton Station Rd	0.52	3800	G	96%	2%	1%	1%	0%	0%	F	0.092	F	0.617	4100	G	2009
From: SR 7 BUS WEST						To: SR 7 BUS EAST										
(704) Hamilton Station Rd	0.47	2400	G	96%	2%	1%	1%	0%	0%	F	0.149	F	0.810	2600	G	2009
From: SR 7 BUS EAST						To: Ramp to SR 7										
(704) Hamilton Station Rd	1.02	2100	G	96%	2%	1%	1%	0%	0%	C	0.162	F	0.802	2200	G	2009
From: Ramp to SR 7						To: 53-711 Piggott Bottom Rd										
(704) Hamilton Station Rd	2.03	900	G	96%	2%	1%	1%	0%	0%	F	0.120	F	0.522	960	G	2009
From: 53-711 Piggott Bottom Rd						To: SR 9 Charles Town Pike										
From: SR 9 Charles Town Pike						To: 53-662 Clarkes Gap Rd										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(705) Braddock Rd	1.65	1300	R				US 15 James Madison Hwy					NA		NA		01/10/2005
(705) Braddock Rd	0.62	600	R				53-600 Lenah Rd, New Rd					NA		NA		11/20/2008
(705) Braddock Rd	1.13	570	R				Twin Pond Lane					NA		NA		11/20/2008
(705) Lightridge Farm Rd	1.00	290	R				53-620 Braddock Rd					NA		NA		02/02/2002
(705) Lightridge Rd	1.80	280	R				Randolf Lane					NA		NA		02/02/2002
(706) Paynes Lane	0.10	320	R				Dead End					NA		NA		03/02/2002
(706) Irene Rd	0.70	490	R				53-704 S, Hamilton Station Rd 53-704 N, Hamilton Station Rd					NA		NA		05/05/2005
(707) Digges Valley Rd	1.50	150	R				53-704 Harmony Church Rd					NA		NA		05/05/2005
(708) Maryland Ave	0.23	70	R				53-662 Canby Rd					NA		NA		05/10/2005
(709) Chapelle Hill Rd	0.80	150	R				53-709 Ivandale Rd					NA		NA		03/02/2002
(709) Sands Rd	1.15	230	R				53-1102 Laycock St					NA		NA		04/25/2005
(709) Sands Rd	0.75	1100	R				53-611 Telegraph Springs Rd					NA		NA		04/25/2005
(709) Hughes St S	0.50	780	R				53-722 S, Lincoln Rd 53-722 N, Lincoln Rd					NA		NA		1999
<b>Town of Hamilton</b>																
(709) Hughes St S	0.11	780	N				53-710 Saint Paul St					NA		NA		1999
(709) Ivandale Rd	0.16	1300	R				SCL Hamilton					NA		NA		1999
<b>Loudoun County</b>																
(709) Ivandale Rd	0.06	1300	N				NCL Hamilton					NA		NA		1999
(709) Ivandale Rd	1.20	570	R				53-708 Maryland Ave					NA		NA		1999
(710) S Saint Paul St	0.46	1000	R				53-711 Piggott Bottom Rd					NA		NA		1999
<b>Town of Hamilton</b>																
(710) S Saint Paul St	0.19	1000	N				53-709 Hughes St S					NA		NA		1999
<b>Loudoun County</b>																
(711) Williams Gap Rd	2.10	220	R				SCL Hamilton					NA		NA		03/02/2002
							SR 7 Harry Byrd Hwy					NA		NA		03/02/2002
							53-712 S, Scotland Heights Rd					NA		NA		03/02/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Loudoun County</b>																	
(711) Williams Gap Rd	2.10	390	R				From: 53-712 S, Scotland Heights Rd				NA			NA		04/25/2005	
							To: 53-719 S, Woodgrove Rd										
(711) Alder School Rd	1.20	420	R				From: 53-719 N, Woodgrove Rd				NA			NA		04/25/2005	
							To: 53-716 W, Ketocin Church Rd										
(711) Alder School Rd	0.10	250	R				From: 53-716 W, Ketocin Church Rd				NA			NA		04/25/2005	
							To: 53-716 E, Short Hill Rd										
(711) Alder School Rd	0.20	370	R				From: 53-716 E, Short Hill Rd				NA			NA		03/02/2002	
							To: 0.20 ME 53-716 EAST										
(711) Alder School Rd	0.30	420	R				From: 0.20 ME 53-716 EAST				NA			NA		04/25/2005	
							To: 53-690 Hillsboro Rd										
(711) Alder School Rd	1.39	790	R				From: 53-690 Hillsboro Rd				NA			NA		04/25/2005	
							To: 53-611 Purcellville Rd										
(711) Alder School Rd	1.26	340	R				From: 53-611 Purcellville Rd				NA			NA		04/25/2005	
							To: SR 287 N, Berlin Tpke										
(711) Piggott Bottom Rd	1.40	400	R				From: SR 287 N, Berlin Tpke				NA			NA		04/25/2005	
							To: SR 287 S, Berlin Tpke										
(711) Piggott Bottom Rd	1.70	340	R				From: SR 287 S, Berlin Tpke				NA			NA		04/25/2005	
							To: 53-709 Ivandale Rd										
							From: 53-704 Hamilton Station Rd										
(712) Yatton Rd	0.30	45	R				From: Dead End				NA			NA		03/02/2002	
							To: 53-719 Airmont Rd										
(712) Yatton Rd	0.94	170	R				From: 53-719 Airmont Rd				NA			NA		05/04/2005	
							To: 0.94 MN 53-719										
(712) Yatton Rd	0.26	190	R				From: 0.94 MN 53-719				NA			NA		05/04/2005	
							To: Bus SR 7										
(712) Simpsons Creek Rd	0.22	120	R				From: Bus SR 7				NA			NA		09/15/2009	
							To: SR 7 Harry Flood Byrd Hwy										
(712) Scotland Heights Rd	1.18	430	R				From: SR 7 Harry Flood Byrd Hwy				NA			NA		05/04/2005	
							To: Scotland Heights Rd										
							From: Simpsom Creek Rd										
(712) Wilsons Gap Rd	0.55	20	R				From: Simpsom Creek Rd				NA			NA		03/02/2002	
							To: 53-711 S, Williams Gap Rd										
							From: 53-711 N, Williams Gap Rd										
							To: Dead End										
(713) Appalachian Trail Rd	0.60	140	R				From: Dead End				NA			NA		03/02/2002	
							To: 53-719 Woodgrove Rd										
(714) Shannondale Rd	1.30	70	R				From: 53-719 Woodgrove Rd				NA			NA		03/02/2002	
							To: 53-716 Edgegrove Rd										
							From: Dead End										
(715) Neer Lane	0.60	90	R				From: Dead End				NA			NA		03/02/2002	
							To: 53-751 Cider Mill Rd										
(716) Osburn Rd	0.52	150	R				From: 53-751 Cider Mill Rd				NA			NA		02/02/2002	
							To: 53-720 Bell Rd										
(716) Ketocin Church Rd	1.11	150	R				From: 53-720 Bell Rd				NA			NA		05/04/2005	
							To: FR 961										
(716) Ketocin Church Rd	2.40	420	R				From: FR 961				NA			NA		05/04/2005	
							To: 53-711 W, Alder School Rd										
							From: 53-711 E, Alder School Rd										
(716) Edgegrove Rd	1.40	120	R				From: 53-711 E, Alder School Rd				NA			NA		05/04/2005	
							To: 53-719 N, Woodgrove Rd										
							From: 53-719 S, Woodgrove Rd										
							To: 53-714 Shanondale Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(716) Edgegrove Rd	0.40	110	R									NA		NA		05/04/2005
(717) Baker Mill Rd	0.50	20	R									NA		NA		03/02/2002
(718) Ashbury Church Rd	1.56	340	R									NA		NA		05/04/2005
<b>Town of Hillsboro</b>																
(718) Ashbury Church Rd	0.02	340	N									NA		NA		05/04/2005
<b>Loudoun County</b>																
(718) Ashbury Church Rd	0.02	340	N									NA		NA		05/04/2005
<b>Fauquier County</b>																
(719) Greengarden Rd	0.23	150	R									NA		NA		03/02/2002
<b>Loudoun County</b>																
(719) Greengarden Rd	1.91	150	N									NA		NA		03/02/2002
(719) Greengarden Rd	2.29	550	G	94%	2%	1%	2%	1%	0%	F	0.11	F	0.539	590	G	2009
(719) Airmont Rd	2.15	570	G	94%	2%	1%	2%	1%	0%	F	0.102	F	0.578	610	G	2009
(719) Airmont Rd	1.98	850	G	94%	2%	1%	2%	1%	0%	F	0.094	F	0.612	910	G	2009
(719) Airmont Rd	0.12	1000	G	94%	2%	1%	2%	1%	0%	F	0.095	F	0.606	1100	G	2009
(719) Airmont Rd	2.50	1500	G	94%	2%	1%	2%	1%	0%	F	0.098	F	0.671	1600	G	2009
(719) New Cut Rd	0.84	1700	G	94%	2%	1%	2%	1%	0%	C	0.094	F	0.694	1800	G	2009
<b>Town of Round Hill</b>																
(719) New Cut Rd	0.17	1700	N	94%	2%	1%	2%	1%	0%	N	0.094	N	0.694	1800	N	2009
(719) Main St	0.38	2500	G	95%	2%	2%	0%	0%	0%	F	0.092	F	0.65	2700	G	2009
(719) Woodgrove Rd	0.06	1900	G	95%	2%	2%	0%	0%	0%	C	0.115	F	0.675	2000	G	2009
<b>Loudoun County</b>																
(719) Woodgrove Rd	2.15	1200	G	96%	2%	2%	0%	0%	0%	C	0.14	F	0.614	1200	G	2009
(719) Woodgrove Rd	2.20	840	G	95%	2%	2%	0%	0%	0%	F	0.107	F	0.629	900	G	2009
(719) Stony Point Rd	1.29	400	G	98%	1%	1%	0%	0%	0%	C	0.101	F	0.576	430	G	2009
(720) Bell Rd	1.50	740	R									NA		NA		05/04/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(721) Crooked Run Lane	0.15	190	R								NA			NA		03/02/2002
(722) Cockerill Rd	0.80	160	R								NA			NA		03/02/2002
(722) Lincoln Rd	2.89	1700	R								NA			NA		05/26/2005
(722) Lincoln Rd	0.81	2500	R								NA			NA		05/26/2005
(722) Lincoln Rd	1.07	3800	R								NA			NA		05/05/2005
(722) Saint Francis Ct	0.60	9700	R								NA			NA		05/05/2005
(723) Foundry Rd	1.25	230	R								NA			NA		05/26/2005
(724) Hertz Rd	0.11	49	R								NA			NA		03/02/2002
(725) Paxson Rd	1.60	230	R								NA			NA		05/25/2005
(725) Paxson Rd	1.30	130	R								NA			NA		05/25/2005
(725) Paxson Rd	0.90	170	R								NA			NA		05/25/2005
(725) Paxson Rd	0.80	170	R								NA			NA		03/02/2002
(725) Bolyn Rd	0.30	130	R								NA			NA		03/02/2002
(725) Hughesville Rd	0.80	260	R								NA			NA		05/25/2005
(725) Hughesville Rd	0.90	210	R								NA			NA		05/25/2005
(725) Hughesville Rd	1.90	270	R								NA			NA		05/25/2005
(726) Taylor Rd	1.20	80	R								NA			NA		05/05/2005
(727) Forest Mills Rd	0.70	230	R								NA			NA		05/26/2005
(727) Forest Mills Rd	0.50	190	R								NA			NA		05/26/2005
(727) Forest Mills Rd	0.30	120	R								NA			NA		06/08/2005
(728) North Fork Rd	1.20	270	R								NA			NA		05/16/2005
(728) North Fork Rd	1.30	410	R								NA			NA		05/16/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(728) North Fork Rd	0.12	740	R													05/16/2005
(728) North Fork Rd	0.30	490	R													05/16/2005
(728) North Fork Rd	0.50	100	R													03/02/2002
(729) Shelburne Glebe Rd	1.07	150	R													03/02/2002
(729) Shelburne Glebe Rd	1.80	310	R													05/19/2005
(729) Shelburne Glebe Rd	1.81	390	R													05/19/2005
(729) Shelburne Glebe Rd	0.28	380	R													05/19/2005
(730) Colchester Rd	0.30	420	R													05/17/2005
(730) Colchester Rd	0.60	300	R													05/17/2005
(730) Colchester Rd	0.90	260	R													05/17/2005
(731) Hibbs Bridge Rd	1.40	130	R													05/18/2005
(731) Watermill Rd	2.10	590	R													05/18/2005
(732) Meetinghouse Lane	0.20	260	R													1999
(733) Turkey Roost Rd; Beave	1.60	310	R													05/16/2005
(733) Leith Lane	0.50	430	R													05/16/2005
(733) Mountville Rd	2.10	270	R													05/16/2005
(733) Lime Kiln Rd	0.90	570	G	95%	0%	3%	0%	0%	0%	F	0.131	F	0.869	610	G	2009
(733) Lime Kiln Rd	3.50	570	G	95%	0%	3%	0%	0%	0%	F	0.130	F	0.908	610	G	2009
(733) Lime Kiln Rd	1.13	970	G	95%	0%	3%	0%	0%	0%	C	0.114	F	0.854	1000	G	2009
(733) Lime Kiln Rd	0.02	970	G	95%	0%	3%	0%	0%	0%	C	0.114	F	0.854	1000	G	2009
(734) Snickersville Tpke	0.72	380	R													05/26/2005
(734) Snickersville Tpke	0.65	1900	G	98%	1%	1%	0%	0%	0%	F	0.105	F	0.510	2000	G	2009
(734) Snickersville Tpke	1.48	1100	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.735	1100	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(734) Snickersville Tpke	1.02	1100	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.735	1200	G	2009
						From: 53-725 Paxson Rd										
(734) Snickersville Tpke	2.38	1200	G	98%	1%	1%	0%	0%	0%	F	0.106	F	0.693	1300	G	2009
						From: 53-719 Airmont Rd										
(734) Snickersville Tpke	3.52	970	G	98%	1%	1%	0%	0%	0%	C	0.118	F	0.865	1000	G	2009
						From: 53-611 Telegraph Springs Rd										
(734) Snickersville Tpke	0.59	1500	G	98%	1%	1%	0%	0%	0%	F	0.128	F	0.862	1600	G	2009
						From: 53-733 W, Mountville Rd										
(734) Snickersville Tpke	1.09	1200	G	98%	0%	1%	0%	0%	0%	F	0.111	F	0.795	1300	G	2009
						From: 53-733 E, Lime Kiln Rd										
(734) Snickersville Tpke	3.55	1000	G	98%	0%	1%	0%	0%	0%	C	0.112	F	0.744	1100	G	2009
						From: 53-748 Sam Fred Rd										
						To: US 50 John S Mosby Hwy										
(735) Black Oak Rd	1.80	40	R								NA		NA			05/26/2005
						From: 53-734 Snickersville Tpke										
						To: 53-725 Paxson Rd										
(736) Furr Rd	1.80	140	R								NA		NA			05/18/2005
						From: 53-626 Bloomfield Rd										
						To: 53-719 Airmont Rd										
(737) Piney Swamp Rd	0.82	50	R								NA		NA			03/02/2002
						From: 53-719 Greengarden Rd										
						To: Dead End										
(738) Hampton Rd	1.67	410	R								NA		NA			05/09/2005
						From: 53-711 Piggott Bottom Rd										
						To: SR 9 Charles Town Pike										
(739) Austin Grove Rd	1.40	150	R								NA		NA			05/19/2005
						From: 53-765 Ridgeside Rd										
						To: 53-626 Foggy Bottom Rd										
(740) Tutt Lane	0.87	30	R								NA		NA			03/02/2002
						From: Dead End										
(740) Tutt Lane	0.73	260	R								NA		NA			05/10/2005
						From: 0.87 ME Dead End										
						To: US 15 James Monroe Hwy										
(741) Markey Ct	0.07	1200	R								NA		NA			09/05/2002
						From: Cul-de-Sac										
						To: 53-634 Moran Rd										
(742) Poland Rd	1.88	5300	R								NA		NA			01/06/2005
						From: Fairfax County Line										
						To: US 50 John S Mosby Hwy										
(743) Millville Rd	1.30	300	R								NA		NA			05/18/2005
						From: 53-619 Trappe Rd										
(743) Millville Rd	1.20	530	G	93%	0%	3%	2%	1%	0%	C	0.116	F	0.535	560	G	2009
						From: 53-719 Greengarden Rd										
						To: 53-623 W, Willisville Rd										
(743) Welbourne Rd	0.52	280	R								NA		NA			05/18/2005
						From: 53-623 E, Willisville Rd										
						To: 53-630 Quaker Lane										
(743) Welbourne Rd	1.70	360	R								NA		NA			05/18/2005
						From: 1.70 ME 53-630										
(743) Welbourne Rd	0.10	380	R								NA		NA			05/18/2005
						From: 53-611 Saint Louis Rd										
(743) Millville Rd	2.20	260	R								NA		NA			03/02/2002
						From: 53-744 Snake Hill Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(744) Snake Hill Rd	0.20	170	R									NA		NA		05/18/2005
(744) Snake Hill Rd	1.00	190	R									NA		NA		05/18/2005
(744) Snake Hill Rd	0.60	280	R									NA		NA		05/18/2005
(744) Snake Hill Rd	0.70	250	R									NA		NA		05/18/2005
(745) Pot House Rd	0.90	100	R									NA		NA		05/18/2005
(745) Mountville Rd	0.80	230	R									NA		NA		1999
(746) Beaverdam Br Rd	1.60	220	R									NA		NA		05/18/2005
(747) Berryman Lane	0.45	100	R									NA		NA		03/02/2002
(748) Melmore Pl	0.31	270	R									NA		NA		1999
(748) Sam Fred Rd	3.40	780	R									NA		NA		05/16/2005
(749) Francis Mill Rd	0.70	9	R									NA		NA		03/02/2002
(750) Heskett Lane	1.40	200	R									NA		NA		03/02/2002
(751) Cider Mill Rd	1.50	540	G	98%	0%	1%	0%	0%	0%	C	0.108	F	0.69	540	G	2009
(752) Virts Lane	0.45	9	R									NA		NA		03/02/2002
(753) Railroad St	0.22	150	R									NA		NA		03/02/2002
(754) Kirk Branch Rd	1.20	90	R									NA		NA		03/02/2002
(755) Nestlewood Rd	0.30	60	R									NA		NA		03/02/2002
(756) Poor House Lane	1.20	60	R									NA		NA		05/19/2005
(757) Wrights Lane	0.50	50	R									NA		NA		03/02/2002
(758) Stevens Rd	1.60	360	R									NA		NA		05/02/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(759) Hollow Oak Rd	0.50	80	R								NA			NA		05/19/2005
(760) Clayton Hall Rd	0.36	1700	G	97%	1%	1%	1%	0%	0%	C	0.109	F	0.512	1800	G	2009
(761) Sunny Ridge Rd	2.07	70	R								NA			NA		1999
(762) Lickey Mill Rd	0.40	110	R								NA			NA		03/02/2002
(762) Lickey Mill Rd	1.10	110	R								NA			NA		1999
(763) Steptoe Hill	1.10	140	R								NA			NA		1999
(764) Buchannon Gap Rd	0.45	120	R								NA			NA		1999
(764) Buchannon Gap Rd	0.70	200	R								NA			NA		05/19/2005
(765) Ridgeside Rd	0.50	190	R								NA			NA		05/19/2005
(765) Ridgeside Rd	1.90	160	R								NA			NA		05/19/2005
(766) Llangollen Rd	1.60	240	R								NA			NA		1999
(767) Leith Lane	1.00	90	R								NA			NA		03/02/2002
(768) Beamertown Rd	0.13	20	R								NA			NA		03/02/2002
(769) Woodburn Rd	0.20	970	R								NA			NA		05/26/2005
(769) Woodburn Rd	1.50	830	R								NA			NA		05/26/2005
(769) Woodburn Rd	0.30	310	R								NA			NA		04/12/2005
(769) Woodburn Rd	0.37	640	R								NA			NA		04/12/2005
(770) Dunlop Mill Rd	0.80	90	R								NA			NA		05/26/2005
(771) The Woods Rd	1.80	280	R								NA			NA		04/14/2005
(772) Ryan Rd	2.02	3600	R								NA			NA		04/14/2005



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(772) Ryan Rd	2.25	4200	G	94%	1%	From: 53-659 Belmont Ridge Rd				C	0.095	F		4500	G	2009
(772) Ryan Rd	1.94	4100	G	94%	1%	From: 53-645 Croson Lane				F	0.096	F		4400	G	2009
						To: 53-625 Waxpool Rd										
(773) River Creek Pkwy	0.77	11000	G	99%	0%	From: ECL Leesburg South				F	0.094	F		12000	G	2009
(773) River Creek Pkwy	1.01	11000	G	99%	0%	From: Fort Evans Rd; Riverside Pkwy				F	0.107	F		12000	G	2009
(773) Edwards Ferry	1.12	7900	G	99%	0%	From: Shoal Creek Dr				C	0.117	F		8400	G	2009
						To: ECL Leesburg North										
(774) Creighton Rd	1.10	50	R			From: 53-659 Belmont Ridge Rd				NA				NA		03/02/2002
						To: Dead End										
(775) Cedar Green Rd	1.25	8300	R			From: 53-606 Old Ox Rd				NA				NA		01/25/2005
(775) Cedar Green Rd	0.26	7400	R			From: SR 28 Sully Rd				NA				NA		01/25/2005
(775) Cedar Green Rd	0.50	6300	R			From: 53-636 Shaw Rd				NA				NA		01/25/2005
						To: 53-625 Church Rd										
(776) Landmark School Rd	0.51	1600	R			From: Fauquier County Line				NA				NA		05/26/2005
						To: SCL Middleburg										
<b>Town of Middleburg</b>																
(776) Landmark School Rd	0.25	1600	N			From: SCL Middleburg				NA				NA		05/26/2005
						To: US 50 John S Mosby Hwy										
<b>Loudoun County</b>																
(777) Tripleseven Rd	0.40	6000	R			From: 53-1795 Palisade Pkwy				NA				NA		04/07/2005
(777) Tripleseven Rd	0.34	4100	R			From: 53-1660 Westwick Ct				NA				NA		1999
(777) Environs Rd	0.24	3500	R			From: 53-1634 Heather Glen Dr				NA				NA		1999
(777) Environs Rd	0.14	630	R			From: 53-1626 Summer Breeze Ct				NA				NA		1999
(777) Environs Rd	0.18	500	R			From: 53-1627 Country Rd				NA				NA		1999
						To: Cul-de-Sac										
(778) Cooksville Rd	0.30	150	R			From: Dead End				NA				NA		03/02/2002
						To: 53-722 Lincoln Rd										
(779) Ebenezer Church Rd	1.50	120	R			From: 53-719 S. Airmont Rd				NA				NA		05/19/2005
(779) Ebenezer Church Rd	1.00	160	R			From: 53-831 Yellow Schoolhouse Rd				NA				NA		05/19/2005
						To: 53-719 N. Airmont Dr										
(780) Mossridge Rd	0.30	190	R			From: 53-631 New Mountain Rd				NA				NA		05/26/2005
						To: 53-798 Bowmantown Rd										
(781) Catoclin Ridge	0.05	270	R			From: SR 9 W, Charles Town Pike				NA				NA		05/04/2005
						To: 53-828 W, Oliver St										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(781) Catoclin Ridge	0.15	210	R				From: 53-828 W, Oliver St					NA		NA		05/04/2005
(781) Catoclin Ridge	0.17	280	R				To: 53-828 E, Oliver St					NA		NA		05/04/2005
(782) Tranquility Rd	1.80	960	R				From: SR 9 E, Charles Town Pike					NA		NA		05/05/2005
(782) Tranquility Rd							To: 53-762 Lickey Mill Rd					NA		NA		05/05/2005
(783) Patrick St	0.10	300	R				From: Bus SR 7, Main St W					NA		NA		05/10/2005
(783) Patrick St							To: 53-662 Second St					NA		NA		05/10/2005
(784) Ward Hill Rd	0.40	80	R				From: 53-665 High St					NA		NA		05/25/2005
(784) Ward Hill Rd							To: 53-727 Forest Mills Rd					NA		NA		05/25/2005
(785) Main St	0.15	410	R				From: 53-725 Hughesville Rd					NA		NA		05/10/2005
(785) Main St							To: 53-662 Second St					NA		NA		05/10/2005
(786) Trinity Church Rd	0.30	90	R				From: Dead End					NA		NA		03/02/2002
(786) Trinity Church Rd							To: 53-725 Hughesville Rd					NA		NA		03/02/2002
(787) Kidwell Rd	0.65	150	R				From: Dead End					NA		NA		02/02/2002
(787) Kidwell Rd							To: 53-671 Harpers Ferry Rd					NA		NA		02/02/2002
(788) Hall Rd	0.15	40	R				From: Dead End					NA		NA		1999
(788) Hall Rd	0.10	140	R				To: 53-824 Oakgrove Rd					NA		NA		03/14/2005
(789) Lockridge Rd	1.14	830	R				From: 0.10 ME 53- 824 Dead End					NA		NA		02/02/2002
(789) Lockridge Rd							To: 53-606 Old Ox Rd					NA		NA		02/02/2002
(790) Newlin Mill Rd	2.05	200	R				From: Dead End					NA		NA		05/19/2005
(790) Newlin Mill Rd							To: 53-630 Quaker Unison					NA		NA		05/19/2005
(791) Lakefield Rd	0.60	170	R				From: 53-611 Saint Louis Rd					NA		NA		02/02/2002
(791) Lakefield Rd							To: Bus SR 7, Loudoun St E					NA		NA		02/02/2002
(792) Thomas Ave	0.19	440	R				From: 53-821 Lakeland Dr					NA		NA		02/07/2005
(792) Thomas Ave	0.04	530	R				To: 53-793 Lake Dr					NA		NA		02/07/2005
(793) Lake Dr	0.25	80	R				From: Fairfax County Line					NA		NA		1999
(793) Lake Dr							To: 53-792 Thomas Ave					NA		NA		1999
(794) Guinea Bridge Rd	0.13	50	R				From: Cul-de-Sac					NA		NA		02/02/2002
(794) Guinea Bridge Rd							To: Dead End					NA		NA		02/02/2002
(795) Surreyfield Way	0.09	45	R				From: 53-611 Telegraph Springs Rd					NA		NA		1999
(795) Surreyfield Way							To: Cul-de-Sac					NA		NA		1999
(796) Loudoun St S	0.66	1500	R				From: 53-662 Canby Rd					NA		NA		1999
(796) Loudoun St S							To: SR 287 Berlin Tpke					NA		NA		1999
							To: 53-673 Broadway East					NA		NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(797) Mount Gilead Rd	1.00	190	R													03/02/2002
(797) Mount Gilead Rd	1.80	130	R													03/02/2002
(797) Mount Gilead Rd	1.00	340	R													05/25/2005
(798) Bowmantown Rd	0.20	110	R													03/02/2002
(799) Booth Rd	0.50	280	R													04/28/2005
(800) Meadowlark Dr	0.03	90	R													03/25/2002
(800) Meadowlark Dr	1.61	450	R													05/04/2005
(801) Hoysville Rd	0.21	20	R													04/28/2005
(802) Highland Circle	0.30	110	R													05/04/2005
(803) Forestgrove Rd	0.20	40	R													03/01/2002
(804) Aldie Rd	0.25	330	R													02/02/2002
(805) Brockman Farm Lane	0.47	330	R													03/02/2002
(806) Janney St	0.10	60	R													05/10/2005
(807) Sullivans Mill Rd	0.10	70	R													05/25/2005
(808) Broad Run Dr	0.21	890	R													03/21/2005
(808) Broad Run Dr	0.39	790	R													03/21/2005
(808) Broad Run Dr	0.37	710	R													03/21/2005
(808) Broad Run Dr	0.23	690	R													03/21/2005
(809) Lakeside Dr	0.10	1500	R													03/21/2005
(809) Lakeside Dr	0.13	260	R													1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(810) Persimmon Lane	0.09	70	R								NA			NA		1999
(810) Persimmon Lane	0.10	410	R								NA			NA		03/22/2005
(810) Persimmon Lane	0.08	710	R								NA			NA		03/22/2005
(810) Persimmon Lane	0.06	1100	R								NA			NA		03/22/2005
(810) Persimmon Lane	0.02	1400	R								NA			NA		03/22/2005
(810) Persimmon Lane	0.06	30	R								NA			NA		1999
(811) Youngs Cliff Rd	0.35	480	R								NA			NA		03/22/2005
(811) Youngs Cliff Rd	0.21	550	R								NA			NA		03/22/2005
(811) Youngs Cliff Rd	1.70	430	R								NA			NA		1999
(812) Gaver Mill Rd	0.27	440	R								NA			NA		05/04/2005
(812) Gaver Mill Rd	0.10	140	R								NA			NA		1999
<b>Town of Hillsboro</b>																
(812) Gaver Mill Rd	0.10	140	N								NA			NA		1999
<b>Loudoun County</b>																
(813) Lakeside Dr	0.34	250	R								NA			NA		03/22/2005
(814) White Oak Dr	0.38	120	R								NA			NA		03/22/2005
(814) Redrose Dr	0.12	330	R								NA			NA		03/22/2005
(814) Redrose Dr	0.08	330	R								NA			NA		03/22/2005
(814) Redrose Dr	0.18	80	R								NA			NA		09/15/2002
(815) Dairy Lane	0.12	620	R								NA			NA		03/22/2005
(815) Dairy Lane	0.10	240	R								NA			NA		03/22/2005
(815) Dairy Lane	0.30	190	R								NA			NA		03/22/2005
(815) Dairy Lane	0.10	570	R								NA			NA		03/22/2005
(816) Fellows St	0.10	70	R								NA			NA		03/22/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(816) Fellows St	0.01	130	R			From: 53-814 W, Redrose Dr					NA			NA		1999
						To: 53-814 E, Redrose Dr										
(817) Fulton Place	0.20	210	R			From: 53-662 Simpson Circle					NA			NA		05/09/2005
						To: 53-835 Peacock Circle										
(818) Broad Run Dr	0.10	220	R			From: 53-811 Youngs Cliff Dr					NA			NA		1999
						To: 53-808 Broad Run Dr										
(819) Mallard St	0.17	90	R			From: 53-815 Dairy Lane					NA			NA		03/22/2005
						To: 53-814 Redrose Dr										
(820) Thomas Mill Rd	1.65	830	R			From: 53-662 Canby Rd					NA			NA		05/25/2005
						To: 1.65 ME 53-662										
(820) Thomas Mill Rd	0.04	470	R			From: 53-699 Dry Mill Rd					NA			NA		05/05/2005
						To: SR 7 W, Harry F Byrd Hwy										
(821) Cedar Dr	0.58	520	R			From: 53-822 Leeland Orchard					NA			NA		02/07/2005
						To: 53-792 Thomas Ave										
(821) Cedar Dr	0.15	970	R			From: SR 7 E, Harry F Byrd Hwy					NA			NA		02/07/2005
						To: 53-821										
(822) Leeland Orchard	0.03	20	R			From: Dead End					NA			NA		1999
						To: SR 7 W, Harry F Byrd Hwy										
(823) Smith Circle	1.45	290	R			From: SR 7 E, Harry F Byrd Hwy					NA			NA		03/21/2005
						To: 53-606 Old Ox Rd										
(824) Oakgrove Rd	0.50	4800	R			From: 53-788 Hall Rd					NA			NA		03/14/2005
						To: Dead End										
(825) Loudoun Heights Lane	0.25	60	R			From: 53-671 Harpers Ferry Rd					NA			NA		03/02/2002
						To: Dead End										
(826) Oak Lane	0.30	200	R			From: 53-637 Potomac View Rd					NA			NA		1999
						To: Dead End										
(827) Pinebrook Rd	0.90	400	R			From: US 50 John S Mosby Hwy					NA			NA		02/02/2002
						To: 53-781 Catocin Ridge										
(828) Oliver	0.25	140	R			From: 53-781 Catocin Ridge					NA			NA		05/04/2005
						To: 53-823 Smith Circle										
(829) Island Ave	0.18	160	R			From: 53-830 Potomac Dr					NA			NA		03/21/2005
						To: Dead End										
(830) Potomac Dr	0.11	30	R			From: 53-829 Island Ave					NA			NA		1999
						To: 0.16 ME 53-829										
(830) Potomac Dr	0.16	70	R			From: 53-779 Ebenezer Church Rd					NA			NA		03/21/2005
						To: 53-734 Snickersville Tpke										
(831) Yellow Schoolhouse Rd	1.45	230	R			From: 53-779 Ebenezer Church Rd					NA			NA		05/19/2005
						To: 53-734 Snickersville Tpke										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(846) Cardinal Glen Circle	0.09	1800	R			From: SR 7 Harry F Byrd Hwy					NA			NA		12/16/2008
						To: End Loop 846										
(846) Cardinal Glen Circle	0.24	790	R			From: Begin Loop 846					NA			NA		1999
						To: 53-1125 Coloma Ct										
(846) Cardinal Glen Circle	0.09	700	R			From: 53-1125 Coloma Ct					NA			NA		1999
						To: 53-1126 Woodowl Ct										
(846) Cardinal Glen Circle	0.34	920	R			From: 53-1126 Woodowl Ct					NA			NA		1999
						To: 53-1127 Barnswallow Ct										
(846) Cardinal Glen Circle	0.10	520	R			From: 53-1127 Barnswallow Ct					NA			NA		1999
						To: 53-1128 Blackbird Ct										
(846) Cardinal Glen Circle	0.05	540	R			From: 53-1128 Blackbird Ct					NA			NA		1999
						To: 53-1129 Wren Ct										
(846) Cardinal Glen Circle	0.06	910	R			From: 53-1129 Wren Ct					NA			NA		1999
						To: 53-1130 Redwing Ct; 1131 Blue Jay Ct										
(846) Cardinal Glen Circle	0.06	800	R			From: 53-1130 Redwing Ct; 1131 Blue Jay Ct					NA			NA		1999
						To: End Loop 53-846										
(847) Severn Way E	0.40	580	R			From: SR 28 Sully Rd					NA			NA		1999
						To: 53-1902										
(848) Holmes Mill Rd	0.90	49	R			From: Dead End					NA			NA		03/02/2002
						To: 53-704 Harmony Church Rd										
(849) Herndon Ct	0.12	110	R			From: 53-797 Mount Gilead Rd					NA			NA		1999
						To: Cul-de-Sac										
(850) Picnic Woods Rd	1.20	140	R			From: 53-693 Morrisonville Rd					NA			NA		05/02/2005
						To: 53-682 S, Britain Rd										
(850) Picnic Woods Rd	1.00	250	R			From: 53-682 S, Britain Rd					NA			NA		05/02/2005
						To: 53-680 Axline Rd										
(851) Sally Ride	0.22	1400	R			From: 53-864 Glenn					NA			NA		09/15/2002
						To: 53-868 Davis Dr										
(852) Georges Mill Rd	0.10	310	R			From: 53-673 Irish Corner Rd					NA			NA		1999
						To: 0.10 MN 53-673										
(852) Georges Mill Rd	1.20	2000	R			From: 0.10 MN 53-673					NA			NA		05/02/2005
						To: 53-758 S, Stevens Rd										
(852) Georges Mill Rd	0.90	870	R			From: 53-758 S, Stevens Rd					NA			NA		05/02/2005
						To: 53-758 N, Stevens Rd										
(852) Georges Mill Rd	0.70	100	R			From: 53-758 N, Stevens Rd					NA			NA		03/02/2002
						To: Dead End										
(853) Long Lane	1.55	260	R			From: Dead End					NA			NA		03/02/2002
						To: 53-673 Irish Corner Rd										
(854) Purcell Rd	0.10	380	R			From: SR 287 Berlin Tpke					NA			NA		05/02/2005
						To: 0.10 MN SR 287										
(854) Purcell Rd	0.60	240	R			From: 0.10 MN SR 287					NA			NA		1999
						To: 53-674 Dutchmans Creek Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Lovettsville</b>																
(855) Quarter Branch Rd	0.17	340	R											NA		1999
<b>Loudoun County</b>																
(855) Quarter Branch Rd	0.33	550	R											NA		04/28/2005
(855) Quarter Branch Rd	0.40	370	R											NA		04/28/2005
(856) Armistead Filler Lane	0.20	70	R											NA		03/02/2002
(857) Bears School Rd	0.82	40	R											NA		01/20/2005
(858) Potts Mill Rd	0.45	270	R											NA		05/18/2005
(859) Ruritan Circle	0.28	510	R											NA		02/09/2005
(860) Watson Rd	1.85	1700	R											NA		01/12/2005
(860) Watson Rd	0.22	1500	R											NA		01/12/2005
(860) Watson Rd	0.83	1200	R											NA		01/12/2005
(860) Watson Rd	0.10	1300	R											NA		01/12/2005
(860) Watson Rd	0.70	1200	R											NA		04/14/2005
(860) Watson Rd	0.65	1000	R											NA		04/14/2005
(861) Reservoir Rd	0.44	140	R											NA		01/20/2005
(861) Reservoir Rd	1.41	140	R											NA		1999
(862) Durham Ct	0.18	390	R											NA		1999
(863) Highwater Rd	0.09	40	R											NA		1999
(864) Glenn Dr	0.54	8400	R											NA		03/14/2005
(864) Glenn Dr	0.11	1900	R											NA		1999
(864) Glenn Dr	0.49	1900	N											NA		1999
(865) Acacia Dr	0.21	200	R											NA		1999



Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(866) Underwood Lane	0.31	1200	R											NA	NA	1999
(867) Shepard Dr	0.25	3300	R											NA	NA	03/14/2005
(868) Davis Dr	0.31	4400	R											NA	NA	03/19/2005
(868) Davis Dr	0.06	4300	R											NA	NA	12/16/2008
(868) Davis Dr	0.11	5400	R											NA	NA	03/19/2005
(868) Davis Dr	0.33	5600	R											NA	NA	12/16/2008
(869) Bryant Ct	0.11	290	R											NA	NA	1999
(870) Mullen Hill Rd	0.22	60	R											NA	NA	04/25/2005
(871) Manor House Rd	0.08	70	R											NA	NA	1999
(872) Lewis Ct	0.15	80	R											NA	NA	1999
(873) Wade Dr	0.27	180	R											NA	NA	1999
(875) Powers Ct	0.13	150	R											NA	NA	1999
(877) Racefield Lane	0.60	140	R											NA	NA	1999
(878) Glendale St	0.26	290	R											NA	NA	1999
(879) Basswood Ct	0.23	170	R											NA	NA	1999
(885) Executive Dr	0.21	5200	R											NA	NA	01/25/2005
(885) Executive Dr	0.21	920	R											NA	NA	1999
(886) Lane Ct	0.09	240	R											NA	NA	1999
(887)	0.26	NA												NA	NA	
(889) Cedar Lane	0.16	210	R											NA	NA	1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(890) Carpenter Dr	0.29	1700	R								NA		NA			04/20/2005
(899) Pon Farr	0.06	30	R								NA		NA			09/05/2002
(900) Mount Hope Rd	0.10	60	R								NA		NA			02/02/2002
(900) Mount Hope Rd	0.88	NA									NA		NA			
(901) Claiborne Pkwy	0.56	1500	R								NA		NA			09/17/2009
(901) Claiborne Pkwy	0.59	6400	R								NA		NA			04/29/2009
(901) Claiborne Pkwy	0.45	9500	R								NA		NA			04/29/2009
(901) Claiborne Pkwy	1.70	20000	G	98%	1%	1%	0%	0%	0%	C	0.099	F	21000	G		2009
(901) Claiborne Pkwy	0.51	14000	G	98%	1%	1%	0%	0%	0%	F	0.105	F	15000	G		2009
(901) Claiborne Pkwy	1.29	16000	R								NA		NA			11/05/2009
(950) Ariane Way	0.15	12000	R								NA		NA			09/17/2009
(951) Falcon Pl	0.29	140	R								NA		NA			09/05/2002
(1001) Woodside Pl	0.73	520	R								NA		NA			1999
(1002) Norman Pl	0.52	160	R								NA		NA			09/24/2009
(1002) Roland Ct	0.18	50	R								NA		NA			1999
(1003) Oatlands Chase Pl	0.42	210	R								NA		NA			1999
(1004) Holiday Dr	0.13	910	R								NA		NA			1999
(1005) Terminal Dr	0.23	2100	R								NA		NA			1994
(1007) Browns Creek Pl	0.74	230	R								NA		NA			09/29/2009
(1008) Oak Bucket	0.10	110	R								NA		NA			04/20/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
1008 Oak Bucket	0.16	100	R				From: Woodcock Court				NA			NA		04/20/2005
							To: 53-1009 Partridge									
1009 Partridge	0.20	250	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1008 Oak Bucket									
1009 Partridge	0.16	330	R				From: Tanager Place				NA			NA		1999
							To: 53-1012 Tramore Ct									
1010 Connemara Dr	0.05	70	R				From: 53-1011 Edenberry Ct				NA			NA		1999
							To: 53-1011 Edenberry Ct									
1010 Connemara Dr	0.18	760	R				From: 53-637 Potomac View Rd				NA			NA		1999
							To: End State Maintenance									
1010 Benedict Dr	0.06	790	R				From: 53-1010				NA			NA		1999
							To: Cul-de-Sac									
1011 Edenberry Ct	0.09	180	R				From: 53-1010				NA			NA		1999
							To: Cul-de-Sac									
1012 Tramore Ct	0.10	150	R				From: 53-1010				NA			NA		1999
							To: Cul-de-Sac									
1013	0.11	NA					From: Dead End				NA			NA		
							To: 53-1007									
1015 Rt 1015	0.08	1800	R				From: WCL Leesburg				NA			NA		1999
							To: Dead End									
1016 Sydnor Hill Ct	0.24	210	R				From: 53-769 Woodburn Rd				NA			NA		1999
							To: Dead End									
1017 Clarksridge Rd	0.25	120	R				From: FR-825 Hidden Gap Rd				NA			NA		1999
							To: Cul-de-Sac									
1018 Bridge View Ct	0.13	30	R				From: SR 9 Charles Town Pike				NA			NA		1999
							To: Dead End									
1020 Cabin Branch Dr	0.05	880	R				From: 53-637 Cascades Pkwy				NA			NA		1999
							To: 53-1021 Morning Way									
1020 Cabin Branch Dr	0.05	660	R				From: 53-1022 Midday Lane				NA			NA		02/09/2005
							To: 53-1022 Midday Lane									
1020 Cabin Branch Dr	0.06	550	R				From: 53-1024 Branchwood Way				NA			NA		02/09/2005
							To: 53-1024 Branchwood Way									
1020 Cabin Branch Dr	0.08	140	R				From: Cul-de-Sac				NA			NA		1999
							To: Cul-de-Sac									
1021 Morning Way	0.08	190	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1020 Cabin Branch Dr									
1022 Midday Lane	0.13	330	R				From: 53-1023 Evening Way				NA			NA		02/09/2005
							To: 53-1020 Cabin Branch Dr									
1023 Evening Way	0.05	70	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1022 Midday Lane									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1023) Evening Way	0.04	80	R			From: 53-1022 Midday Lane					NA			NA		02/09/2005
						To: 53-1024 Branchwood Way										
(1024) Branchwood Way	0.05	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1023 Evening Way										
(1024) Branchwood Way	0.08	140	R			From: 53-1020 Cabin Branch Dr					NA			NA		03/09/2005
						To: Cul-de-Sac										
(1026) Oakbrook Ct	0.11	70	R			From: 53-637 Cascades Pkwy					NA			NA		1999
						To: Cul-de-Sac										
(1029) Dulles Summit Ct	0.36	NA				From: 53-606 Old Ox Rd					NA			NA		
						To: Cul-de-Sac										
(1030) Robin	0.61	180	R			From: 53-650 Gleedsville Rd					NA			NA		04/07/2005
						To: End Loop										
(1031) Barnwood Ct	0.11	40	R			From: Cul-de-Sac					NA			NA		09/05/2002
						To: 53-1030 Robin										
(1032) Twin Maple Lane	0.32	450	R			From: Dead End					NA			NA		09/15/2009
						To: 53-655 Whites Ferry Rd										
(1033) Hawling Place	0.40	300	R			From: Dead End					NA			NA		09/24/2009
						To: WCL Leesburg										
(1034) Hillview Pl	0.22	210	R			From: Dead End					NA			NA		09/24/2009
						To: WCL Leesburg										
(1035) Vista Grande Ct	0.09	NA				From: Dead End					NA			NA		
						To: 53-1034 Hillview Pl										
(1036) Pacific Blvd	0.07	9400	R			From: 53-1053 Catalina Ct					NA			NA		09/17/2009
						To: 53-606 Old Ox Rd										
(1036) Pacific Blvd	0.13	8400	R			From: 53-1038 Indian Creek Dr; 53-1037 Business Ct					NA			NA		09/16/2008
						To: 53-625 Waxpool Rd										
(1036) Pacific Blvd	0.43	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(1037) Business Ct	0.16	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1036; 53-1038										
(1038) Indian Creek Dr	0.32	1500	R			From: 53-1036; 53-1037					NA			NA		09/16/2008
						To: 53-1039 Republic Dr										
(1039) Republic Dr	0.07	NA				From: 53-1038 Indian Creek Dr					NA			NA		
						To: SR 28 Sully Rd; Holiday Dr										
(1040) Adams Green Lane	0.75	250	R			From: 53-748 Melmore Pl					NA			NA		1999
						To: 53-1041 Grasty Pl										
(1041) Grasty Pl	0.38	NA				From: 53-627 Parsons Rd					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1042) Bernadette Ct	0.18	NA					From: Cul-de-Sac				NA			NA		
							To: 53-720 Bell Rd									
(1043)	0.46	NA					From: 53-720 Bell Rd				NA			NA		
							To: Cul-de-Sac									
(1044) Hannah Dr	0.82	90		R			From: 53-666 Browns Lane				NA			NA		08/27/2002
							To: 53-665 Loyalty Rd									
(1045) Lone Oak Pl	0.33	NA					From: 53-711 Piggott Bottom Rd				NA			NA		
							To: Cul-de-Sac									
(1046) Mosswood Dr	0.24	240		R			From: 53-711 Piggott Bottom Rd				NA			NA		05/10/2005
							To: 53-1045 Lone Oak Pl									
(1047) Highview Ct	0.16	48		R			From: 53-1044 Hannah Dr				NA			NA		08/27/2002
							To: Cul-de-Sac									
(1048) Flowing Pond Ct	0.10	20		R			From: 53-1044 Hannah Dr				NA			NA		08/27/2002
							To: Cul-de-Sac									
(1049) Thicket Ct	0.18	60		R			From: 53-1044 Hannah Dr				NA			NA		08/27/2002
							To: Cul-de-Sac									
(1050) George Washington Blv	0.76	6700		R			From: 53-1051 Research Pl				NA			NA		09/30/2009
							To: Dead End									
(1051) Research Pl	0.12	140		R			From: 53-1052 Riverside Pkwy				NA			NA		1999
							To: 53-1050 George Washington Blvd									
(1051) Research Pl	0.17	70		R			From: 53-1050 George Washington Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1052) Riverside Pkwy	0.15	180		R			From: 53-1051 Research Pl				NA			NA		1999
							To: 53-1050 George Washington Blvd									
(1052) Riverside Pkwy	1.34	2000		R			From: 53-1050 George Washington Blvd				NA			NA		11/20/2008
							To: 53-2401 Riverside Pkwy									
(1053) Catalina Ct	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1036 Pacific Blvd									
(1053)	0.12	NA					From: 53-1036				NA			NA		
							To: Cul-de-Sac									
(1054)	0.18	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1008 Oak Bucket									
(1055)	0.13	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1009 Partridge									
(1055)	0.13	NA					From: 53-1009 Partridge				NA			NA		
							To: Dead End									
(1056)	0.60	NA					From: Cul-de-Sac				NA			NA		
							To: 53-665 Loyalty Rd									
(1057)	0.09	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1056									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1058)	0.34	NA					From: 53-769 Woodburn Rd					NA		NA		
							To: Cul-de-Sac									
(1059) Canterfield Ct	0.40	NA					From: 53-663 Wenner Rd					NA		NA		
							To: Cul-de-Sac									
(1060) Waverly Ct	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1061 Russell Branch Pkwy									
(1060) Richfield Way	0.13	1100	R				From: SR 7 Harry Flood Byrd Hwy					NA		NA		09/30/2009
							To: 53-2020 Ashburn Village Blvd									
(1061) Russell Branch Pkwy	0.65	5700	R				From: Gap					NA		NA		09/30/2009
							To: Dead End: Gap									
(1061) Russell Branch Pkwy	0.06	NA					From: 53-1060 Richfield Way; Waverly Ct					NA		NA		
							To: Dead End									09/30/2009
(1062)	0.12	NA					From: 53-625 Church Rd					NA		NA		
							To: Cul-de-Sac									
(1063)	0.14	NA					From: 53-1062					NA		NA		
							To: Cul-de-Sac									
(1064)	0.38	NA					From: 53-730 Colchester Rd					NA		NA		
							To: Cul-de-Sac									
(1070) Broderick Rd	0.46	9500	R				From: 53-634 Moran Rd					NA		NA		01/25/2005
							To: 53-1071 Prentice Dr									
(1070) Broderick Rd	0.46	9100	R				From: 53-625 Waxpool Rd					NA		NA		01/26/2005
							To: 53-789 Lockridge Rd									
(1071) Prentice Dr	0.53	4600	R				From: 53-1070 Broderick Rd					NA		NA		01/25/2005
							To: 53-634 Moran Rd									
(1072) Randolph Dr	0.63	4200	R				From: 53-1071					NA		NA		01/25/2005
							To: Cul-de-Sac									
(1073)	0.42	NA					From: 53-621 Evergreen Mills Rd					NA		NA		
							To: Cul-de-Sac									
(1074)	0.22	NA					From: 53-1073					NA		NA		
							To: 53-606 Old Ox Rd									
(1075) Mercure Circle	0.93	610	R				From: 53-606 Old Ox Rd; 53-1075					NA		NA		04/20/2005
							To: 53-1075 S, Mercure Circle									
(1076) Quicksilver Dr	0.46	790	R				From: 53-1075 N, Mercure Circle					NA		NA		04/20/2005
							To: 53-621 Evergreen Mills Rd									
(1077) Crimson Pl	0.68	770	R				From: Cul-de-Sac					NA		NA		09/24/2009
							To: Cul-de-Sac									
(1078)	0.23	NA					From: 53-1077					NA		NA		
							To: Cul-de-Sac									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1080) Pintail Ct	0.25	NA					From: Cul-de-Sac				NA			NA		
							To: 53-622 Shoemaker Sch Rd									
(1081) Swan Ct	0.22	NA					From: Cul-de-Sac				NA			NA		
							To: 53-622 Shoemaker Sch Rd									
(1082) Wood Duck Ct	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-622 Shoemaker Sch Rd									
(1083) Ivandale Rd	0.66	270		R			From: 53-709				NA			NA		09/22/2009
							To: 53-1085									
(1084) Rambling Farm Dr	0.53	80		R			From: 53-709				NA			NA		09/22/2009
							To: 53-1083 Ivandale Rd									
(1085)	0.11	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1083									
(1085)	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1085									
(1086)	0.13	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(1087) Old Stage Pl	0.66	220		R			From: SR 9 Charles Town Pike				NA			NA		09/22/2009
							To: Cul-de-Sac									
(1088)	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1087									
(1089)	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1087									
(1090) Quail Creek Circle	0.84	170		R			From: 53-800 W, Meadowlark Dr				NA			NA		05/05/2005
							To: 53-1091 Covey Ct									
(1090) Quail Creek Circle	0.30	190		R			From: 53-800 E, Meadowlark Dr				NA			NA		05/05/2005
							To: 53-1090 Quail Creek Circle									
(1091) Covey Ct	0.13	70		R			From: Cul-de-Sac				NA			NA		1999
							To: Cul-de-Sac									
(1092) Glynn Tarra Pl	0.58	210		R			From: Taylorstown Rd				NA			NA		09/22/2009
							To: Cul-de-Sac									
(1093)	0.50	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1092									
(1094)	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1093									
(1095)	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1093									
(1096) Elklick Rd	0.28	2100		R			From: 53-1244				NA			NA		12/11/2008
							To: 53-621 Elk Lick Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1097)	0.40	NA														
(1098) Big Springs Ct	0.43	150	R													09/15/2009
(1099) Belforest Ct	0.16	NA														
<b>Town of Hamilton</b>																
(1101) S Kerr St	0.10	600	R													1999
(1102) N Laycock St	0.16	680	R													1999
<b>Loudoun County</b>																
(1102) N Laycock St	0.06	680	N													1999
(1102) N Laycock St	0.07	320	R													1999
(1103) Rogers St	0.12	220	R													1999
(1103)	0.02	130	R													1999
<b>Town of Hamilton</b>																
(1103) Rogers St	0.16	120	R													03/02/2002
(1104) N Tavenner Lane	0.04	40	R													1999
<b>Loudoun County</b>																
(1105) West Virginia Ave	0.40	410	R													05/09/2005
<b>Town of Hamilton</b>																
(1105) West Virginia Ave	0.12	90	R													02/02/2002
<b>Loudoun County</b>																
(1106) N Reid St	0.16	660	R													05/09/2005
(1107) Burke Circle	0.18	150	R													1999
<b>Town of Hamilton</b>																
(1107) S James St	0.10	130	R													09/09/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1108) Curry Springs Pl	0.30	350	R								NA			NA		1999
(1109) Hamilton Terrace Dr	0.26	230	R								NA			NA		1999
<b>Town of Hamilton</b>																
(1110) Sydner St	0.11	330	R								NA			NA		1999
(1111) Orchard Circle	0.04	820	R								NA			NA		1999
<b>Loudoun County</b>																
(1111) Orchard Circle	0.15	820	N								NA			NA		1999
(1111) Orchard Circle	0.12	630	R								NA			NA		1999
(1111) Orchard Circle	0.14	790	R								NA			NA		1999
(1112) Peach Tree Ct	0.08	70	R								NA			NA		1999
(1113) Applewood Ct	0.15	140	R								NA			NA		1999
(1114)	0.03	40	R								NA			NA		09/05/2002
(1115) Madison Ave	0.94	830	R								NA			NA		05/09/2005
(1116) Bates Dr	0.29	120	R								NA			NA		1999
(1117) Evers Ct	0.18	140	R								NA			NA		1999
(1118) Coles Ct	0.11	60	R								NA			NA		1999
(1118) Downs Ct	0.19	70	R								NA			NA		1999
(1120) Winodee Way	0.23	440	R								NA			NA		05/09/2005
(1121) Ridge Ct	0.19	120	R								NA			NA		1999
(1121) Ridge Ct	0.04	9	R								NA			NA		1999
(1122) Adams Ct	0.05	30	R								NA			NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1123) Battle Peak Ct	0.38	NA					From: 53-709 Sands Rd				NA			NA		
							To: Cul-de-Sac									
(1124)	0.37	NA					From: Bus SR 7				NA			NA		
							To: Cul-de-Sac									
(1125) Coloma Ct	0.14	270	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-846 Cardinal Glen Circle									
(1126) Woodowl Ct	0.04	90	R				From: 53-846 Cardinal Glen Circle				NA			NA		1999
							To: Cul-de-Sac									
(1127) Barnswallow Ct	0.19	270	R				From: 53-846 Cardinal Glen Circle				NA			NA		1999
							To: Cul-de-Sac									
(1128) Blackbird Ct	0.09	150	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-846 Cardinal Glen Circle									
(1129) Wren Ct	0.04	100	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-846 Cardinal Glen Circle									
(1130) Red Wing Ct	0.09	160	R				From: 53-846; 53-1131				NA			NA		1999
							To: Cul-de-Sac									
(1131) Blue Jay Ct	0.05	110	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-846; 53-1130									
(1132)	0.26	NA					From: Bus SR 7				NA			NA		
							To: Cul-de-Sac									
(1133)	0.18	NA					From: 53-1132				NA			NA		
							To: Cul-de-Sac									
(1134)	0.10	NA					From: .				NA			NA		
							To: 53-1124									
(1135)	0.28	NA					From: 53-1124				NA			NA		
							To: Cul-de-Sac									
(1136) Francis Farm Pl	0.33	NA					From: Cul-de-Sac				NA			NA		
							To: Bus SR 7, Colonial Hwy									
(1137) Audrey Ct	0.18	NA					From: 53-1136 Francis Farm Pl				NA			NA		
							To: Cul-de-Sac									
(1138) Hunts End Pl	0.38	NA					From: Cul-de-Sac				NA			NA		
							To: 53-729 Shelburne Glebe Rd									
(1139) Jodhpur Dr	0.32	40	R				From: 53-729 Shelburne Glebe Rd				NA			NA		09/09/2008
							To: 53-1138 Hunts End Pl									
(1140) Tillet Way	0.07	310	R				From: 53-710 Saint Paul St				NA			NA		05/05/2005
							To: 53-1141 Coachman Dr									
(1140) Deavers Ct	0.18	80	R				From: Cul-de-Sac				NA			NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1141) Coachman Dr	0.09	200	R								NA			NA		05/05/2005
(1141) Coachman Dr	0.10	510	R								NA			NA		05/05/2005
(1141) Coachman Dr	0.12	220	R								NA			NA		1999
(1142) Wadell Ct	0.18	70	R								NA			NA		1999
(1143) Piggott House Pl	0.56	360	R								NA			NA		09/15/2009
(1144) Alberts Farm Dr	0.34	230	R								NA			NA		11/20/2008
(1145) Sayre Ct	0.24	NA									NA			NA		
(1146)	0.32	NA									NA			NA		
(1147)	0.31	NA									NA			NA		
(1148)	0.83	NA									NA			NA		
(1150) Innisbrook Circle	0.14	560	R								NA			NA		05/05/2005
(1150) Innisbrook Circle	0.23	410	R								NA			NA		05/05/2005
(1150) Innisbrook Circle	0.10	390	R								NA			NA		05/05/2005
(1150) Innisbrook Circle	0.15	350	R								NA			NA		05/05/2005
(1150) Innisbrook Circle	0.35	380	R								NA			NA		05/05/2005
(1150) Innisbrook Circle	0.23	260	R								NA			NA		05/05/2005
(1151) Pinehurst Ct	0.18	70	R								NA			NA		1999
(1152) Whispering Oaks Ct	0.13	90	R								NA			NA		1999
(1152) Curtis Ct	0.09	60	R								NA			NA		1999
(1153) Brookwood Way	0.22	40	R								NA			NA		08/27/2002
(1154) Lakewood Ct	0.23	90	R								NA			NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1155) Oakmont Way	0.16	80	R								NA		NA			1999
(1156)	0.75	NA									NA		NA			
(1164)	0.44	NA									NA		NA			
(1165) Franklin Ford Pl	0.19	160	R								NA		NA			09/22/2009
(1166) Oak Ridge Dr	0.64	120	R								NA		NA			09/22/2009
(1167)	0.13	NA									NA		NA			
(1168) Poplar Stand Pl	0.62	170	R								NA		NA			09/22/2009
(1169)	0.15	NA									NA		NA			
(1170) Raspberry Dr	1.22	1600	R								NA		NA			09/22/2009
(1171)	0.22	NA									NA		NA			
(1171)	0.09	NA									NA		NA			
(1172)	0.26	NA									NA		NA			
(1172)	0.22	NA									NA		NA			
(1183) Saddlebrook Pl	0.60	160	R								NA		NA			09/22/2009
(1184)	0.06	NA									NA		NA			
(1185) Bold Venture Dr	0.35	550	R								NA		NA			09/24/2009
(1185) Bold Venture Dr	1.25	680	R								NA		NA			09/24/2009
(1185) Alysheba Dr	1.01	250	R								NA		NA			09/24/2009
(1186) Winning Colors Pl	0.26	360	R								NA		NA			09/24/2009
(1187) Silver Charm Pl	0.62	360	R								NA		NA			09/24/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1188)	0.24	NA														
(1189) Beacon Hill Dr	0.44	540	R													09/24/2009
(1190)	0.16	NA														
(1192)	0.07	NA														
(1192) Spectacular Bid Pl	0.69	230	R													09/24/2009
(1194)	0.19	NA														
(1195)	0.21	NA														
(1196)	0.35	NA														
(1198)	0.24	NA														
(1199)	0.26	NA														
<b>Town of Middleburg</b>																
(1201) Jay St	0.10	430	R													1999
(1201) Jay St	0.06	440	R													1992
(1202) Stonewall Ave	0.05	80	R													1999
(1202) Stonewall Ave; Marshall	0.45	380	R													1999
(1202) Stonewall Ave; Marshall	0.17	620	R													05/05/2005
(1202) Stonewall Ave; Marshall	0.13	480	R													1999
(1202) Stonewall Ave; Marshall	0.08	480	R													1999
(1202) Stonewall Ave; Marshall	0.10	470	R													1999
(1202) Stonewall Ave; Marshall	0.02	100	R													1999
(1203) Pendleton St	0.08	740	R													1999
(1203) Pendleton St	0.05	880	R													1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Middleburg</b>																
(1204) Federal St	0.19	1700	R				From: 53-626 The Plains Rd				NA			NA		1999
(1204) Federal St	0.22	1400	R				To: 53-776 Landmark School Rd				NA			NA		1999
(1205) Liberty St	0.05	510	R				From: 53-1201 Jay St				NA			NA		1999
(1205) Liberty St	0.06	380	R				To: US 50 Washington St E				NA			NA		1999
(1206) Locust St	0.19	280	R				From: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
(1207) Chestnut St	0.20	230	R				To: US 50 Washington St W				NA			NA		1999
(1208) Reed St	0.12	220	R				From: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
(1209) Pickering St	0.05	710	R				To: US 50 Washington St E				NA			NA		1999
(1210) Hamilton St	0.10	390	R				From: 53-1204 Federal St				NA			NA		1999
(1211) Walnut St	0.25	320	R				To: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
(1212) Maple St	0.11	200	R				From: 53-1215 Sycamore St				NA			NA		1999
(1213) Lincoln Rd	0.09	130	R				To: 53-1208 Reed St				NA			NA		1999
(1214) Blue Ridge Ave	0.25	290	R				From: 53-1214 Blue Ridge Ave				NA			NA		1999
(1215) Sycamore St	0.07	150	R				To: 53-1202 Stonewall Ave				NA			NA		1999
(1215) Sycamore St	0.09	120	R				From: Dead End				NA			NA		1999
(1216) Walnut St	0.17	230	R				To: 53-626 The Plains Rd				NA			NA		1999
(1217) Chinn Lane	0.13	140	R				From: 53-1212 Maple St				NA			NA		1999
(1218) Windy Hill Rd	0.13	250	R				To: 53-1216 Walnut Ave				NA			NA		1999
(1220) Dover Rd	0.79	320	R				From: 53-1211 Walnut St				NA			NA		1999
							To: 53-1214 Blue Ridge Ave				NA			NA		1999
							From: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
							To: US 50 Washington St W				NA			NA		1999
							From: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
							To: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
							From: 53-1202 Stonewall Ave; Marshall St				NA			NA		1999
							To: Cul-de-Sac				NA			NA		1999
							From: US 50 John Mosby Hwy				NA			NA		1999
							To: Dead End				NA			NA		1999
<b>Loudoun County</b>																
(1220) Dover Rd	0.79	320	R				From: US 50 John S Mosby Hwy				NA			NA		1999
							To: Cul-de-Sac				NA			NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1221) Mersey Rd	0.50	90	R			From: 53-1220 Dover Rd					NA			NA		1999
						To: Cul-de-Sac										
(1229) Newlin Ct	0.04	90	R			From: Cul-de-Sac					NA			NA		09/05/2002
						To: 53-790 Newlin Mill Rd										
(1230) Pelham Ct	0.19	90	R			From: 53-730 Colchester Rd					NA			NA		03/02/2002
						To: Cul-de-Sac										
(1231) Cardigan Pl	0.42	NA				From: Cul-de-Sac					NA			NA		
						To: 53-731 Watermill Rd										
(1232) Sommerset Pl	0.23	NA				From: 53-1231 Cardigan Pl					NA			NA		
						To: Cul-de-Sac										
(1233) Wellington Dr	0.25	40	R			From: 53-630 Jeb Stuart Rd					NA			NA		09/29/2009
						To: 53-1234										
(1234)	0.40	NA				From: 53-630 Jeb Stuart Rd					NA			NA		
						To: Cul-de-Sac										
(1235)	0.20	NA				From: Cul-de-Sac					NA			NA		
						To: 53-705 Braddock Rd										
(1235)	0.45	NA				From: 53-705 Braddock Rd					NA			NA		
						To: Cul-de-Sac										
(1237) Forest Glen Dr	0.47	120	R			From: 53-1238 Woodwinds Dr					NA			NA		11/20/2008
						To: 53-860 Watson Rd										
(1238) Woodwinds Dr	0.51	NA				From: Newton Place					NA			NA		
						To: Cul-de-Sac										
(1239) Shady Creek	0.07	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1238 Woodwinds Dr										
(1240) Rosefinch Circle	0.43	280	R			From: 53-663 S, Taylorstown Rd					NA			NA		04/28/2005
						To: 53-663 N; 53-673										
(1241) Woodstar Ct	0.20	60	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: 53-1240 Rosefinch Circle										
(1242) Long Forest Dr	0.24	370	R			From: 53-2237 Edgewater St					NA			NA		09/22/2009
						To: 53-1244 Downfield St										
(1243) Claremorris Way	0.05	40	R			From: 53-1242					NA			NA		09/22/2009
						To: 53-1246, S Village Dr										
(1244) Downfield St	0.19	1600	R			From: 53-1246, S Village Dr					NA			NA		09/22/2009
						To: 53-1246, S Village Dr										
(1245) Castlebar Dr	0.19	50	R			From: 53-1246, S Village Dr					NA			NA		09/22/2009
						To: 53-1246, S Village Dr										
(1246) S Village Dr	0.77	130	R			From: 53-1247 Donovan Dr					NA			NA		09/22/2009
						To: 53-1248 Donegal Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1247) Donovan Dr	0.24	1200	R				From: 53-2237					NA		NA		09/22/2009
							To: 53-1244									
(1248) Donegal Dr	0.38	370	R				From: 53-606 Loudoun County Pkwy					NA		NA		09/22/2009
							To: 53-1247 Donovan Dr									
(1250) Conklin Dr	0.34	100	R				From: 53-663 Taylorstown Rd					NA		NA		04/28/2005
							To: 53-1251 Barnhouse Pl									
(1251) Barnhouse Pl	0.41	280	R				From: 53-663 Taylorstown Rd					NA		NA		04/28/2005
							To: 53-1250 Conklin Dr									
(1251) Barnhouse Pl	0.16	70	R				From: Cul-de-Sac					NA		NA		1999
							To: Dead End									
(1252) Destiny Way	0.58	NA					From: Dead End					NA		NA		
							To: 53-1255									
(1252) Destiny Way	0.21	3800	R				From: 53-1255					NA		NA		09/22/2009
							To: 53-659 Gum Spring Rd									
(1253) Possibility Way	0.02	270	R				From: 53-1254					NA		NA		09/22/2009
							To: 53-1252									
(1254)	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1253									
(1254)	0.10	NA					From: 53-1253					NA		NA		
							To: Cul-de-Sac									
(1255)	0.24	NA					From: 53-1252					NA		NA		
							To: Cul-de-Sac									
(1256)	0.32	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1252									
(1257)	0.27	NA					From: 53-620 Braddock Rd					NA		NA		
							To: 53-1261									
(1258)	0.48	NA					From: Dead End					NA		NA		
							To: 53-620 Braddock Rd									
(1259)	0.39	NA					From: 53-1258					NA		NA		
							To: Cul-de-Sac									
(1260)	0.10	NA					From: 53-1262					NA		NA		
							To: 53-1257									
(1261)	0.32	NA					From: 53-1293					NA		NA		
							To: Cul-de-Sac									
(1262)	0.09	NA					From: 53-1252 Destiny Way					NA		NA		
							To: 53-1261									
(1263) Center St	0.28	2300	R				From: 53-1267					NA		NA		09/18/2008
							To: 53-621 Elk Lick Rd									
(1263) Center St	0.43	1400	R				From: 53-621 Elk Lick Rd					NA		NA		09/18/2008
							To: 53-1266									



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1264) Farmneck Ct	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1263 Center St									
(1265) Chicama Dr	0.12	90	R				From: 53-1263 Center St				NA			NA		09/18/2008
							To: 53-1273 Herring Creek									
(1266) Planting Field Dr	0.49	2800	R				From: 53-2237				NA			NA		09/18/2008
							To: 53-1267 Golf View Dr									
(1266) Planting Field Dr	0.57	1700	R				From: 53-1267 Golf View Dr				NA			NA		09/18/2008
							To: 53-2200 Tall Cedars Pkwy									
(1266) Planting Field Dr	0.41	850	R				From: 53-2200 Tall Cedars Pkwy				NA			NA		09/04/2002
							To: Cul-de-Sac									
(1267) Golf View Dr	0.55	940	R				From: 53-1266 Planting Field Dr				NA			NA		09/18/2008
							To: 53-621 Elk Lick Rd									
(1267) Golf View Dr	0.45	1100	R				From: 53-621 Elk Lick Rd				NA			NA		09/22/2009
							To: Dead End									
(1268) Tisbury Ct	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1266									
(1269) Maple Cross St	0.28	170	R				From: 53-1267 Golf View Dr				NA			NA		09/18/2008
							To: 53-1274 Quits Pond Ct									
(1270) Lighthouse Pl	0.20	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1266									
(1271) Upper Clubhouse Dr	0.30	280	R				From: 53-1267 Golf View Dr				NA			NA		09/18/2008
							To: 53-1270 Lighthouse Pl									
(1272) Chilmark Dr	0.14	70	R				From: 53-1269 Maple Cross Rd				NA			NA		09/18/2008
							To: 53-1270 Lighthouse Pl									
(1273) Herring Creek Dr	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1266									
(1274) Quits Pond Ct	0.11	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1269 Maple Cross St									
(1274) Quits Pond Ct	0.10	NA					From: 53-1269 Maple Cross St				NA			NA		
							To: Cul-de-Sac									
(1279)	0.18	NA					From: 53-621 Elk Lick Rd				NA			NA		
							To: 53-2201 South Riding Blvd									
(1280) Elk Pl	0.31	NA					From: Cul-de-Sac				NA			NA		
							To: 53-621 Elk Lick Rd									
(1281) Gazalle Ct	0.14	NA					From: 53-1280 Elk Pl				NA			NA		
							To: Cul-de-Sac									
(1282) Impala Ct	0.17	NA					From: 53-1280 Elk Pl				NA			NA		
							To: Cul-de-Sac									
(1292)	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1260									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Loudoun County</b>																	
(1293)	0.05	NA					From: Cul-de-Sac					NA				NA	
(1293)	0.06	NA					From: 53-1261					NA				NA	
							To: Cul-de-Sac										
(1294)	0.09	NA					From: 53-1295					NA				NA	
							To: 53-1258										
(1295)	0.13	NA					From: Cul-de-Sac					NA				NA	
							To: 53-1296										
(1296)	0.11	NA					From: Cul-de-Sac					NA				NA	
(1296)	0.08	NA					From: 53-1295					NA				NA	
							To: Cul-de-Sac										
(1297)	0.21	NA					From: Dead End					NA				NA	
							To: 53-1258										
(1298)	0.07	NA					From: 53-1297					NA				NA	
							To: 53-1299										
(1299)	0.18	NA					From: Cul-de-Sac					NA				NA	
(1299)	0.07	NA					From: 53-1298					NA				NA	
							To: Cul-de-Sac										
<b>Town of Round Hill</b>																	
(1301) South Locust St	0.14	300	R				From: SCL Round Hill					NA				NA	1999
(1301) North Locust St	0.35	690	R				From: Bus SR 7 Loudoun St					NA				NA	1999
							To: WCL Round Hill										
(1302) High St	0.15	460	R				From: 53-1301 North Locust St					NA				NA	1999
							To: 53-719 Main St										
(1303) Mulberry St	0.15	530	R				From: 53-719 Main St					NA				NA	1999
							To: 53-1304 N Bridge St										
(1304) N Bridge St	0.11	310	R				From: Bus SR 7 Loudoun St					NA				NA	1999
(1304) N Bridge St	0.08	150	R				From: 53-1303 Mulberry St					NA				NA	1999
							To: Dead End										
(1305) Church St	0.11	130	R				From: Bus SR 7 Loudoun St					NA				NA	1999
							To: Dead End										
(1306) McCauley Lane	0.06	60	R				From: 53-1301 South Locust St					NA				NA	1999
							To: Dead End										
(1307) Cedar St	0.11	120	R				From: 53-1303 Mulberry St					NA				NA	1999
							To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1308) Hampton Rd	0.08	780	R			From: 53-1310 Longstreet Ave					NA			NA		1999
						To: NCL Round Hill										
<b>Town of Round Hill</b>																
(1308) Hampton Rd	0.05	780	N			From: NCL Round Hill					NA			NA		1999
						To: 53-719 Woodgrove Rd; Main St										
(1309) Hill Circle	0.01	40	R			From: 53-1308 Hampton Rd					NA			NA		1999
						To: NCL Round Hill										
<b>Loudoun County</b>																
(1309) Hill Circle	0.02	40	N			From: NCL Round Hill					NA			NA		1999
						To: Dead End										
<b>Town of Round Hill</b>																
(1310) Longstreet Ave	0.08	530	R			From: 53-1312 Longstreet Ave					NA			NA		1999
						To: NCL Round Hill										
<b>Loudoun County</b>																
(1310) Longstreet Ave	0.11	530	N			From: NCL Round Hill					NA			NA		1999
						To: 53-1308 Hampton Rd										
(1310) Longstreet Ave	0.06	80	R			From: Dead End					NA			NA		1999
						To: Dead End										
(1311) Pickett Rd	0.06	110	R			From: Dead End					NA			NA		1999
						To: 53-1313 Jackson Ave										
(1311) Pickett Rd	0.12	370	R			From: 53-1313 Jackson Ave					NA			NA		1999
						To: 53-1310 Longstreet Ave										
<b>Town of Round Hill</b>																
(1312) Longstreet Ave	0.05	510	R			From: 53-1301 North Locust St					NA			NA		1999
						To: 53-1310 Longstreet Ave										
<b>Loudoun County</b>																
(1313) Jackson Ave	0.35	410	R			From: 53-1311 Pickett Rd					NA			NA		1999
						To: Dead End										
(1314) Early Rd	0.21	190	R			From: 53-1311 Pickett Rd					NA			NA		1999
						To: 53-1322										
<b>Town of Round Hill</b>																
(1315) Mosby Ct	0.09	80	R			From: 53-1310 Longstreet Ave					NA			NA		1999
						To: Dead End										
<b>Loudoun County</b>																
(1319) Lee Dr	0.24	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1313 Jackson Ave; Gap										
(1319)	0.06	NA				From: Dead End; Gap					NA			NA		
						To: 53-1322										
(1320) Evening Star Dr	1.09	1600	R			From: 53-719					NA			NA		09/22/2009
						To: Bus SR 7, E Loudoun St										
(1321)	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1322										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1322) Greenwood Dr	0.28	NA					From: 53-1319					NA		NA		
							To: 53-719 Woodgrove Rd									
(1323)	0.47	NA					From: Cul-de-Sac					NA		NA		
							To: 53-719 Airmont Rd									
(1324) Sweetwood Ct	0.21	NA					From: 53-712 Simpson Creek Rd					NA		NA		
							To: Cul-de-Sac									
(1325) Paloma Circle	1.27	870		R			From: 53-720 Bell Rd					NA		NA		05/09/2005
							To: End Loop									
(1326) Malinda Ct	0.16	48		R			From: Cul-de-Sac					NA		NA		08/27/2002
							To: 53-1325 Paloma Circle									
(1327) Magic Mountain Dr	0.79	150		R			From: Dead End					NA		NA		09/22/2009
							To: 53-2856 Arrowood Pl									
(1328)	0.04	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1327									
(1329)	0.04	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1327									
(1330) Stoneleigh Dr	0.48	590		R			From: 53-1333 S, Turnberry Dr					NA		NA		05/09/2005
							To: 53-1332; 53-1333									
(1330) Stoneleigh Dr	0.41	1900		R			From: SR 7 Harry F Byrd Hwy					NA		NA		05/09/2005
							To: 53-1330 Stoneleigh Dr									
(1331) Prestwick Ct	0.25	60		R			From: Cul-de-Sac					NA		NA		08/27/2002
							To: Cul-de-Sac									
(1332) Dornoch Ct	0.08	50		R			From: Cul-de-Sac					NA		NA		08/23/2002
							To: 53-1330; 53-1333									
(1333) Turnberry Dr	0.27	580		R			From: 53-1330; 53-1332					NA		NA		05/09/2005
							To: 53-1334 S, Carnoustie Circle									
(1333) Turnberry Dr	0.84	680		R			From: 53-1330 S, Stoneleigh Dr					NA		NA		05/09/2005
							To: 53-1337 Clendenning Circle									
(1333) Turnberry Dr	0.52	140		R			From: 53-1333 N, Turnberry Dr					NA		NA		09/09/2008
							To: 53-1333 S, Turnberry Dr									
(1334) Carnoustie Circle	0.71	200		R			From: 53-1334 Carnoustie Circle					NA		NA		05/09/2005
							To: Cul-de-Sac									
(1335) Troon Ct	0.14	70		R			From: Cul-de-Sac					NA		NA		08/27/2002
							To: Cul-de-Sac									
(1336) Tate Ct	0.07	60		R			From: Cul-de-Sac					NA		NA		08/27/2002
							To: 53-1330 Stoneleigh Dr									
(1337) Clendenning Circle	0.42	45		R			From: 53-1333 Turnberry Dr					NA		NA		09/09/2008
							To: 53-1333 Turnberry Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1338) Gidney Ct	0.09	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1333 Turnberry Dr									
(1339) Patience Ct	0.08	NA					From: 53-1337 Clendenning Circle				NA			NA		
							To: Cul-de-Sac									
(1340) Ashby Farm Circle	1.00	210		R			From: 53-719 W, Woodgrove Rd				NA			NA		05/04/2005
							To: 53-719 E, Woodgrove Rd									
(1341) Folkstone Ct	0.15	230		R			From: Cul-de-Sac				NA			NA		1999
							To: 53-1340 Ashby Farm Circle									
(1342) Bowen Pl	0.59	160		R			From: 53-719 Woodgrove Rd				NA			NA		09/22/2009
							To: Cul-de-Sac									
(1343)	0.22	60		R			From: 53-1342				NA			NA		09/09/2008
							To: 53-1344									
(1344)	0.17	NA					From: 53-1343				NA			NA		
							To: Cul-de-Sac									
(1345) City Center Blvd	0.86	15000		R			From: 53-1793 Nokes Blvd				NA			NA		12/16/2008
							To: SR 7 Harry F Byrd Hwy									
(1347) Newberry Crossing Pl	0.15	NA					From: Cul-de-Sac				NA			NA		
							To: Bus SR 7									
(1348) Falls Pl	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: Bus SR 7									
(1349)	0.14	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1348									
(1350) Millstone Dr	1.21	270		R			From: 53-697 Nixon Rd				NA			NA		12/16/2008
							To: SR 287 Berlin Tpke									
(1351) Grange Dr	0.43	150		R			From: 53-1350 Millstone Dr				NA			NA		09/09/2008
							To: 53-1350 Millstone Dr									
(1352) Maize Ct	0.14	NA					From: 53-1351 Grange Dr				NA			NA		
							To: Cul-de-Sac									
(1353) Sorgum CT	0.19	NA					From: 53-1351 Grange Dr				NA			NA		
							To: Cul-de-Sac									
(1354) Flax Ct	0.15	NA					From: 53-1350 Millstone Dr				NA			NA		
							To: Cul-de-Sac									
<b>Town of Lovettsville</b>																
(1380) Lovett Dr	0.22	410		R			From: SR 287 Berlin Tpke				NA			NA		09/22/2009
							To: 53-1382 Dead End									
(1381) Potterfield Dr	0.23	200		R			From: 53-1383 Stocks St				NA			NA		09/22/2009
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Lovettsville</b>																
(1382) Tritapoe Pl	0.17	160	R								NA			NA		09/22/2009
(1383) Stocks St	0.09	70	R								NA			NA		09/22/2009
<b>Loudoun County</b>																
(1386) Copper Run St	0.35	NA									NA			NA		
(1387)	0.07	NA									NA			NA		
(1394)	0.56	NA									NA			NA		
(1395)	0.15	NA									NA			NA		
(1396) Marbury St	0.15	580	R								NA			NA		09/22/2009
(1397) Sutherlin Pl	0.34	NA									NA			NA		
(1399) Stonebrook Court	0.10	NA									NA			NA		
(1400) Lee Rd	0.11	310	R								NA			NA		03/10/2005
(1400) Lee Rd	0.15	310	R								NA			NA		03/10/2005
(1401) W Holly Ave	0.73	9900	R								NA			NA		1999
(1401) E Holly Ave	0.33	8500	R								NA			NA		09/17/2009
(1401) Circle Dr	0.27	5000	G	97%	0%	1%	1%	0%	0%	F	0.100	F	0.593	5500	G	2009
(1401) E Maple Ave	0.53	6300	G	97%	0%	1%	1%	0%	0%	C	0.104	F	0.503	6800	G	2009
(1402) Beech Rd	0.07	810	R								NA			NA		03/02/2005
(1402) Beech Rd	0.05	730	R								NA			NA		03/02/2005
(1402) Beech Rd	0.08	610	R								NA			NA		03/02/2005
(1402) Beech Rd	0.08	700	R								NA			NA		03/02/2005
(1402) Beech Rd	0.06	710	R								NA			NA		03/02/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1402) Beech Rd	0.07	1300	R				From: 53-1408 Aspen Ave				NA			NA		03/02/2005
(1402) Beech Rd	0.06	1400	R				To: 53-1407 Hickory				NA			NA		03/09/2005
(1402) Beech Rd	0.15	1500	R				From: 53-1404 Cypress				NA			NA		03/09/2005
(1402) Beech Rd	0.05	2200	R				To: 53-1471 Alder Ave				NA			NA		03/09/2005
(1402) Beech Rd	0.02	2500	R				From: 53-1421 Sterling Blvd; Frontage Rd West				NA			NA		03/09/2005
(1402) Beech Rd	0.60	3600	R				To: 53-846 Sterling Blvd				NA			NA		03/09/2005
(1402) Beech Rd	0.05	2200	R				From: 53-1496 Lincoln				NA			NA		03/09/2005
(1402) Beech Rd	0.05	1300	R				To: 53-1586				NA			NA		03/09/2005
(1402) Beech Rd	0.05	960	R				From: 53-1587				NA			NA		03/09/2005
(1402) Beech Rd	0.26	540	R				To: 53-1589				NA			NA		03/09/2005
(1402) Beech Rd	0.08	360	R				From: 53-1588 Lisa Gaye				NA			NA		03/09/2005
(1402) Beech Rd	0.07	130	R				To: 53-1683 Gary				NA			NA		1999
							From: Cul-de-Sac									
(1403) York	0.16	290	R				To: 53-1471 Alder Ave				NA			NA		02/09/2005
(1403) York	0.04	320	R				From: 53-1485 Brighton				NA			NA		02/09/2005
							To: 53-625; 53-946									
(1404) Cypress Rd	0.16	410	R				From: 53-1401 Holly Ave				NA			NA		02/17/2005
(1404) Cypress Rd	0.06	360	R				To: 53-1405 Balsam Rd				NA			NA		02/17/2005
							From: 53-1402 Beech Rd									
(1405) Balsam Rd	0.06	180	R				To: 53-1404 Cypress Rd				NA			NA		02/17/2005
(1405) Balsam Rd	0.07	340	R				From: 53-1406 Birch Ct				NA			NA		02/17/2005
							To: 53-1471 Alder Ave									
(1406) Birch Ct	0.10	140	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1405 Balsam Rd									
(1407) Hickory Rd	0.23	420	R				From: 53-1401 Holly Ave				NA			NA		02/17/2005
							To: 53-1402 Beech Rd									
(1408) Aspen Ave	0.24	570	R				From: 53-1401 Holly Ave				NA			NA		02/17/2005
(1408) Aspen Ave	0.06	1700	R				To: 53-1402 Beech Rd				NA			NA		02/17/2005
(1408) Aspen Ave	0.04	1800	R				From: 53-1415 Ash Rd				NA			NA		02/17/2005
							To: 53-625 Church Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1409) Sycamore Ct	0.23	360	R				From: 53-1401 Holly Ave				NA			NA		02/17/2005
(1409) Sycamore Ct	0.04	60	R				To: 53-1402 Beech Rd				NA			NA		1999
							To: Cul-de-Sac									
(1410) Sequoia Ct	0.07	70	R				From: 53-1401 Holly Ave				NA			NA		1999
							To: Cul-de-Sac									
(1411) Joshua Ct	0.05	50	R				From: 53-1402 Beech Rd				NA			NA		1999
							To: Cul-de-Sac									
(1412) Fir Ct	0.06	70	R				From: 53-1402 Beech Rd				NA			NA		1999
							To: Cul-de-Sac									
(1413) Dogwood Ct	0.06	70	R				From: 53-1402 Beech Rd				NA			NA		1999
							To: Cul-de-Sac									
(1414) Larch Ct	0.05	50	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-625 Church Rd									
(1415) Ash Rd	0.11	380	R				From: 53-1408 Aspen Ave				NA			NA		03/09/2005
(1415) Ash Rd	0.19	430	R				To: 53-1416 Ash Ct				NA			NA		03/09/2005
							To: 53-1471 Alder Ave									
(1416) Ash Ct	0.05	40	R				From: 53-1415 Ash Rd				NA			NA		1999
							To: Cul-de-Sac									
(1417) Maple Ave	0.06	2500	R				From: 53-846 Sterling Blvd S				NA			NA		03/16/2005
(1417) Maple Ave	0.08	1900	R				To: 53-1422 Alder Ave				NA			NA		03/16/2005
(1417) Maple Ave	0.17	1200	R				To: 53-1423 Birch St				NA			NA		03/16/2005
(1417) Maple Ave	0.23	870	R				To: 53-1418 Nettle Tree Rd				NA			NA		03/16/2005
(1417) Maple Ave	0.20	380	R				To: 53-1428 Greenthorn Ave				NA			NA		03/16/2005
(1417) Maple Ave	0.07	210	R				To: 53-1430 Jasper Ct				NA			NA		1999
							To: Cul-de-Sac									
(1418) Nettle Tree Rd	0.13	640	R				From: 53-1430 Jasper Ct				NA			NA		03/16/2005
(1418) Nettle Tree Rd	0.04	560	R				To: 53-1429 Hoga St				NA			NA		03/16/2005
(1418) Nettle Tree Rd	0.18	470	R				To: 53-1428 Greenthorn Ave				NA			NA		03/16/2005
(1418) Nettle Tree Rd	0.04	1200	R				To: 53-1425 Dogwood St				NA			NA		03/16/2005
							To: 53-1417 Maple Ave									
(1419) Poplar Rd	0.09	660	R				From: 53-1401 Maple Ave				NA			NA		1999
							To: 53-1443 Roanoke Rd									



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1419) Poplar Rd	0.06	790	R				From: 53-1443 Roanoke Rd					NA		NA		03/16/2005
(1419) Poplar Rd	0.13	410	R				To: 53-1465 Buckingham Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.16	440	R				From: 53-1464 Poplar Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.08	2200	R				To: 53-846 Sterling Blvd S					NA		NA		03/16/2005
(1419) Poplar Rd	0.06	2100	R				From: 53-1422 Alder Ave					NA		NA		03/16/2005
(1419) Poplar Rd	0.03	2000	R				To: 53-1423 Birch St					NA		NA		03/16/2005
(1419) Poplar Rd	0.06	1900	R				From: 53-1424 Cypress Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.22	1800	R				To: 53-1425 Dogwood St					NA		NA		03/16/2005
(1419) Poplar Rd	0.05	1100	R				From: 53-1427 Filbert Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.08	410	R				To: 53-1428 Greenthom Ave					NA		NA		03/16/2005
(1419) Poplar Rd	0.08	250	R				From: 53-1429 Hoga St					NA		NA		03/16/2005
(1419) Poplar Rd	0.06	70	R				To: 53-1431 Ironwood Ct					NA		NA		1999
(1420) Redwood Rd	0.05	630	R				From: Cul-de-Sac					NA		NA		1999
(1420) Redwood Rd	0.06	500	R				To: 53-1428 Greenthom Ave					NA		NA		1999
(1420) Redwood Rd	0.13	140	R				From: 53-1433 Hoga Rd					NA		NA		1999
(1421) Sterling Blvd Frontage R	0.19	160	R				To: 53-1434 Ironwood Ct					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.21	210	R				From: 53-1419 Poplar Rd					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.36	180	R				To: 53-1417 Maple Ave; Gap 53-1401 Holly Ave; Gap					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.30	240	R				From: 53-1402 Beech Rd					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.15	250	R				To: 53-625 Church Rd					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.06	270	R				From: 53-1447 Laurel Ave					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.17	710	R				To: 53-1451 Juniper Ave					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.04	240	R				From: 53-1468 Ivy Ave					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.05	200	R				To: 53-1454 Frederick Dr					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.05	200	R				From: 53-1467 Erving Pl					NA		NA		02/08/2005
(1421) Sterling Blvd Frontage R							To: 53-1466 Dinwiddie St									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1421) Sterling Blvd Frontage R	0.05	230	R				From: 53-1466 Dinwiddie Sr				NA			NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.19	140	R				To: 53-1455 Charlotte St				NA			NA		02/08/2005
(1421) Sterling Blvd Frontage R	0.05	110	R				From: 53-1458 Brunswick St				NA			NA		02/08/2005
(1421) Winchester Dr	0.22	290	R				To: 53-1459 Amherst St				NA			NA		02/08/2005
							From: 53-1471 Amelia St									
(1422) Alder Ave	0.19	250	R				To: 53-1419 Poplar Ave				NA			NA		03/14/2005
							From: 53-1417 Maple Ave									
(1423) Birch St	0.16	310	R				To: 53-1419 Poplar Ave				NA			NA		03/14/2005
							From: 53-1417 Maple Ave									
(1424) Cypress St	0.10	140	R				To: 53-1419 Poplar Ave				NA			NA		1999
							From: Cul-de-Sac									
(1425) Dogwood St	0.12	210	R				To: 53-1419 Poplar Ave				NA			NA		03/14/2005
							From: 53-1426 Dogwood Ct									
(1425) Dogwood St	0.11	300	R				To: 53-1418 Nettle Tree Rd				NA			NA		03/14/2005
							From: 53-1425 Dogwood St									
(1426) Dogwood Ct	0.01	50	R				To: Cul-de-Sac				NA			NA		1999
							From: 53-1419 Poplar Ave									
(1427) Filbert Ct	0.12	170	R				To: Cul-de-Sac				NA			NA		1999
							From: 53-846 Sterling Blvd S									
(1428) Greenthorn Ave	0.49	3100	R				To: 53-1434 Ironwood Rd				NA			NA		03/14/2005
(1428) Greenthorn Ave	0.06	1900	R				To: 53-1433 Hoga Rd				NA			NA		03/14/2005
(1428) Greenthorn Ave	0.06	1100	R				To: 53-1432 Gum Ct				NA			NA		03/14/2005
(1428) Greenthorn Ave	0.07	980	R				To: 53-1420 Redwood Rd				NA			NA		03/14/2005
(1428) Greenthorn Ave	0.06	870	R				To: 53-1419 Poplar Ave				NA			NA		03/14/2005
(1428) Greenthorn Ave	0.16	500	R				To: 53-1418 Nettle Tree Rd				NA			NA		03/14/2005
(1428) Greenthorn Ave	0.06	340	R				To: 53-1417 Maple Ave				NA			NA		03/14/2005
							From: 53-1419 Poplar Ave									
(1429) Hoga St	0.14	230	R				To: 53-1418 Nettle Tree Rd				NA			NA		03/14/2005
							From: Cul-de-Sac									
(1430) Jasper Ct	0.04	80	R				To: 53-1418 Nettle Tree Rd				NA			NA		1999
(1430) Jasper Ct	0.05	150	R				To: 53-1417 Maple Ave				NA			NA		03/14/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1431) Ironwood Ct	0.05	60	R			From: 53-1419 Poplar Ave					NA		NA			1999
						To: Cul-de-Sac										
(1432) Gum Ct	0.03	40	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1428 Greenthom Ave										
(1433) Hoga Rd	0.23	270	R			From: 53-1428 Greenthom Ave					NA		NA			1999
						To: 53-1420 Redwood Rd										
(1434) Ironwood Rd	0.38	370	R			From: 53-1428 Greenthom Ave					NA		NA			03/14/2005
						To: 53-1420 Redwood Rd										
(1435) Staunton Ave	0.50	960	R			From: 53-846 Sterling Blvd S					NA		NA			03/16/2005
						To: 53-1442, South Dick Ave										
(1436) Tazewell Rd	0.27	350	R			From: 53-1439 Albemarle Rd					NA		NA			03/16/2005
						To: 53-1440 Buckingham Rd										
(1437) Williamsburg Rd	0.60	1300	R			From: 53-846 Sterling Blvd S					NA		NA			03/16/2005
						To: 53-1442, S Dick Ave										
(1438) Williamsburg Ct S	0.06	90	R			From: Dead End					NA		NA			1999
						To: 53-1437 Williamsburg Rd										
(1438) Williamsburg Ct N	0.05	80	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1437 Williamsburg Rd										
(1439) Albemarle Rd	0.07	360	R			From: 53-1436 Tazewell Rd					NA		NA			03/16/2005
						To: 53-1435 Staunton Ave										
(1439) Albemarle Rd	0.06	490	R			From: 53-1437 Williamsburg Rd					NA		NA			1999
						To: 53-1435 Staunton Ave										
(1440) Buckingham Rd	0.06	320	R			From: 53-1436 Tazewell Rd					NA		NA			03/16/2005
						To: 53-1435 Staunton Ave										
(1440) Buckingham Rd	0.08	510	R			From: 53-1437 Williamsburg Rd					NA		NA			03/16/2005
						To: 53-1435 Staunton Ave										
(1441) Culpeper Rd	0.17	840	R			From: 53-1401 Maple Ave					NA		NA			03/16/2005
						To: 53-1435 Staunton Ave										
(1442) Dickenson Ave	0.24	1400	R			From: 53-1435 Staunton Ave					NA		NA			02/17/2005
						To: 53-1567 Tamarack Lane										
(1442) Dickenson Ave	0.46	2900	R			From: 53-1535 Fillmore Ave					NA		NA			12/16/2008
						To: 53-1419 Poplar Rd										
(1443) Roanoke Rd	0.12	300	R			From: 53-1445 Roanoke Ct					NA		NA			1999
						To: 53-1442 Dickenson Ave										
(1443) Roanoke Rd	0.05	190	R			From: Cul-de-Sac					NA		NA			02/17/2005
						To: 53-1442 Dickenson Ave										
(1443) Roanoke Rd	0.09	110	R			From: Cul-de-Sac					NA		NA			1999
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1444) Dickenson Ct	0.05	60	R									NA		NA		1999
(1445) Roanoke Ct	0.04	60	R									NA		NA		1999
(1446) Argonne Ave	0.22	1100	R									NA		NA		02/17/2005
(1446) Argonne Ave	0.11	850	R									NA		NA		02/17/2005
(1446) Argonne Ave	0.09	410	R									NA		NA		02/17/2005
(1446) Argonne Ave	0.16	620	R									NA		NA		02/17/2005
(1446) Argonne Ave	0.10	680	R									NA		NA		02/17/2005
(1446) Argonne Ave	0.19	670	R									NA		NA		02/17/2005
(1447) Laurel Ave W	0.26	1900	R									NA		NA		02/17/2005
(1447) Laurel Ave E	0.33	650	R									NA		NA		02/17/2005
(1448) Croydon St	0.09	210	R									NA		NA		02/17/2005
(1448) Croydon St	0.05	180	R									NA		NA		02/17/2005
(1448) Croydon St	0.04	60	R									NA		NA		1999
(1449) Lynn Ct	0.03	20	R									NA		NA		1999
(1450) Kingsley Ave	0.07	150	R									NA		NA		02/17/2005
(1451) Juniper Ave	0.06	650	R									NA		NA		02/17/2005
(1451) Juniper Ave	0.05	650	R									NA		NA		02/15/2005
(1451) Juniper Ave	0.07	710	R									NA		NA		02/15/2005
(1451) Juniper Ave	0.06	760	R									NA		NA		02/15/2005
(1451) Juniper Ave	0.06	670	R									NA		NA		02/15/2005
(1451) Juniper Ave	0.06	330	R									NA		NA		02/15/2005
(1451) Juniper Ave	0.07	440	R									NA		NA		02/15/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1451) Juniper Ave	0.04	390	R											NA	NA	02/15/2005
(1451) Juniper Ave	0.24	770	R											NA	NA	1999
(1451) Juniper Ave	0.05	320	R											NA	NA	02/15/2005
(1451) Juniper Ave	0.07	420	R											NA	NA	02/15/2005
(1451) Jupiter Ave	0.03	900	R											NA	NA	02/15/2005
(1452) Brandon Ave	0.14	210	R											NA	NA	03/15/2005
(1453) Gordon St	0.15	170	R											NA	NA	1999
(1453) Gordon St	0.04	360	R											NA	NA	03/15/2005
(1454) Frederick Dr	0.04	220	R											NA	NA	03/15/2005
(1454) Frederick Dr	0.06	480	R											NA	NA	03/15/2005
(1454) Frederick St	0.01	4900	G	99%	0%	1%	0%	0%	0%	F	0.089	F		5400	G	2009
(1454) E Frederick Dr	0.05	4900	G	99%	0%	1%	0%	0%	0%	F	0.089	F		5400	G	2009
(1454) Frederick Dr	0.12	4700	G	99%	0%	1%	0%	0%	0%	C	0.094	F		5100	G	2009
(1454) Frederick Dr	0.28	4500	G	99%	0%	1%	0%	0%	0%	F	0.094	F		4900	G	2009
(1454) Frederick Dr	0.15	4500	G	99%	0%	1%	0%	0%	0%	F	0.098	F		4900	G	2009
(1454) Frederick Dr	0.16	4500	G	99%	0%	1%	0%	0%	0%	F	0.097	F		4900	G	2009
(1455) Charlotte St	0.05	690	R											NA	NA	02/15/2005
(1455) Charlotte St	0.05	710	R											NA	NA	02/15/2005
(1455) Charlotte St	0.04	780	R											NA	NA	02/15/2005
(1455) Charlotte St	0.06	890	R											NA	NA	02/15/2005
(1455) Charlotte St	0.08	660	R											NA	NA	02/15/2005
(1455) Charlotte St	0.08	500	R											NA	NA	02/15/2005
(1455) Charlotte St	0.05	350	R											NA	NA	02/15/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1455) Charlotte St	0.06	280	R				From: 53-1458 Brunswick St					NA		NA		02/15/2005
(1455) Charlotte St	0.19	240	R				To: 53-1459 Amhurst St					NA		NA		02/15/2005
							From: 53-1456 Winchester Dr									
(1456) Sterling Blvd Frontage R	0.17	240	R				To: 53-1437 Williamsburg Rd					NA		NA		02/08/2005
							From: 53-1435 Staunton Rd, Gap									
(1456) Sterling Blvd Frontage R	0.24	190	R				To: 53-625 Church Rd, Gap					NA		NA		02/08/2005
							From: 53-1447 Laurel Ave									
(1456) Sterling Blvd Frontage R	0.19	230	R				To: 53-1451 Juniper Ave					NA		NA		02/08/2005
							From: 53-1454, E Frederick Dr, Gap									
(1456) Sterling Blvd Frontage R	0.25	320	R				To: 53-1455 Charlotte St, Gap					NA		NA		1999
							From: 53-1458 Brunswick St									
(1456) Sterling Blvd Frontage R	0.20	330	R				To: 53-1459 Amhurst St					NA		NA		02/08/2005
							From: 53-1458 Brunswick St									
(1456) Sterling Blvd Frontage R	0.05	140	R				To: 53-1461 Leesburg Ct					NA		NA		02/08/2005
							From: 53-1461 Leesburg Ct									
(1456) Winchester Dr	0.30	190	R				To: 53-1455 Charlotte St					NA		NA		02/08/2005
							From: 53-1455 Charlotte St									
(1456) Winchester Dr	0.06	120	R				To: 53-1455 Charlotte St					NA		NA		02/08/2005
							From: 53-1455 Charlotte St									
(1457) Brandon Ave	0.10	140	R				To: 53-1460 Dupont St					NA		NA		02/08/2005
							From: 53-1460 Dupont St									
(1457) Brandon Ave	0.06	180	R				To: 53-1458 Brunswick St					NA		NA		02/08/2005
							From: 53-1458 Brunswick St									
(1458) Brunswick St	0.24	250	R				To: 53-1472 Craig St					NA		NA		03/15/2005
							From: 53-1472 Craig St									
(1458) Brunswick St	0.05	570	R				To: 53-1421 Sterling Blvd					NA		NA		03/15/2005
							From: 53-846 Sterling Blvd									
(1458) Brunswick St	0.05	460	R				To: 53-1446 Argonne Ave					NA		NA		03/15/2005
							From: 53-1446 Argonne Ave									
(1458) Brunswick St	0.05	390	R				To: 53-1457 Brandon Ave					NA		NA		03/15/2005
							From: 53-1457 Brandon Ave									
(1458) Brunswick St	0.14	340	R				To: 53-1455 Charlotte St					NA		NA		03/15/2005
							From: 53-1455 Charlotte St									
(1459) Amhurst St	0.31	200	R				To: 53-846 Sterling Blvd, Gap					NA		NA		1999
							From: 53-1421, Gap									
(1459) Amhurst St	0.12	150	R				To: Dead End					NA		NA		1999
							From: Dead End									
(1460) Dupont St	0.08	120	R				To: 53-1455 Charlotte St					NA		NA		02/10/2005
							From: 53-1455 Charlotte St									
(1461) Leesburg Ct	0.03	10	R				To: 53-1457 Brandon Ave					NA		NA		1999
							From: 53-1457 Brandon Ave									
(1461) Leesburg Ct	0.03	10	R				To: Cul-de-Sac					NA		NA		1999
							From: Cul-de-Sac									
(1462) Maple Ave	0.50	3700	R				To: 53-1456 Winchester Dr					NA		NA		02/16/2005
							From: 53-1456 Winchester Dr									
(1462) Maple Ave	0.50	3700	R				To: 53-1401 Holly Ave					NA		NA		02/16/2005
							From: 53-1401 Holly Ave									
(1462) Maple Ave	0.50	3700	R				To: 53-1496 Lincoln Ave					NA		NA		02/16/2005
							From: 53-1496 Lincoln Ave									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1463) Garfield Rd	0.04	40	R			From: 53-1462 Maple Ave					NA		NA			1999
						To: Dead End										
(1464) Poplar Ct	0.03	30	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1419 Poplar Ave										
(1465) Buckingham Ct	0.04	20	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1419 Poplar Ave										
(1466) Dinwiddie St	0.18	160	R			From: 53-1454 Frederick Dr					NA		NA			03/15/2005
						To: 53-1421 Sterling Blvd Frontage Rd West										
(1467) Erving Pl	0.03	50	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1421 Sterling Blvd Frontage Rd West										
(1468) Ivy Ave	0.07	70	R			From: 53-1471 Amelia St					NA		NA			02/15/2005
						To: 53-1421 Sterling Blvd Frontage Rd West										
(1469) Derby Ave	0.09	470	R			From: 53-1480 York Rd					NA		NA			03/25/2005
						To: 53-1476 Vernon St										
(1469) Derby Ave	0.03	580	R			From: 53-1470 Derby Ct					NA		NA			03/15/2005
						To: 53-1471 Amelia St										
(1469) Derby Ave	0.04	670	R			From: Cul-de-Sac					NA		NA			03/15/2005
						To: 53-1471 Amelia St										
(1470) Derby Ct	0.07	90	R			From: 53-1469 Derby Ave					NA		NA			1999
						To: 53-1469 Derby Ave										
(1471) Alder Ave	0.15	700	R			From: 53-1401 Holly Ave					NA		NA			02/09/2005
						To: 53-1405 Balsam Rd										
(1471) Alder Ave	0.06	840	R			From: 53-1402 Beech Rd					NA		NA			02/09/2005
						To: 53-1415 Ash Rd										
(1471) Alder Ave	0.06	870	R			From: 53-1403 York Rd					NA		NA			02/09/2005
						To: 53-1485 Brighton Ave										
(1471) Alder Ave	0.07	710	R			From: 53-625 Church Rd					NA		NA			02/09/2005
						To: 53-1469 Derby Ave										
(1471) N Amelia St	0.25	680	R			From: 53-1447 Laurel Ave					NA		NA			02/09/2005
						To: 53-1451 Juniper Ave										
(1471) N Amelia St	0.14	580	R			From: 53-1451 Juniper Ave					NA		NA			02/09/2005
						To: 53-1451 Juniper Ave										
(1471) N Amelia St	0.06	630	R			From: 53-1468 Ivy Ave					NA		NA			02/09/2005
						To: 53-1474 Hanover Pl										
(1471) N Amelia St	0.05	610	R			From: 53-1474 Hanover Pl					NA		NA			02/09/2005
						To: 53-1473 Grayson Pl										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1471) N Amelia St	0.05	560	R											NA	NA	02/09/2005
(1471) N Amelia St	0.17	410	R											NA	NA	02/09/2005
(1471) N Amelia St	0.30	400	R											NA	NA	02/09/2005
(1472) Craig St	0.18	280	R											NA	NA	02/15/2005
(1473) Grayson Pl	0.05	60	R											NA	NA	1999
(1474) Hanover Pl	0.04	50	R											NA	NA	1999
(1475) Upton St	0.13	280	R											NA	NA	03/15/2005
(1476) Vernon St	0.05	140	R											NA	NA	03/15/2005
(1476) Vernon St	0.12	230	R											NA	NA	03/15/2005
(1476) Vernon St	0.06	280	R											NA	NA	03/15/2005
(1476) Vernon St	0.14	350	R											NA	NA	03/15/2005
(1477) Vernon Ct	0.05	70	R											NA	NA	1999
(1478) Valery Ct	0.07	80	R											NA	NA	1999
(1479) Watford Ct	0.10	140	R											NA	NA	1999
(1479) Watford St	0.15	270	R											NA	NA	03/15/2005
(1480) York Rd	0.12	2300	R											NA	NA	03/15/2005
(1480) York Rd	0.22	1600	R											NA	NA	03/15/2005
(1480) York Rd	0.17	450	R											NA	NA	03/15/2005
(1481) Belfort St	0.19	340	G	95%	1%	3%	0%	0%	0%	C	0.124	F	0.595	340	G	2009
(1482) Concord Ct	0.24	250	R											NA	NA	03/16/2005
(1483) Concord Ct South	0.07	560	R											NA	NA	04/20/2005



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1483) Concord Ct South	0.03	1000	R				From: 53-1484 Colonial Ave				NA			NA		04/20/2005
(1483) Concord Ct South	0.05	1500	R				From: 53-1482 Concord Ct E				NA			NA		04/20/2005
							To: 53-1401 Maple Ave									
(1484) Colonial Ave	0.13	210	R				From: 53-1483, S Concord Ct				NA			NA		12/16/2008
(1484) Enterprise St	0.44	4000	R				From: 53-1401 Maple Ave				NA			NA		12/16/2008
(1484) Free Ct	0.08	4100	R				From: 53-1523 Commerce St				NA			NA		1992
							To: Dead End									
(1485) Brighton Ave	0.08	220	R				From: 53-1403 York Rd				NA			NA		02/19/2005
(1485) Brighton Ave	0.07	170	R				From: 53-1486 Brighton Ct				NA			NA		02/19/2005
							To: 53-1471 Alder Ave									
(1486) Brighton Ct	0.05	70	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1485 Brighton Ave									
(1487) Fillmore Ave	0.24	2100	R				From: 53-1401 Holly Ave				NA			NA		1999
(1487) Fillmore Ave	0.06	1100	R				From: 53-1402 Beech Rd				NA			NA		03/09/2005
(1487) Fillmore Ave	0.07	920	R				From: 53-1522 Summers Ct				NA			NA		03/09/2005
(1487) Fillmore Ave	0.11	790	R				From: 53-1521 Fletcher Rd				NA			NA		03/09/2005
(1487) Fillmore Ave	0.12	840	R				From: 53-1519 Lillard Rd				NA			NA		03/09/2005
(1487) Fillmore Ave	0.11	1100	R				From: 53-1518 Bailey Ct				NA			NA		03/09/2005
(1487) Fillmore Ave	0.06	150	R				From: 53-1496 Lincoln Ave				NA			NA		1999
							To: Cul-de-Sac									
(1488) Garfield Rd	0.27	350	R				From: 53-1494 Holly Ave				NA			NA		02/16/2005
							To: 53-1402 Beech Rd									
(1489) Harrison Rd	0.06	950	R				From: 53-1462 Maple Ave				NA			NA		02/16/2005
(1489) Harrison Rd	0.06	900	R				From: 53-1400 Lee Rd				NA			NA		02/16/2005
(1489) Harrison Rd	0.07	850	R				From: 53-1495 Kennedy Rd				NA			NA		12/16/2008
(1489) Harrison Rd	0.06	830	R				From: 53-1498 Jefferson Rd				NA			NA		02/16/2005
(1489) Harrison Rd	0.06	1100	R				From: 53-1497 Iberia Rd				NA			NA		02/16/2005
(1489) Harrison Rd	0.23	550	R				From: 53-1494 Holly Ave				NA			NA		02/16/2005
(1489) Harrison Rd	0.13	580	R				From: 53-1490 Irving Rd				NA			NA		02/16/2005
							To: 53-1493 Johnson Rd									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1490) Irving Rd	0.06	290	R								NA			NA		1999
(1491) Ithaca Rd	0.19	280	R								NA			NA		04/20/2005
(1491) Ithaca Rd	0.07	300	R								NA			NA		04/20/2005
(1492) Ithaca Ct	0.08	110	R								NA			NA		1999
(1493) Johnson Rd	0.10	330	R								NA			NA		1999
(1493) Johnson Rd	0.08	390	R								NA			NA		1999
(1493) Johnson Rd	0.10	460	R								NA			NA		1999
(1493) Johnson Rd	0.05	190	R								NA			NA		03/10/2005
(1493) Johnson Rd	0.06	190	R								NA			NA		03/10/2005
(1494) Holly Ave	0.11	3300	G	98%	1%	0%	1%	0%	0%	F	0.099	F	0.563	3600	G	2009
(1494) Holly Ave	0.21	1800	G	98%	1%	0%	1%	0%	0%	C	0.103	F	0.512	1900	G	2009
(1494) Holly Ave	0.11	1800	G	98%	1%	0%	1%	0%	0%	F	0.098	F	0.514	1900	G	2009
(1494) Holly Ave	0.05	840	R								NA			NA		03/10/2005
(1494) Holly Ave	0.04	530	R								NA			NA		03/10/2005
(1494) Holly Ave	0.07	350	R								NA			NA		03/10/2005
(1495) Kennedy Rd	0.06	620	R								NA			NA		1999
(1495) Kennedy Rd	0.05	400	R								NA			NA		03/10/2005
(1495) Kennedy Rd	0.04	490	R								NA			NA		03/10/2005
(1495) Kennedy Rd	0.21	360	R								NA			NA		1999
(1495) Kennedy Rd	0.06	820	R								NA			NA		1999
(1495) Kennedy Rd	0.21	810	R								NA			NA		03/10/2005
(1496) Lincoln Ave	0.56	5500	G	99%	0%	1%	0%	0%	0%	F	0.108	F		6000	G	2009
(1496) Lincoln Ave	0.79	5100	G	99%	0%	1%	0%	0%	0%	C	0.101	F		5500	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1497) Iberia Rd	0.21	790	R									NA		NA		1999
(1497) Iberia Rd	0.05	1200	R									NA		NA		1999
(1498) Jefferson Rd	0.10	380	R									NA		NA		1999
(1498) Jefferson Rd	0.09	190	R									NA		NA		1999
(1499) Irving Rd	0.10	120	R									NA		NA		1999
(1500) Englewood Dr	0.25	480	R									NA		NA		02/16/2005
<b>Town of Lovettsville</b>																
(1501) Church St	0.07	460	R									NA		NA		1999
(1502) Pennsylvania Ave	0.22	210	R									NA		NA		1999
(1503) Locust St	0.18	1200	R									NA		NA		1999
(1504) Redbud Lane	0.13	150	R									NA		NA		1999
(1505) Redbud Lane	0.09	50	R									NA		NA		03/02/2002
<b>Loudoun County</b>																
(1506) Elm Tree Lane	0.09	390	R									NA		NA		02/16/2005
(1506) Elm Tree Lane	0.06	80	R									NA		NA		1999
(1507) Pine Tree Ct	0.09	70	R									NA		NA		1999
(1508) Hummer Ct	0.05	110	R									NA		NA		1999
(1509) Hanford Ct	0.08	170	R									NA		NA		1999
(1510) Collier Ct	0.02	40	R									NA		NA		1999
(1511) Jefferson Ct	0.08	80	R									NA		NA		1999
(1512) Madison Ct	0.09	100	R									NA		NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1513) Lee Ct	0.03	50	R								NA		NA			1999
(1514) Maple Ct	0.03	60	R								NA		NA			1999
(1515) Evergreen St	0.10	420	R								NA		NA			02/16/2005
(1515) Evergreen St	0.16	220	R								NA		NA			02/16/2005
(1516) Oak Tree Lane	0.37	10000	G								NA		10000	G		2009
(1517) Tavenner Ct	0.09	130	R								NA		NA			1999
(1518) Bailey Ct	0.07	120	R								NA		NA			1999
(1519) Lillard Rd	0.07	560	R								NA		NA			04/06/2005
(1519) Lillard Rd	0.03	500	R								NA		NA			04/06/2005
(1519) Lillard Rd	0.04	470	R								NA		NA			04/06/2005
(1519) Lillard Rd	0.04	130	R								NA		NA			1999
(1520) Argonne Ave	0.15	1000	R								NA		NA			02/16/2005
(1520) Argonne Ave	0.13	960	R								NA		NA			02/16/2005
(1520) Argonne Ave	0.05	920	R								NA		NA			02/16/2005
(1520) Argonne Ave	0.06	1500	R								NA		NA			02/16/2005
(1521) Fletcher Rd	0.11	250	R								NA		NA			02/16/2005
(1522) Summers Ct	0.04	80	R								NA		NA			1999
(1523) Commerce St	0.10	8600	R								NA		NA			1999
(1524) N Sterling Blvd Frontage	0.10	40	R								NA		NA			1999
(1525) Magnolia Rd	0.12	690	R								NA		NA			03/17/2005
(1525) Magnolia Rd	0.07	590	R								NA		NA			03/17/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1525) Magnolia Rd	0.09	520	R				From: 53-1527 Nutmeg Ct				NA		NA		03/17/2005	
(1525) Magnolia Rd	0.09	490	R				From: 53-1529 Chestnut Ct				NA		NA		03/17/2005	
(1525) Magnolia Rd	0.24	450	R				From: 53-1528 Spruce Ct				NA		NA		03/17/2005	
(1525) Magnolia Rd	0.18	1200	R				From: Begin Loop				NA		NA		03/17/2005	
(1525) Magnolia Rd	0.50	6400	R				From: 53-625 Church Rd				NA		NA		12/16/2008	
(1526) Magnolia Ct	0.04	70	R				From: 53-1902				NA		NA		1999	
(1526) Magnolia Ct	0.04	70	R				From: Cul-de-Sac				NA		NA		1999	
(1527) Nutmeg Ct	0.03	70	R				From: 53-1525 Magnolia Rd				NA		NA		1999	
(1528) Spruce Ct	0.06	80	R				From: Cul-de-Sac				NA		NA		1999	
(1529) Chestnut Ct	0.06	80	R				From: 53-1525 Magnolia Rd				NA		NA		1999	
(1530) Scott Dr	0.07	280	R				From: Cul-de-Sac				NA		NA		02/16/2005	
(1530) Scott Dr	0.08	270	R				From: 53-1515 Evergreen St				NA		NA		02/16/2005	
(1530) Scott Dr	0.04	420	R				From: 53-1531 Plum Tree Ct				NA		NA		02/16/2005	
(1531) Plum Tree Ct	0.08	100	R				From: 53-1532 Cherry Tree Ct				NA		NA		02/16/2005	
(1532) Cherry Tree Ct	0.07	120	R				From: 53-1451 Juniper Ave				NA		NA		02/16/2005	
(1533) Dove Tree Ct	0.04	60	R				From: Cul-de-Sac				NA		NA		1999	
(1533) Dove Tree Ct	0.07	210	R				From: 53-1530 Scott Dr				NA		NA		1999	
(1534) Coffee Tree Ct	0.07	70	R				From: Cul-de-Sac				NA		NA		1999	
(1535) Providence Village Dr	0.31	1300	R				From: 53-1534 Coffee Tree Ct				NA		NA		09/17/2009	
(1535) S Fillmore Ave	0.35	5200	R				From: 53-1401 E, Circle Dr				NA		NA		03/17/2005	
(1536) Bradford Ct	0.10	410	R				From: 53-1401 W, Circle Dr				NA		NA		1999	
(1536) Pin Oak Ct	0.10	160	R				From: 53-1540 Forest Rdige Dr				NA		NA		1999	
							From: Dead End				NA		NA		1999	
							From: 53-1541 Applegate Dr				NA		NA		1999	
							From: Cul-de-Sac				NA		NA		1999	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1537) Gold Thorn Way	0.06	80	R			From: 53-1538 Candleberry Ct					NA			NA		1999
(1537) Gold Thorn Way	0.06	360	R			To: 53-1442 Dickenson Ave					NA			NA		1999
(1537) Gold Thorn Way	0.10	760	R			From: 53-1539 Bayberry Ct					NA			NA		03/17/2005
						To: 53-1540										
(1538) Candleberry Ct	0.02	30	R			From: Dead End					NA			NA		1999
(1538) Candleberry Ct	0.04	70	R			To: 53-1537 Gold Thorn Way					NA			NA		1999
						To: Dead End										
(1539) Bayberry Ct	0.05	40	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1537 Gold Thorn Way										
(1540) Forest Rdige Dr	0.03	60	R			From: Dead End					NA			NA		1999
(1540) Forest Rdige Dr	0.04	730	R			To: 53-1558 Autumn Olive Way					NA			NA		03/17/2005
(1540) Forest Rdige Dr	0.34	6900	R			To: 53-1535, S Fillmore Ave					NA			NA		1999
						To: Dead End										
(1541) Applegate Dr	0.08	730	R			From: 53-1650 Briarwood Ct					NA			NA		03/17/2005
(1541) Applegate Dr	0.17	460	R			To: 53-1536					NA			NA		03/17/2005
(1541) Applegate Dr	0.18	870	R			To: 53-1555 Pepperidge Pl					NA			NA		03/17/2005
(1541) Applegate Dr	0.05	290	R			To: 53-1540 EAST					NA			NA		03/17/2005
(1541) Applegate Dr	0.05	270	R			To: 53-1544 Box Elder Ct					NA			NA		03/17/2005
(1541) Applegate Dr	0.16	240	R			To: 53-1543 Cottonwood Ct					NA			NA		03/17/2005
(1541) Applegate Dr	0.04	550	R			To: 53-1542 Deerwood Ct					NA			NA		03/17/2005
						To: 53-1540 WEST										
(1542) Deerwood Ct	0.03	40	R			From: 53-1541 Applegate Dr					NA			NA		1999
						To: Cul-de-Sac										
(1543) Cottonwood Ct	0.07	70	R			From: 53-1541 Applegate Dr					NA			NA		1999
						To: Cul-de-Sac										
(1544) Box Elder Ct	0.02	30	R			From: 53-1541 Applegate Dr					NA			NA		1999
						To: Cul-de-Sac										
(1545) Juneberry Ct	0.04	40	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1540										
(1546) Butternut Way	0.04	50	R			From: Cul-de-Sac					NA			NA		1999
(1546) Butternut Way	0.06	240	R			To: 53-1549 Acorn Ct					NA			NA		04/11/2005
						To: 53-1548 Pomegranate Ct										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1546) Butternut Way	0.05	310	R			From: 53-1548 Pomegranate Ct					NA		NA			04/11/2005
(1546) Butternut Way	0.05	390	R			To: 53-1547 Cinnamon Ct					NA		NA			04/11/2005
(1547) Cinnamon Ct	0.04	46	R			From: 53-1496 Lincoln Ave					NA		NA			1999
(1547) Cinnamon Ct	0.04	46	R			To: Cul-de-Sac					NA		NA			1999
(1548) Pomegranate Ct	0.04	49	R			From: Cul-de-Sac					NA		NA			1999
(1548) Pomegranate Ct	0.04	49	R			To: 53-1546 Butternut Way					NA		NA			1999
(1549) Acorn Ct	0.03	47	R			From: Cul-de-Sac					NA		NA			1999
(1549) Acorn Ct	0.03	47	R			To: 53-1546 Butternut Way					NA		NA			1999
(1550) Sexton Ct	0.04	90	R			From: Cul-de-Sac					NA		NA			1999
(1550) Sexton Ct	0.04	90	R			To: 53-1520 Argonne Ave					NA		NA			1999
(1551) Drew Ct	0.06	140	R			From: Cul-de-Sac					NA		NA			1999
(1551) Drew Ct	0.06	140	R			To: 53-1636 Primavera Circle					NA		NA			1999
(1552) Autumn Leaf Ct	0.03	50	R			From: 53-1636 Primavera Ct					NA		NA			1999
(1552) Autumn Leaf Ct	0.03	50	R			To: Cul-de-Sac					NA		NA			1999
(1553) Grandview Pl	0.15	NA				From: 53-1582 Algonkian Pkwy					NA		NA			
(1553) Grandview Pl	0.15	NA				To: Cul-de-Sac					NA		NA			
(1554) Vista Ct	0.07	NA				From: 53-1553					NA		NA			
(1554) Vista Ct	0.07	NA				To: Cul-de-Sac					NA		NA			
(1555) Pepperidge Pl	0.08	430	R			From: 53-1540					NA		NA			03/17/2005
(1555) Pepperidge Pl	0.15	490	R			To: 53-1557 Catalpa Ct					NA		NA			03/17/2005
(1555) Pepperidge Pl	0.15	490	R			From: 53-1556 Hemlock Ct					NA		NA			03/17/2005
(1555) Pepperidge Pl	0.06	560	R			To: 53-1541 Applegate Dr					NA		NA			03/17/2005
(1556) Hemlock Ct	0.03	30	R			From: 53-1555 Pepperidge Pl					NA		NA			1999
(1556) Hemlock Ct	0.03	30	R			To: Cul-de-Sac					NA		NA			1999
(1557) Catalpa Ct	0.03	30	R			From: 53-1555 Pepperidge Pl					NA		NA			1999
(1557) Catalpa Ct	0.03	30	R			To: Cul-de-Sac					NA		NA			1999
(1558) Autumn Olive Way	0.10	110	R			From: Dead End					NA		NA			1999
(1558) Autumn Olive Way	0.06	160	R			To: 53-1540					NA		NA			03/09/2005
(1558) Autumn Olive Way	0.03	70	R			From: 53-1559 Buckthorn Ct					NA		NA			1999
(1558) Autumn Olive Way	0.03	70	R			To: Dead End					NA		NA			1999
(1559) Buckthorn Ct	0.03	40	R			From: 53-1558 Autumn Olive Way					NA		NA			1999
(1559) Buckthorn Ct	0.03	40	R			To: Cul-de-Sac					NA		NA			1999
(1560) Caragana Ct	0.13	140	R			From: Cul-de-Sac					NA		NA			1999
(1560) Caragana Ct	0.13	140	R			To: 53-1442 Dickenson Ave					NA		NA			1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1561) Buckeye	0.09	110	R								NA		NA			1999
(1562) Yew Ct	0.09	110	R								NA		NA			1999
(1563) Almey Ct	0.12	130	R								NA		NA			1999
(1564) Almond Ct	0.10	130	R								NA		NA			1999
(1565) Silverleaf Ct	0.09	110	R								NA		NA			1999
(1566) Norwood	0.18	150	R								NA		NA			1999
(1567) Tamarack	0.07	2100	R								NA		NA			03/17/2005
(1567) Tamarack	0.05	1600	R								NA		NA			03/17/2005
(1567) Tamarack	0.13	1200	R								NA		NA			03/17/2005
(1568) Red Oak	0.09	150	R								NA		NA			1999
(1569) Tamarack	0.18	260	R								NA		NA			1999
(1570) Countryside Blvd	1.10	6200	G	99%	0%	1%	0%	0%	0%	C	0.091	F	6700	G		2009
(1571) Peyton Rd	0.06	1100	R								NA		NA			1999
(1571) Peyton Rd	0.07	1900	R								NA		NA			03/24/2005
(1571) Peyton Rd	0.14	1100	R								NA		NA			03/24/2005
(1571) Peyton Rd	0.15	340	R								NA		NA			03/29/2005
(1571) Peyton Rd	0.04	240	R								NA		NA			03/24/2005
(1571) Peyton Rd	0.14	250	R								NA		NA			03/24/2005
(1571) Peyton Rd	0.09	380	R								NA		NA			03/24/2005
(1572) Hamilton Ct	0.05	70	R								NA		NA			1999
(1572) Hamilton Rd	0.30	510	R								NA		NA			03/24/2005



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1573) Turner Ct	0.07	90	R								NA			NA		1999
(1574) Russell Ct	0.04	50	R								NA			NA		1999
(1575) Coleman Lane	0.07	70	R								NA			NA		1999
(1576) Minor Rd	0.05	810	R								NA			NA		03/24/2005
(1576) Minor Rd	0.07	430	R								NA			NA		03/24/2005
(1576) Minor Rd	0.08	220	R								NA			NA		03/29/2005
(1576) Minor Rd	0.10	250	R								NA			NA		03/24/2005
(1576) Minor Rd	0.08	240	R								NA			NA		03/24/2005
(1576) Austen Ct	0.05	90	R								NA			NA		1999
(1577) Carrollton Rd	0.22	1100	R								NA			NA		03/24/2005
(1577) Carrollton Rd	0.11	630	R								NA			NA		03/24/2005
(1577) Carrollton Rd	0.13	580	R								NA			NA		03/24/2005
(1577) Carrollton Rd	0.05	60	R								NA			NA		1999
(1578) Halifax Ct	0.16	150	R								NA			NA		1999
(1578) HalifaxCt	0.09	260	R								NA			NA		03/24/2005
(1579) ExeterCt	0.06	60	R								NA			NA		1999
(1580) Cromwell Rd	0.25	4000	R								NA			NA		03/24/2005
(1581) West Ct	0.06	90	R								NA			NA		1999
(1581) Clapham Ct	0.05	80	R								NA			NA		1999
(1582) Algonkian Pkwy	0.18	13000	G	98%	1%	1%	0%	0%	0%	F	0.102	F		14000	G	2009
(1582) Algonkian Pkwy	0.53	13000	G	98%	1%	1%	0%	0%	0%	C	0.106	F		14000	G	2009
(1582) Algonkian Pkwy	0.31	13000	G	98%	1%	1%	0%	0%	0%	F	0.107	F		14000	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1582) Algonkian Pkwy	0.50	13000	G	98%	1%	1%	0%	0%	0%	F	0.111	F		14000	G	2009
						From: 53-1583 Westmoreland Dr										
(1582) Algonkian Pkwy	0.95	12000	G	98%	1%	1%	0%	0%	0%	F	0.112	F		13000	G	2009
						From: 53-1962 Rutherford Circle										
(1582) Algonkian Pkwy	1.95	22000	G	98%	1%	1%	0%	0%	0%	F	0.111	F		24000	G	2009
						From: 53-1794 Cascades Pkwy										
(1582) Algonkian Pkwy	1.02	22000	G	98%	1%	1%	0%	0%	0%	F	0.107	F		24000	G	2009
						From: Whitewater Dr										
						To: Fairfax County Line, 29-6220										
(1583) Westmoreland Dr	0.20	870	R								NA			NA		03/29/2005
						From: 53-1577 Carrollton Rd										
(1583) Westmoreland Dr	0.11	980	R								NA			NA		03/29/2005
						From: 53-1622 Lipscomb Ct										
(1583) Westmoreland Dr	0.07	1200	R								NA			NA		03/29/2005
						From: 53-1624 Wilshire Ct										
(1583) Westmoreland Dr	0.04	1300	R								NA			NA		03/29/2005
						From: 53-1625 Foxmore Ct										
						To: 53-1582 Algonkian Pkwy										
(1585) Keyes Ct	0.05	100	R								NA			NA		1999
						From: Cul-de-Sac										
						To: 53-1520 Argonne Ave										
(1586) Elizabeth Ct	0.03	20	R								NA			NA		1999
						From: Cul-de-Sac										
(1586) Elizabeth Ct	0.12	100	R								NA			NA		03/10/2005
						From: 53-1684 Jonathan Dr										
(1586) Elizabeth Ct	0.08	240	R								NA			NA		03/10/2005
						From: 53-1589 Rector St										
(1586) Cameron St S	0.17	110	R								NA			NA		03/10/2005
						From: 53-1494 E, Holly Ave										
(1586) Cameron St N	0.21	230	R								NA			NA		03/10/2005
						From: 53-1494 W, Holly Ave										
(1586) Cameron St N	0.32	760	R								NA			NA		1986
						From: 53-1402 Beech Rd										
						To: Dead End										
(1587) Laura Anne Dr	0.22	310	R								NA			NA		03/10/2005
						From: 53-1494 Holly Ave E										
(1587) Laura Anne Dr	0.13	530	R								NA			NA		03/10/2005
						From: 53-1402 Beech Rd										
(1587) Laura Anne Ct	0.05	70	R								NA			NA		1999
						From: 53-1588 Lisa Gaye Dr										
						To: Dead End										
(1588) Lisa Gaye Dr	0.05	350	R								NA			NA		03/10/2005
						From: 53-1586 Cameron St N										
(1588) Lisa Gaye Dr	0.05	460	R								NA			NA		03/10/2005
						From: 53-1587 Laura Anne Dr										
(1588) Lisa Gaye Dr	0.06	340	R								NA			NA		03/10/2005
						From: 53-1589 Rector St										
(1588) Lisa Gaye Dr	0.07	290	R								NA			NA		03/10/2005
						From: 53-1680 Helen Ct										
(1588) Lisa Gaye Dr	0.07	360	R								NA			NA		03/10/2005
						From: 53-1682 Cindy Ct										
						To: 53-1682 Cindy										
(1588) Lisa Gaye Dr	0.07	360	R								NA			NA		03/10/2005
						From: 53-1402 Beech Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1589) Rector St	0.13	190	R				From: 53-1586 Elizabeth Ct					NA		NA		03/10/2005
(1589) Rector St	0.06	480	R				From: 53-1684 Jonathan Dr					NA		NA		03/10/2005
(1589) Rector St	0.14	590	R				From: 53-1402 Beech Rd					NA		NA		03/10/2005
							To: 53-1588 Lisa Gaye Dr									
<b>Town of Lovettsville</b>																
(1590) Park Pl	0.15	360	R				From: 53-673 Broad Way East					NA		NA		1999
							To: Cul-de-Sac									
<b>Loudoun County</b>																
(1591) Wickham Ct	0.04	50	R				From: 53-1577 Carrollton Rd					NA		NA		1999
							To: Cul-de-Sac									
(1592) Awsley Ct	0.04	60	R				From: 53-1577 Carrollton Rd					NA		NA		1999
							To: Cul-de-Sac									
(1593) Lindenwood Ct	0.08	100	R				From: Dead End					NA		NA		1999
(1593) Lindenwod Ct	0.06	320	R				From: 53-1596 Oakdale Ct					NA		NA		03/23/2005
(1593) McPherson Circle	0.10	2600	R				From: 53-1582 Algonkian Pkwy					NA		NA		1999
(1593) McPherson Circle	0.05	3400	R				From: 53-1594 Ferguson Ct					NA		NA		03/23/2005
(1593) McPherson Circle	0.08	1200	R				From: 53-1598 Bentwood Rd					NA		NA		1999
(1593) McPherson Circle	0.23	950	R				From: 53-1619 Glengyle Lane					NA		NA		03/23/2005
(1593) McPherson Circle	0.04	760	R				From: 53-1782 Jeremy Ct					NA		NA		03/23/2005
(1593) McPherson Circle	0.17	620	R				From: 53-1775 McCarty Ct					NA		NA		03/23/2005
(1593) McPherson Circle	0.06	930	R				From: 53-1613 Brookmeade Ct					NA		NA		03/23/2005
(1593) McPherson Circle	0.05	1200	R				From: 53-1612 Fenton Wood Rd					NA		NA		03/23/2005
(1593) Bentley Dr	0.04	870	R				From: 53-1582 Algonkian Pkwy					NA		NA		03/23/2005
(1593) Bentley Dr	0.08	730	R				From: 53-1778 Braxton Dr					NA		NA		03/23/2005
(1593) Bentley Dr	0.10	690	R				From: 53-1779 Bedford Dr					NA		NA		03/23/2005
(1593) Bentley Dr	0.08	190	R				From: 53-1781 Worthington Ct					NA		NA		1999
(1594) Ferguson Ct	0.08	260	R				From: 53-1593 McPherson Circle					NA		NA		03/23/2005
(1594) Ferguson Ct	0.12	160	R				From: 53-1595 Bentmoor Ct					NA		NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1595) Bentmoor Ct	0.03	60	R								NA			NA		1999
(1596) Oakdale Ct	0.10	150	R								NA			NA		1999
(1597) Devenshire Ct	0.13	120	R								NA			NA		1999
(1598) Bentwood Rd	0.10	780	R								NA			NA		03/23/2005
(1599) Spotswood Rd	0.20	1500	R								NA			NA		03/23/2005
(1599) Spotswood Rd	0.15	2600	R								NA			NA		03/23/2005
(1611) Newland Ct	0.08	330	R								NA			NA		1999
(1611) Powell Ct	0.17	400	R								NA			NA		1999
(1612) Fenton Wood Rd	0.19	380	R								NA			NA		1999
(1613) Brookmeade Ct	0.08	120	R								NA			NA		1999
(1614) Cumberland Ct	0.05	47	R								NA			NA		1999
(1615) Crisswell Ct	0.08	110	R								NA			NA		1999
(1616) Mucklehany Lane	0.10	160	R								NA			NA		1999
(1617) Moss Ct	0.22	230	R								NA			NA		1999
(1618) Tyler Lane	0.07	140	R								NA			NA		1999
(1619) Glengyle Lane	0.04	290	R								NA			NA		03/23/2005
(1619) Glengyle Lane	0.06	130	R								NA			NA		1999
(1620) GlengyleCt	0.04	120	R								NA			NA		1999
(1621) Selden Ct	0.07	100	R								NA			NA		1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1622) Lipscomb Ct	0.16	270	R								NA			NA		1999
(1622) Lipscomb	0.09	350	R								NA			NA		03/23/2005
(1623) Webley Ct	0.10	170	R								NA			NA		1999
(1624) Wilshire Ct W	0.10	190	R								NA			NA		1999
(1624) Wilshire Ct E	0.16	230	R								NA			NA		1999
(1625) Foxmore Ct	0.05	90	R								NA			NA		1999
(1626) Summer Breeze Ct	0.14	170	R								NA			NA		1999
(1627) Country Rd	0.13	220	R								NA			NA		03/23/2005
(1627) Country Rd	0.06	30	R								NA			NA		03/22/2005
(1628) Winter Frost Ct	0.12	190	R								NA			NA		1999
(1629) Glade St	0.06	290	R								NA			NA		03/22/2005
(1630) Markwood Dr	0.06	470	R								NA			NA		04/04/2005
(1630) Markwood Dr	0.09	160	R								NA			NA		04/04/2005
(1630) Markwood Dr	0.03	140	R								NA			NA		04/04/2005
(1630) Markwood Dr	0.17	130	R								NA			NA		04/04/2005
(1630) Markwood Dr	0.08	160	R								NA			NA		04/04/2005
(1631) Terrie Dr	0.17	350	R								NA			NA		1999
(1631) Terrie Dr	0.07	120	R								NA			NA		04/04/2005
(1631) Terrie Dr	0.04	180	R								NA			NA		1999
(1632) Copper Ct	0.11	190	R								NA			NA		1999
(1633) Regina Dr	0.05	1100	R								NA			NA		04/04/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
1633 Regina Dr	0.16	540	R									NA		NA		04/04/2005
1633 Regina Dr	0.05	320	R									NA		NA		04/04/2005
1634 Heather Glen Dr	0.12	930	R									NA		NA		04/04/2005
1634 Heather Glen Dr	0.15	620	R									NA		NA		04/04/2005
1634 Heather Glen Dr	0.11	170	R									NA		NA		1999
1635 Hawkins Lane	0.08	520	R									NA		NA		04/04/2005
1636 Primavera Dr	0.05	790	R									NA		NA		04/04/2005
1636 Primavera Dr	0.04	800	R									NA		NA		04/04/2005
1636 Primavera Dr	0.05	310	R									NA		NA		04/04/2005
1636 Primavera Dr	0.25	140	R									NA		NA		04/04/2005
1636 Primavera Dr	0.04	330	R									NA		NA		04/04/2005
1637 Yorktown Way	0.32	1500	R									NA		NA		1999
1638 McKean Ct	0.12	110	R									NA		NA		1999
1639 Great Falls Forest Dr	0.16	880	R									NA		NA		04/12/2005
1639 Great Falls Forest Dr	0.07	900	R									NA		NA		04/12/2005
1639 Great Falls Forest Dr	0.07	1400	R									NA		NA		04/12/2005
1639 Great Falls Forest Dr	0.21	960	R									NA		NA		04/12/2005
1639 Great Falls Forest Dr	0.14	770	R									NA		NA		04/12/2005
1639 Great Falls Forest Dr	0.21	NA										NA		NA		
1640 Oxford Ct	0.08	80	R									NA		NA		1999
1641 Yorktown Ct	0.14	150	R									NA		NA		1999
1642 Falls Forest Pl	0.09	120	R									NA		NA		1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1643) Cambridge Ct	0.11	130	R								NA		NA			1999
<b>Town of Lovettsville</b>																
(1644) Fox Meadow Dr	0.13	140	R								NA		NA			08/26/2002
(1645) N Light St	0.09	170	R								NA		NA			1999
(1647) Woodbriar Dr	0.04	60	R								NA		NA			1999
(1647) Woodbriar Dr	0.05	90	R								NA		NA			08/26/2002
(1648) Milhoven Dr	0.06	280	R								NA		NA			1999
(1649) Mills Ct	0.04	130	R								NA		NA			1999
(1649) Mills Ct	0.05	110	R								NA		NA			1999
<b>Loudoun County</b>																
(1650) Briarwood Ct	0.16	180	R								NA		NA			1999
(1650) Briarwood Ct	0.09	320	R								NA		NA			03/09/2005
(1651) Whitewater Dr	0.99	4800	R								NA		NA			04/14/2005
(1652) Lowes Island Blvd	0.55	2000	R								NA		NA			04/14/2005
(1652) Lowes Island Blvd	0.68	2500	R								NA		NA			09/30/2009
(1653) Saulty Dr	0.23	510	R								NA		NA			04/14/2005
(1653) Saulty Dr	0.49	2000	R								NA		NA			12/09/2008
(1654) Fathom Pl	0.14	570	R								NA		NA			04/14/2005
(1655) Longpier Way	0.05	210	R								NA		NA			12/09/2008
(1655) Longpier Way	0.10	290	R								NA		NA			04/14/2005
<b>Town of Lovettsville</b>																
(1656) Oakfield Dr	0.07	40	R								NA		NA			08/22/2002

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1657) Mariner Ct	0.04	60	R								NA			NA		08/22/2002
(1658) Rafter Ct	0.09	100	R								NA			NA		08/22/2002
(1659) Bouy Pl	0.10	1800	R								NA			NA		08/22/2002
(1660) Westwick Ct	0.03	170	R								NA			NA		1999
(1661) Sarret Way	0.07	190	R								NA			NA		1999
(1661) Sarret Way	0.04	140	R								NA			NA		1999
(1662) Bank Way	0.12	690	R								NA			NA		04/14/2005
(1663) League Ct	0.10	160	R								NA			NA		08/22/2002
(1664) Waterbeach Pl	0.04	NA									NA			NA		
(1664) Waterbeach Pl	0.15	60	R								NA			NA		08/22/2002
(1670) Carter Ct	0.07	220	R								NA			NA		1999
(1671) Hardwood Forest Dr	0.47	1900	R								NA			NA		12/09/2008
(1672) Westwood Pl	0.23	1400	R								NA			NA		04/14/2005
(1673) Chippoaks Forest Circle	0.26	570	R								NA			NA		04/14/2005
(1674) Gallion Forest Ct	0.03	60	R								NA			NA		08/22/2002
(1675) Redbark Pl	0.05	420	R								NA			NA		04/14/2005
(1675) Redbark Pl	0.07	390	R								NA			NA		04/14/2005
(1675) Redbark Pl	0.09	600	R								NA			NA		04/14/2005
(1676) Edgewood Ct	0.08	90	R								NA			NA		08/22/2002
(1677) Ravenwood Ct	0.07	90	R								NA			NA		08/22/2002



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1678) Lonetree Ct	0.03	170	R				From: Cul-de-Sac				NA			NA		1999
(1678) Lonetree Ct	0.05	180	R				To: 53-1675 Redbark Pl				NA			NA		1999
(1679) Blockhouse Point	0.30	NA					From: 53-1651 Whitewater Dr				NA			NA		
(1680) Helen Ct	0.05	410	R				To: Cul-de-Sac				NA			NA		1994
(1680) Sue Ann Ct	0.06	410	R				From: 53-1588 Lisa Gaye Dr				NA			NA		03/10/2005
(1680) Sue Ann Ct	0.10	150	R				To: 53-1681 Amy Ct				NA			NA		1999
(1681) Amy Ct	0.11	160	R				From: 53-1680 Sue Ann Ct				NA			NA		1999
(1682) Cindy Ct	0.10	140	R				To: Cul-de-Sac				NA			NA		1999
(1683) Gary Ct	0.04	110	R				From: 53-1588 Lisa Gaye Dr				NA			NA		1999
(1684) Jonathan Dr	0.09	160	R				To: Cul-de-Sac				NA			NA		1999
(1688) Rhyolite Pl	0.21	NA					From: 53-1402 Beech Rd				NA			NA		1999
(1689) Brandy Station Ct	0.05	NA					To: 53-1589 Rector St				NA			NA		04/14/2005
(1690) Brinks Ct	0.15	150	R				From: 53-1586 Elizabeth Ct				NA			NA		
(1691) Whaley Ct	0.05	48	R				To: 53-1652 Lowes Island Blvd				NA			NA		
(1692) Timberland Pl	0.22	760	R				From: Cul-de-Sac				NA			NA		08/28/2002
(1693) Longwood Ct	0.07	70	R				To: 53-1690 Brinks Ct				NA			NA		08/28/2002
(1694) Brasswood Pl	0.12	90	R				From: 53-1692; 53-1553				NA			NA		08/28/2002
(1695) Rosewood Pl	0.13	40	R				To: 53-1694; 53-1695				NA			NA		08/22/2002
(1696) Traskwood Ct	0.05	60	R				From: Cul-de-Sac				NA			NA		08/28/2002
							To: 53-1693; 53-1695				NA			NA		08/22/2002
							From: Cul-de-Sac				NA			NA		08/22/2002
							To: 53-1692; 53-1696				NA			NA		08/22/2002
							From: 53-1692; 53-1695				NA			NA		08/22/2002
							To: Cul-de-Sac				NA			NA		08/22/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1697) Sparrow Pl	0.12	48	R								NA		NA			08/22/2002
(1698) Highwood Ct	0.03	60	R								NA		NA			08/22/2002
(1699) Windrush Ct	0.06	80	R								NA		NA			08/22/2002
(1701) Sugarland Run Dr	0.47	4700	G	98%	1%	0%	0%	0%	0%	F	0.095	F	5100	G		2009
(1701) Sugarland Run Dr	0.23	4500	G	98%	1%	0%	0%	0%	0%	C	0.109	F	4900	G		2009
(1701) Sugarland Run Dr	0.53	2200	G	98%	1%	0%	0%	0%	0%	F	0.095	F	2400	G		2009
(1701) Sugarland Run Dr	0.52	1300	G	98%	1%	0%	0%	0%	0%	F	0.102	F	1400	G		2009
(1701) Sugarland Run Dr	0.25	1700	G	98%	1%	0%	0%	0%	0%	F	0.102	F	1900	G		2009
(1701) Sugarland Run Dr	0.35	2900	G	98%	1%	0%	0%	0%	0%	F	0.098	F	3100	G		2009
(1701) Sugarland Run Dr	0.21	4100	G	98%	1%	0%	0%	0%	0%	F	0.099	F	4500	G		2009
(1701) Sugarland Run Dr	0.25	6900	G	98%	1%	0%	0%	0%	0%	F	0.094	F	7500	G		2009
(1702) Willow Terrace	0.12	630	R								NA		NA			1999
(1702) Willow Terrace	0.26	2900	R								NA		NA			04/11/2005
(1703) Thrush Rd	0.12	130	R								NA		NA			1999
(1703) Thrush Rd	0.05	570	R								NA		NA			04/11/2005
(1703) Thrush	0.07	100	R								NA		NA			1999
(1704) Penny Lane	0.12	500	R								NA		NA			04/11/2005
(1704) Penny Lane	0.17	300	R								NA		NA			04/11/2005
(1705) Wicker Ct	0.02	30	R								NA		NA			1999
(1706) Westgate Ct	0.03	40	R								NA		NA			1999
(1707) Crescent Ct	0.07	110	R								NA		NA			1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1708) Hayloft Ct	0.05	240	R								NA			NA		1999
(1709) Richland Circle	0.08	380	R								NA			NA		1999
(1710) Greenfield Ct	0.14	740	R								NA			NA		1999
(1710) Greenfield Ct	0.04	90	R								NA			NA		1999
(1711) Woodgate Ct	0.02	50	R								NA			NA		1999
(1712) Avondale Dr	0.04	60	R								NA			NA		1999
(1712) Avondale Dr	0.16	280	R								NA			NA		04/11/2005
(1712) Avondale Dr	0.05	190	R								NA			NA		04/11/2005
(1712) Avondale Dr	0.14	190	R								NA			NA		04/11/2005
(1712) Avondale Dr	0.16	290	R								NA			NA		04/11/2005
(1712) Avondale Dr	0.05	360	R								NA			NA		04/11/2005
(1712) Avondale Dr	0.05	400	R								NA			NA		04/11/2005
(1712) Avondale Dr	0.06	60	R								NA			NA		1999
(1713) Newbury Pl	0.08	280	R								NA			NA		04/11/2005
(1713) Newbury Pl	0.08	170	R								NA			NA		04/11/2005
(1714) Newport Ct	0.04	50	R								NA			NA		1999
(1714) Newport Ct	0.04	60	R								NA			NA		1999
(1715) Hillsdale Dr	0.18	140	R								NA			NA		04/11/2005
(1715) Hillsdale Dr	0.08	90	R								NA			NA		1999
(1716) Three Oaks Ct	0.04	60	R								NA			NA		1999
(1717) Midland Ave	0.07	390	R								NA			NA		04/11/2005
(1717) Midland Ave	0.06	340	R								NA			NA		04/11/2005

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1717) Midland Ave	0.01	20	R			From: 53-1718 Farmington Lane					NA			NA		1999
						To: Dead End										
(1718) Farmington Lane	0.06	240	R			From: 53-1717 Midland Ave					NA			NA		04/11/2005
						To: 53-1719 Farmington Terrace										
(1718) Farmington Lane	0.06	210	R			From: 53-1719 Farmington Terrace					NA			NA		04/11/2005
						To: 53-1720 Farmington Ct										
(1718) Farmington Lane	0.04	190	R			From: 53-1720 Farmington Ct					NA			NA		04/11/2005
						To: 53-1724 Cottage Rd N										
(1719) Farmington Terrace	0.01	30	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1718 Farmington Lane										
(1720) Farmington Ct	0.01	20	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1718 Farmington Lane										
(1721) Hopeland Lane	0.03	50	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1717 Midland Ave										
(1721) Hopeland Lane	0.06	230	R			From: 53-1717 Midland Ave					NA			NA		04/11/2005
						To: 53-1722 Hopeland Ct										
(1721) Hopeland Lane	0.05	250	R			From: 53-1722 Hopeland Ct					NA			NA		04/07/2005
						To: 53-1723 Baker Lane										
(1721) Hopeland Lane	0.07	310	R			From: 53-1723 Baker Lane					NA			NA		04/07/2005
						To: 53-1724 Cottage Rd S										
(1722) Hopeland Ct	0.03	40	R			From: 53-1721 Hopeland Lane					NA			NA		1999
						To: Cul-de-Sac										
(1723) Baker Lane	0.08	110	R			From: 53-1721 Hopeland Lane					NA			NA		04/05/2005
						To: 53-1701 Sugarland Run Dr										
(1724) Cottage Rd S	0.22	9500	R			From: 53-637 Potomac View Rd					NA			NA		1999
						To: 53-1769 Mirror Ridge Pl										
(1724) Cottage Rd S	0.10	9000	R			From: 53-1769 Mirror Ridge Pl					NA			NA		1999
						To: 53-1768 Lindsay Ct										
(1724) Cottage Rd S	0.06	16000	R			From: 53-1768 Lindsay Ct					NA			NA		04/05/2005
						To: 53-1767 Kojun & Aaron Cts										
(1724) Cottage Rd S	0.08	16000	R			From: 53-1767 Kojun & Aaron Cts					NA			NA		04/05/2005
						To: 53-1766 Samantha Dr & Traill Ct										
(1724) Cottage Rd S	0.08	15000	R			From: 53-1766 Samantha Dr & Traill Ct					NA			NA		04/05/2005
						To: 53-1765 Leslie Ct										
(1724) Cottage Rd S	0.06	14000	R			From: 53-1765 Leslie Ct					NA			NA		04/05/2005
						To: 53-1764 Nails Ct										
(1724) Cottage Rd S	0.05	13000	R			From: 53-1764 Nails Ct					NA			NA		04/05/2005
						To: 53-1760 Seneca Ridge Ct										
(1724) Cottage Rd S	0.02	11000	R			From: 53-1760 Seneca Ridge Ct					NA			NA		04/05/2005
						To: 53-1725 Fox Rd										
(1724) Cottage Rd S	0.02	10000	R			From: 53-1725 Fox Rd					NA			NA		04/05/2005
						To: 53-1721 Hopeland Lane										
(1724) Cottage Rd S	0.03	8100	R			From: 53-1721 Hopeland Lane					NA			NA		04/05/2005
						To: 53-1726 Harvest Lane										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1724) Cottage Rd S	0.06	4800	R				From: 53-1726 Harvest Lane				NA			NA		04/05/2005
(1724) Cottage Rd N	0.04	3900	R				From: 53-1701 S, Sugarland Run Dr				NA			NA		04/05/2005
(1724) Cottage Rd N	0.05	3400	R				From: 53-1718 Farmington Lane				NA			NA		04/05/2005
(1724) Cottage Rd N	0.14	2300	R				From: 53-1757 Kale Ave				NA			NA		04/05/2005
(1724) Cottage Rd N	0.03	2800	R				From: 53-1729 Howard Pl				NA			NA		04/05/2005
(1724) Cottage Rd N	0.18	2600	R				From: 53-1730 Carolina Ct				NA			NA		04/05/2005
(1724) Cottage Rd N	0.07	2800	R				From: 53-1750 Simeon Lane				NA			NA		04/05/2005
(1724) Cottage Rd N	0.06	1700	R				From: 53-1751 Monarch Dr				NA			NA		04/05/2005
(1725) Fox Rd	0.27	160	R				From: 53-1701 N, Sugarland Run				NA			NA		04/07/2005
(1725) Fox Rd	0.15	190	R				From: 53-1724 Cottage Rd S				NA			NA		04/07/2005
(1725) Fox Rd	0.05	330	R				From: 53-1727 Park Hill Lane				NA			NA		04/07/2005
(1726) Harvest Lane	0.14	180	R				From: 53-1726 Harvest Lane				NA			NA		04/07/2005
(1726) Harvest Lane	0.13	520	R				From: 53-1701 Sugarland Run Dr				NA			NA		04/06/2005
(1726) Harvest Lane	0.13	520	R				From: 53-1724 Cottage Rd S				NA			NA		04/06/2005
(1727) Park Hill Lane	0.05	170	R				From: 53-1727 Park Hill				NA			NA		04/06/2005
(1727) Park Hill Lane	0.05	320	R				From: 53-1725 Fox Rd				NA			NA		04/06/2005
(1727) Park Hill Lane	0.05	370	R				From: 53-1725 Fox Rd				NA			NA		04/06/2005
(1727) Park Hill Lane	0.05	320	R				From: 53-1728 Park Hill Ct				NA			NA		04/06/2005
(1727) Park Hill Lane	0.05	370	R				From: 53-1726 Harvest Lane				NA			NA		04/06/2005
(1728) Park Hill Ct	0.05	70	R				From: 53-1701 Sugarland Run Dr				NA			NA		1999
(1728) Park Hill Ct	0.05	70	R				From: Cul-de-Sac				NA			NA		1999
(1729) Howard Pl	0.05	290	R				From: 53-1727 Park Hill Lane				NA			NA		1999
(1729) Howard Pl	0.05	290	R				From: 53-1724 Cottage Rd N				NA			NA		1999
(1730) Carolina Ct	0.08	290	R				From: Cul-de-Sac				NA			NA		1999
(1730) Carolina Ct	0.08	290	R				From: 53-1724 Cottage Rd N				NA			NA		1999
(1731) Running Brook Lane	0.19	130	R				From: 53-1701 Sugarland Run Dr				NA			NA		04/11/2005
(1731) Running Brook Lane	0.06	60	R				From: 53-1732 Homestead Rd				NA			NA		1999
(1731) Running Brook Lane	0.06	60	R				From: Cul-de-Sac				NA			NA		1999
(1732) Homestead Rd	0.06	200	R				From: 53-1731 Running Brook Lane				NA			NA		04/11/2005
(1732) Homestead Rd	0.06	200	R				From: 53-1701 Sugarland Run Dr				NA			NA		04/11/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1733) Silo Mill Ct	0.10	90	R								NA		NA			1999
(1734) Brookfield Circle	0.24	320	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.05	380	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.05	340	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.30	240	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.05	550	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.05	480	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.09	900	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.22	220	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.08	280	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.06	370	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.05	600	R								NA		NA			04/06/2005
(1735) Meadowland Lane	0.05	390	R								NA		NA			04/06/2005
(1736) Pheasant Run Ct	0.07	90	R								NA		NA			1999
(1737) Middleton Lane	0.19	80	R								NA		NA			04/06/2005
(1738) Greencastle Rd	0.17	100	R								NA		NA			04/06/2005
(1739) Oak Shade Rd	0.05	120	R								NA		NA			04/06/2005
(1739) Oak Shade Rd	0.12	110	R								NA		NA			04/06/2005
(1740) Calvert Ct	0.03	40	R								NA		NA			1999
(1741) Biscayne Pl	0.11	90	R								NA		NA			1999
(1741) Biscayne Pl	0.19	310	R								NA		NA			04/07/2005
(1741) Biscayne Pl	0.08	290	R								NA		NA			04/07/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1741) Biscayne Pl	0.08	320	R								NA			NA		04/07/2005
(1742) Victoria Pl	0.06	1300	R								NA			NA		04/07/2005
(1742) Victoria Pl	0.06	620	R								NA			NA		04/07/2005
(1742) Victoria Pl	0.12	280	R								NA			NA		04/07/2005
(1742) Victoria Pl	0.05	60	R								NA			NA		1999
(1743) Wrightwood Pl	0.07	90	R								NA			NA		1999
(1743) Wrightwood Pl	0.21	230	R								NA			NA		04/07/2005
(1743) Wrightwood Pl	0.11	240	R								NA			NA		04/07/2005
(1743) Wrightwood Pl	0.05	230	R								NA			NA		04/07/2005
(1744) Beecher Pl	0.06	540	R								NA			NA		04/07/2005
(1745) Cheval Ct	0.07	80	R								NA			NA		1999
(1746) Darus Ct	0.03	60	R								NA			NA		1999
(1747) Rheims Ct	0.06	60	R								NA			NA		1999
(1748) Severn Way W	0.15	380	R								NA			NA		04/07/2005
(1749) Carousel Ct	0.05	190	R								NA			NA		1999
(1750) Simeon Lane	0.07	340	R								NA			NA		1999
(1751) Monarch Dr	0.06	1600	R								NA			NA		04/07/2005
(1751) Monarch Dr	0.06	1200	R								NA			NA		04/07/2005
(1751) Monarch Dr	0.04	230	R								NA			NA		1999
(1752) Wedgedale Dr	0.10	300	R								NA			NA		1999
(1753) Regis Circle	0.02	220	R								NA			NA		1999

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1754) Squire Ct	0.10	100	R			From: 53-1748 Severn Way W					NA		NA			1999
						To: Cul-de-Sac										
(1755) Abbey Circle	0.11	120	R			From: 53-1701 Sugarland Run Dr					NA		NA			1999
						To: Cul-de-Sac										
(1756) Drury Circle	0.02	310	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1701 Sugarland Run Dr										
(1756) Sugarland Square Ct	0.14	400	R			From: 53-1701 Sugarland Run Dr					NA		NA			1999
						To: Dead End										
(1757) Kale Ave	0.12	450	R			From: End Loop					NA		NA			04/11/2005
						To: 53-1758 Kale Ct										
(1757) Kale Ave	0.20	510	R			From: 53-1758 Ct					NA		NA			04/11/2005
						To: Begin Loop										
(1757) Kale Ave	0.08	590	R			From: Begin Loop					NA		NA			04/11/2005
						To: 53-1724 Cottage Rd N										
(1758) Kale	0.03	50	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1757										
(1759) Mirror Ridge	0.20	890	R			From: 53-1769 Mirror Ridge					NA		NA			1999
						To: Cul-de-Sac										
(1760) Seneca Ridge Dr	0.16	3700	R			From: 53-1724 Cottage Rd S					NA		NA			04/12/2005
						To: 53-9340										
(1760) Seneca Ridge Dr	0.09	3300	R			From: 53-9340					NA		NA			1999
						To: 53-1761 W, Silver Ridge Dr										
(1760) Seneca Ridge Dr	0.07	1900	R			From: 53-1761 W, Silver Ridge Dr					NA		NA			04/12/2005
						To: 53-1762 Spring Ridge Ct										
(1760) Seneca Ridge Dr	0.14	1300	R			From: 53-1762 Spring Ridge Dr					NA		NA			04/12/2005
						To: 53-1761 E, Spring Ridge Dr										
(1760) Seneca Ridge Dr	0.17	750	R			From: 53-1761 E, Silver Ridge Dr					NA		NA			04/12/2005
						To: 53-1773 Potomac Ridge Ct										
(1760) Seneca Ridge	0.07	530	R			From: 53-1773					NA		NA			04/12/2005
						To: 53-1772										
(1760) Seneca Ridge	0.06	90	R			From: 53-1772					NA		NA			1999
						To: Cul-de-Sac										
(1761) Silver Ridge Dr	0.06	60	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1760 W, Seneca Ridge Dr										
(1761) Silver Ridge Dr	0.28	350	R			From: 53-1760 W, Seneca Ridge Dr					NA		NA			04/12/2005
						To: 53-1770 Stoney Creek										
(1761) Silver Ridge Dr	0.06	110	R			From: 53-1770 Stoney Creek Ct					NA		NA			1999
						To: 53-1760 E, Seneca Ridge Dr										
(1762) Spring Ridge Ct	0.04	70	R			From: 53-1760 E, Seneca Ridge Dr					NA		NA			1999
						To: 53-1763 Selden Island Way										
(1762) Spring Ridge Ct	0.11	430	R			From: 53-1763 Selden Island Way					NA		NA			04/12/2005
						To: 53-1760 Seneca Ridge Dr										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1763) Selden Island Way	0.05	60	R				From: 53-1762 Spring Ridge Ct				NA		NA			1999
							To: Cul-de-Sac									
(1764) Nalls	0.10	170	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1724									
(1765) Seneca Chase Ct	0.12	200	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1724 Cottage Rd S									
(1765) Leslie Ct	0.13	220	R				From: 53-1724 Cottage Rd S				NA		NA			1999
							To: Dead End									
(1766) Trail Ct	0.11	130	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1724 Cottage Rd S									
(1766) Samantha Dr	0.26	820	R				From: 53-1724 Cottage Rd S				NA		NA			04/12/2005
							To: 53-1771 Jason Ct									
(1766) Samantha Dr	0.12	370	R				From: 53-1771 Jason Ct				NA		NA			1999
							To: Dead End									
(1767) Kojun Ct	0.12	210	R				From: Dead End				NA		NA			1999
							To: 53-1724 Cottage Rd S									
(1767) Aaron Ct	0.04	120	R				From: 53-1724 Cottage Rd S				NA		NA			1999
							To: Cul-de-Sac									
(1768) Lindsay Ct	0.08	160	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1724 Cottage Rd S									
(1769) Mirror Ridge Pl	0.16	90	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1787 Landau Ct									
(1769) Mirror Ridge Pl	0.10	910	R				From: 53-1787 Landau Ct				NA		NA			04/12/2005
							To: 53-1786 Baskin Ct									
(1769) Mirror Ridge Pl	0.09	960	R				From: 53-1786 Baskin Ct				NA		NA			04/12/2005
							To: 53-1724 Cottage Rd S									
(1769) Mirror Ridge Pl	0.11	830	R				From: 53-1724 Cottage Rd S				NA		NA			04/12/2005
							To: 53-1759 Mirror Ridge Ct									
(1769) Mirror Ridge Pl	0.17	50	R				From: 53-1759 Mirror Ridge Ct				NA		NA			1999
							To: Cul-de-Sac									
(1770) Stoney Creek Ct	0.09	130	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1761 Silver Ridge Dr									
(1771) Jason Ct	0.07	150	R				From: 53-1761 Silver Ridge Dr				NA		NA			1999
							To: Cul-de-Sac									
(1772) Riverview Ct	0.08	130	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1760 Seneca Ridge Dr									
(1773) Potomac Ridge Ct	0.17	500	R				From: 53-1760 Seneca Ridge Dr				NA		NA			04/12/2005
							To: 53-1774 Old River Way									
(1773) Potomac Ridge Ct	0.09	160	R				From: 53-1774 Old River Way				NA		NA			1999
							To: Cul-de-Sac									
(1774) Old River Way	0.03	49	R				From: Cul-de-Sac				NA		NA			1999
							To: 53-1773 Potomac Ridge Ct									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1775) McCarty Ct	0.05	610	R				From: 53-1593 McPherson Circle				NA			NA		03/23/2005
(1775) McCarty Ct	0.09	190	R				From: 53-1776 Darian Ct				NA			NA		1999
							To: Dead End									
(1776) Darian Ct	0.05	280	R				From: 53-1775 McCarty Ct				NA			NA		03/23/2005
(1776) Darian Ct	0.04	280	R				From: 53-1777 Meskill Ct				NA			NA		1999
							To: Cul-de-Sac									
(1777) Meskill Ct	0.07	190	R				From: 53-1776 Darian Ct				NA			NA		1999
							To: Cul-de-Sac									
(1778) Braxton Dr	0.15	300	R				From: 53-1593 Bentley Dr				NA			NA		03/23/2005
							To: 53-1779 Bedford Dr									
(1779) Bedford Dr	0.06	300	R				From: 53-1593 Bentley Dr				NA			NA		1999
(1779) Bedford Dr	0.08	390	R				From: 53-1780 Rawlston Ct				NA			NA		03/23/2005
(1779) Bedford Dr	0.08	150	R				From: 53-1778 Braxton Dr				NA			NA		1999
							To: Cul-de-Sac									
(1780) Rawlston Ct	0.04	320	R				From: 53-1779 Bedford Dr				NA			NA		1999
							To: Cul-de-Sac									
(1781) Worthington Ct	0.08	60	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1593 Bentley Dr									
(1782) Dudley Ct	0.11	250	R				From: Cul-de-Sac				NA			NA		1999
(1782) Jeremy Ct	0.14	390	R				From: 53-1593 McPherson Circle				NA			NA		1999
							To: Dead End									
(1783) Hampshire Station Dr	0.41	1600	R				From: 53-1794 Cascades Pkwy				NA			NA		04/12/2005
							To: 53-637 Potomac View Rd; 53-1702									
(1784) Pebblebrook Pl	0.17	710	R				From: 53-1783; 53-1816				NA			NA		08/28/2002
							To: Cul-de-Sac									
(1785) Mint Springs Ct	0.03	60	R				From: Cul-de-Sac				NA			NA		08/28/2002
							To: 53-1784; 53-1788									
(1786) Baskin Ct	0.07	240	R				From: 53-1769 Mirror Ridge Pl				NA			NA		1999
							To: Cul-de-Sac									
(1787) Landau Ct	0.05	200	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1769 Mirror Ridge Pl									
(1788) Ashleaf Ct	0.05	80	R				From: 53-1784; 53-1785				NA			NA		08/28/2002
							To: Cul-de-Sac									
(1789) Woodhaven Ct	0.06	70	R				From: 53-1783 Hampshire Station Dr				NA			NA		08/28/2002
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1790) Ridgetop Circle	0.23	4000	R											NA	NA	04/07/2005
(1790) Ridgetop Circle	0.43	1200	R											NA	NA	1999
(1790) Ridgetop Circle	0.32	2100	R											NA	NA	1999
(1790) Ridgetop Circle	0.35	3300	R											NA	NA	04/07/2005
(1791) Horseshoe Dr	0.27	810	R											NA	NA	04/07/2005
(1792) Woodshire Dr & Barthol	0.81	4900	R											NA	NA	04/07/2005
(1793) Nokes Blvd	1.38	20000	R											NA	NA	12/16/2008
(1794) Cascades Pkwy	0.68	25000	G	99%	1%	1%	0%	0%	0%	F	0.095	F		27000	G	2009
(1794) Cascades Pkwy	1.75	15000	G	99%	1%	1%	0%	0%	0%	C	0.112	F		16000	G	2009
(1794) Cascades Pkwy	1.23	1400	G	99%	1%	1%	0%	0%	0%	F	0.114	F	0.704	1500	G	2009
(1795) Loudoun Tech Dr	0.16	3200	R											NA	NA	1999
(1795) Palisade Pkwy	0.11	3600	R											NA	NA	1999
(1795) Palisade Pkwy	0.36	3100	R											NA	NA	1999
(1795) Palisade Pkwy	0.31	2700	R											NA	NA	1999
(1795) Palisade Pkwy	0.43	950	R											NA	NA	1999
(1796) Whitfield Pl	0.33	280	R											NA	NA	1999
(1797) Logan Way	0.09	920	R											NA	NA	09/05/2002
(1798) Broadmore Dr	0.20	2600	R											NA	NA	04/07/2005
(1799) Middlefield Dr	0.26	2200	R											NA	NA	04/07/2005
(1799) Middlefield Dr	0.35	2100	R											NA	NA	04/07/2005
(1800) Sugar Meadow Dr	0.05	130	R											NA	NA	1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1800) Sugar Meadow Dr	0.14	350	R				From: 53-1803 Monticello Ct				NA			NA		04/12/2005
(1800) Sugar Meadow Dr	0.06	320	R				From: 53-1639 Great Falls Forest Dr				NA			NA		04/12/2005
(1800) Sugar Meadow Dr	0.04	490	R				From: 53-1801 Leeds Ct				NA			NA		04/12/2005
							To: 53-1802 Birmingham Ct									
(1801) Leeds Ct	0.06	70	R				From: 53-1800 Sugar Meadow Dr				NA			NA		1999
							To: Cul-de-Sac									
(1802) Birmingham Ct	0.04	140	R				From: Dead End				NA			NA		1999
(1802) Birmingham Ct	0.07	170	R				From: 53-1800 Sugar Meadow Dr				NA			NA		1999
							To: Cul-de-Sac									
(1803) Monticello Ct	0.34	430	R				From: 53-1639 Great Falls Forest Dr				NA			NA		04/12/2005
(1803) Monticello Dr	0.07	250	R				From: 53-1804 Merchant Ct				NA			NA		04/12/2005
(1803) Monticello Dr	0.09	170	R				From: 53-1800 Sugar Meadow Dr				NA			NA		1999
							To: Cul-de-Sac									
(1804) Merchant Ct	0.18	320	R				From: 53-1803 Monticello Dr				NA			NA		1999
							To: Cul-de-Sac									
(1805) Quarterpath Trace Circl	0.34	2000	R				From: 53-1582 Algonkian Pkwy				NA			NA		08/27/2002
(1805) Quarterpath Trace Circl	0.16	630	R				From: 53-1813 Stillwood Pl				NA			NA		12/09/2008
(1805) Quarterpath Trace Circl	0.19	910	R				From: 53-1831 Garrett Pl				NA			NA		12/09/2008
							To: 53-1582 Algonkian Pkwy									
(1806) Fairhills Ct	0.11	80	R				From: Cul-de-Sac				NA			NA		08/27/2002
							To: 53-1805 Quarterpath Trace Circle									
(1807) Winfield Pl	0.17	270	R				From: Cul-de-Sac				NA			NA		08/27/2002
							To: 53-1805 Quarterpath Trace Circle									
(1808) Smithwood Ct	0.06	100	R				From: Cul-de-Sac				NA			NA		08/27/2002
							To: 53-1807 Winfield Pl									
(1809) Berwick Ct	0.04	70	R				From: 53-1807 Winfield Pl				NA			NA		08/28/2002
							To: Cul-de-Sac									
(1810) Parkside Circle	0.43	500	R				From: 53-637 S, Potomac View Rd; 53-1798 Broadmore				NA			NA		12/09/2008
(1810) Parkside Circle	0.10	1300	R				From: 53-1811 Snow Hill Way				NA			NA		04/12/2005
							To: 53-637 N, Potomac View Rd									
(1811) Snow Hill Way	0.16	490	R				From: Cul-de-Sac				NA			NA		08/28/2002
							To: 53-1810 Parkside Circle									
(1812) Southampton Ct	0.12	160	R				From: 53-1805 Quarterpath Trace Circle				NA			NA		08/28/2002
							To: Cul-de-Sac									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1813) Stillwood Pl	0.11	220	R								NA		NA			08/26/2002
(1814) Rosemallow Ct	0.09	80	R								NA		NA			08/28/2002
(1815) Willowmere Ct	0.06	70	R								NA		NA			08/28/2002
(1816) Capelwood Ct	0.07	90	R								NA		NA			08/28/2002
(1817) Windemere Ct	0.10	90	R								NA		NA			08/28/2002
(1818) Riverbirch Pl	0.11	140	R								NA		NA			08/28/2002
(1819) Oakhurst Ct	0.11	90	R								NA		NA			08/28/2002
(1820) Morgan Way	0.07	1600	R								NA		NA			04/12/2005
(1821) Stablehouse Dr	0.47	710	R								NA		NA			1999
(1821) Stablehouse Dr	0.05	780	R								NA		NA			03/17/2005
(1821) Stablehouse Dr	0.05	320	R								NA		NA			03/17/2005
(1821) Stablehouse Dr	0.08	190	R								NA		NA			1999
(1822) Clydesdale Ct	0.03	70	R								NA		NA			1999
(1823) Stablemates Ct	0.03	60	R								NA		NA			1999
(1824) Grant Ct	0.10	NA									NA		NA			
(1825) Cedarhurst Dr	0.10	2400	R								NA		NA			08/28/2002
(1825) Cedarhurst Dr	0.18	2100	R								NA		NA			08/28/2002
(1826) Bluestem Ct	0.03	40	R								NA		NA			08/28/2002
(1827) Springwood Ct	0.11	120	R								NA		NA			08/28/2002
(1828) Thornwood Ct	0.07	80	R								NA		NA			08/28/2002

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1829) Newfield Pl	0.08	160	R			From: Cul-de-Sac					NA		NA			08/28/2002
						To: 53-1825 Cedarhurst Dr										
(1830) Brandywine Ct	0.05	70	R			From: 53-1829 Newfield Pl					NA		NA			08/28/2002
						To: Cul-de-Sac										
(1831) Garrett Pl	0.18	NA				From: Cul-de-Sac					NA		NA			
						To: 53-1805 Quarterpath Trace Circle										
(1832) Glenaire Ct	0.10	NA				From: Cul-de-Sac					NA		NA			
						To: 53-1831 Garrett Pl										
(1833) Springlake Ct	0.14	NA				From: 53-1792 Woodshire Dr & Bartholomew Fair Dr					NA		NA			
						To: Cul-de-Sac										
(1834) Compton Circle	0.30	270	R			From: 53-1652 Lowes Island Blvd					NA		NA			12/09/2008
						To: End Loop										
(1835) Cutwater Pl	0.07	840	R			From: 53-1843 Riverland Pl					NA		NA			12/09/2008
						To: 53-1837 Fairwater Pl										
(1835) Cutwater Pl	0.05	170	R			From: 53-1836 Belwood Ct					NA		NA			1999
						To: 53-1840 Fernbank Count										
(1835) Cutwater Pl	0.07	410	R			From: 53-1794 Cascades Pkwy					NA		NA			1999
						To: 53-1835 Cutwater Pl										
(1836) Belwood Ct	0.14	160	R			From: 53-1835 Cutwater Pl					NA		NA			1999
						To: Cul-de-Sac										
(1837) Fairwater Pl	0.06	150	R			From: 53-1838 Shadow Woods Ct					NA		NA			1999
						To: Cul-de-Sac										
(1837) Fairwater Pl	0.03	70	R			From: 53-1837 Fairwater Pl					NA		NA			1999
						To: Cul-de-Sac										
(1838) Shadow Woods Ct	0.10	50	R			From: 53-1794; 53-1845 WEST					NA		NA			1999
						To: Cul-de-Sac										
(1839) Corkwood Dr	0.19	400	R			From: 53-1841 Allsbrook Pl					NA		NA			08/29/2002
						To: 53-1835 Cutwater Pl										
(1840) Fernbank Ct	0.09	800	R			From: Cul-de-Sac					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1841) Allsbrook Pl	0.15	NA				From: 53-1835; 53-1837					NA		NA			
						To: Cul-de-Sac										
(1842) Woodthrush Ct	0.04	NA				From: 53-1841 Allsbrook Pl					NA		NA			
						To: Cul-de-Sac										
(1843) Riverland Pl	0.14	NA				From: 53-1835 Cutwater Pl					NA		NA			
						To: 53-1843 Riverland Pl										
(1844) Marsh Ct	0.12	NA				From: Cul-de-Sac					NA		NA			
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1845) Esterbrook Circle	0.32	680	R				From: 53-1794 W. Cascades Pkwy					NA		NA		04/12/2005
(1845) Esterbrook Circle	0.17	720	R				To: 53-1848 Saffron Ct					NA		NA		04/12/2005
(1845) Esterbrook Circle	0.08	410	R				To: 53-1847 Eskridge Ct					NA		NA		04/12/2005
(1845) Esterbrook Circle	0.08	280	R				To: 53-1846 Arbor Ct					NA		NA		04/12/2005
(1846) Arbor Ct	0.04	60	R				To: 53-1794 E. Cascades Pkwy					NA		NA		1999
(1847) Eskridge Ct	0.04	80	R				To: 53-1845 Esterbrook Circle					NA		NA		1999
(1848) Saffron Ct	0.07	80	R				To: 53-1845 Esterbrook Circle					NA		NA		1999
(1849) Preddy Ct	0.10	40	R				To: 53-677 Partlow Rd					NA		NA		08/29/2002
(1850) Golden Meadow Circle	0.06	1300	R				To: 53-900; 53-1862					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.05	1200	R				To: 53-1861 Great Harvest Ct					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.06	890	R				To: 53-1860 Meadowsweet Ct					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.13	590	R				To: 53-1859 Arrowhead Ct					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.11	470	R				To: 53-1856 Sweet Clover Pl					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.05	480	R				To: 53-1855 Applegrove Ct					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.18	460	R				To: 53-1854 Clearwater Ct					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.05	880	R				To: 53-1853 Greenspring Ct					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.07	920	R				To: 53-1852 Sweetgrass Way					NA		NA		01/27/2005
(1850) Golden Meadow Circle	0.04	1100	R				To: 53-1851 Tiger Lily Pl					NA		NA		01/27/2005
(1851) Tiger Lily Pl	0.07	140	R				To: 53-900 Ashburn Farm Pkwy					NA		NA		1999
(1852) Sweetgrass Way	0.12	220	R				To: 53-1850 Golden Meadow Circle					NA		NA		1999
(1853) Greenspring Ct	0.04	110	R				To: 53-1850 Golden Meadow Circle					NA		NA		1999
(1854) Clearwater Ct	0.06	110	R				To: 53-1850 Golden Meadow Circle					NA		NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1855) Applegrove Ct	0.05	130	R									NA		NA		1999
(1856) Hornbeam Pl	0.05	170	R									NA		NA		1999
(1856) Hornbeam Pl	0.04	310	R									NA		NA		01/27/2005
(1856) Sweet Clover Pl	0.05	460	R									NA		NA		01/27/2005
(1856) Sweet Clover Pl	0.16	460	R									NA		NA		1999
(1857) Sorrel Grove Ct	0.12	190	R									NA		NA		1999
(1858) Osage Ct	0.13	200	R									NA		NA		1999
(1859) Arrowhead Ct	0.10	160	R									NA		NA		1999
(1860) Thimbleweed Ct	0.10	170	R									NA		NA		1999
(1860) Meadowsweet Ct	0.08	190	R									NA		NA		1999
(1861) Great Harvest Ct	0.07	100	R									NA		NA		1999
(1862) Summerwood Circle	0.29	5200	R									NA		NA		01/27/2005
(1862) Summerwood Circle	0.05	700	R									NA		NA		01/27/2005
(1862) Summerwood Circle	0.05	720	R									NA		NA		01/27/2005
(1862) Summerwood Circle	0.06	760	R									NA		NA		01/27/2005
(1862) Summerwood Circle	0.05	2000	R									NA		NA		01/27/2005
(1863) Blue Bill Ct	0.04	70	R									NA		NA		1999
(1864) Raintree Ct	0.06	100	R									NA		NA		1999
(1865) Deep Furrow Ct	0.05	120	R									NA		NA		1999
(1866) Hayshire Ct	0.07	110	R									NA		NA		1999
(1866) Haystack Ct	0.10	180	R									NA		NA		1999



Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1867) Stonecrop Pl	0.05	130	R								NA			NA		1999
(1867) Stonecrop Pl	0.05	360	R								NA			NA		01/27/2005
(1867) Stonecrop Pl	0.05	360	R								NA			NA		08/29/2002
(1867) Stonecrop Pl	0.04	430	R								NA			NA		01/27/2005
(1867) Starflower Way	0.05	320	R								NA			NA		1999
(1867) Starflower Way	0.19	490	R								NA			NA		1999
(1868) Windrow Ct	0.05	50	R								NA			NA		08/29/2002
(1869) Barley Ct	0.06	70	R								NA			NA		08/29/2002
(1870) Coal Bed Ct	0.08	49	R								NA			NA		08/29/2002
(1871) Nightshade Pl	0.20	190	R								NA			NA		1999
(1871) Nightshade Pl	0.04	80	R								NA			NA		1999
(1872) Marshfield Dr	0.24	1000	R								NA			NA		04/21/2005
(1873) Silverthistle Ct	0.12	70	R								NA			NA		1999
(1874) Wintergrove Dr	0.68	1400	R								NA			NA		08/29/2002
(1874) Wintergrove Dr	0.08	60	R								NA			NA		1999
(1874) Wayside Circle	0.09	1000	R								NA			NA		02/02/2005
(1874) Wayside Circle	0.15	720	R								NA			NA		02/07/2005
(1874) Wayside Circle	0.24	570	R								NA			NA		02/07/2005
(1874) Wayside Circle	0.07	250	R								NA			NA		02/07/2005
(1874) Wayside Circle	0.22	520	R								NA			NA		02/07/2005
(1874) Wayside Circle	0.09	740	R								NA			NA		02/07/2005
(1875) Wellhouse Ct	0.05	80	R								NA			NA		1999

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1876) Elmhurst Ct	0.05	60	R			From: 53-1874 Wayside Circle					NA			NA		1999
						To: Cul-de-Sac										
(1877) Wildrose Ct	0.16	120	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1874 Wayside Circle										
(1878) Edgebrook Ct	0.15	150	R			From: 53-1874 Wayside Circle					NA			NA		1999
						To: Cul-de-Sac										
(1879) Dewberry Ct	0.14	190	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1874 Wayside Circle										
(1880) Belgreen Dr	0.14	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1898 Powderhorn Ct										
(1880) Belgreen Dr	0.08	900	R			From: 53-1898 Powderhorn Ct					NA			NA		02/07/2005
						To: 53-1897 Willowbrook Dr										
(1880) Belgreen Dr	0.08	620	R			From: 53-1897 Willowbrook Dr					NA			NA		02/07/2005
						To: 53-1894 Deer Run Way										
(1880) Belgreen Dr	0.14	1300	R			From: 53-1894 Deer Run Way					NA			NA		02/07/2005
						To: 53-901 Claiborne Pkwy										
(1880) Windmill Dr	0.93	1800	R			From: 53-901 Claiborne Pkwy					NA			NA		02/07/2005
						To: 53-900 Ashburn Farm Pkwy										
(1880) Crossroads Dr	0.54	3200	R			From: 53-900 Ashburn Farm Pkwy					NA			NA		02/07/2005
						To: 53-901 Claiborne Pkwy										
(1881) Thistlewood Ct	0.12	120	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
						To: Cul-de-Sac										
(1882) Whetstone Ct	0.18	160	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
						To: Cul-de-Sac										
(1883) Ridgeview Pl	0.13	410	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
						To: Cul-de-Sac										
(1884) Greenbrier Ct	0.06	70	R			From: 53-1883 Ridgeview Pl					NA			NA		08/29/2002
						To: Cul-de-Sac										
(1885) Colter Ct	0.16	250	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1880 Belgreen Dr										
(1886) Irongate Way	0.07	710	R			From: 53-1888 Smokehouse Ct					NA			NA		02/07/2005
						To: 53-1880 Belgreen Dr										
(1887) Ice Pond Dr	0.09	60	R			From: 53-1886 Irongate Way					NA			NA		08/29/2002
						To: Dead End										
(1888) Smokehouse Ct	0.12	520	R			From: Cul-de-Sac					NA			NA		08/29/2002
						To: 53-1886 Irongate Way										
(1888) Smokehouse Ct	0.08	NA				From: 53-1886 Irongate Way					NA			NA		
						To: Cul-de-Sac										
(1889) Watershield Ct	0.09	240	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1880 Belgreen Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1889) Butterfield Ct	0.16	210	R			From: 53-1880 Belgreen Dr					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1890) Preston Ct	0.11	NA				From: Cul-de-Sac					NA		NA			
						To: 53-1880 Windmill Dr										
(1890) Dovetail Pl	0.12	110	R			From: 53-1880 Windmill Dr					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1891) Cavalier Ct	0.05	40	R			From: 53-1890 Dovetail Pl					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1892) Brownstone Ct	0.13	110	R			From: Cul-de-Sac					NA		NA			08/29/2002
						To: 53-1880 Windmill Dr										
(1892) Swampfox Ct	0.10	NA				From: 53-1880 Windmill Dr					NA		NA			
						To: Cul-de-Sac										
(1893) Rockfield Ct	0.11	110	R			From: Cul-de-Sac					NA		NA			08/29/2002
						To: 53-1880 Belgreen Dr										
(1894) Deer Run Way	0.05	480	R			From: 53-1880 Belgreen Dr					NA		NA			04/21/2005
						To: 53-1895 Summithill Ct										
(1894) Deer Run Way	0.09	1100	R			From: 53-1895 Summithill Ct					NA		NA			04/21/2005
						To: 53-1896 Ambleside Ct										
(1894) Deer Run Way	0.05	1800	R			From: 53-1896 Ambleside Ct					NA		NA			04/21/2005
						To: 53-900 Ashburn Farm Pkwy										
(1895) Summithill Ct	0.09	120	R			From: 53-1894 Deer Run Way					NA		NA			1999
						To: Cul-de-Sac										
(1896) Hunt Manor Ct	0.08	80	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1894 Deer Run Way										
(1896) Ambleside Ct	0.07	130	R			From: 53-1894 Deer Run Way					NA		NA			1999
						To: Cul-de-Sac										
(1897) Willowbrook Dr	0.13	48	R			From: Dead End					NA		NA			08/29/2002
						To: 53-1880 Belgreen Dr										
(1897) Matchlock Ct	0.06	50	R			From: 53-1880 Belgreen Dr					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1898) Powderhorn Ct	0.07	80	R			From: Cul-de-Sac					NA		NA			08/29/2002
						To: 53-1880 Belgreen Dr										
(1898) Fernridge Way	0.10	480	R			From: 53-1880 Belgreen Dr					NA		NA			04/21/2005
						To: 53-900 Ashburn Farm Pkwy										
(1899) Scarlett Rush Ct	0.05	80	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-625 Ashburn Farm Pkwy										
(1899) Hollyberry Ct	0.18	120	R			From: 53-625 Ashburn Farm Pkwy					NA		NA			1999
						To: Cul-de-Sac										
(1900) Woodlea Dr	0.08	1500	R			From: US 15					NA		NA			05/19/2005
						To: SCL Leesburg										
(1901) Sterling Bridge Place	0.24	NA				From: 53-637 Cascades Pkwy					NA		NA			
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1902) Atlantic Blvd	0.60	10000	R				From: 53-1525 Magnolia Rd				NA			NA		12/16/2008
(1902) Atlantic Blvd	0.80	9100	R				From: 53-1793 Nokes Blvd				NA			NA		09/30/2009
							To: Dead End									
(1903) Woodson Dr	0.25	2200	R				From: 53-1925 Rabbitrun Terr				NA			NA		12/16/2008
							To: Fairfax County Line, 29-7909									
(1904) Westminster Pl	0.20	1600	R				From: 53-1903 Woodson Dr				NA			NA		09/30/2009
							To: Dead End									
(1905) Churchill Downs Dr	0.05	190	R				From: 53-642 Hay Rd				NA			NA		1999
(1905) Churchill Downs Dr	0.10	560	R				From: 53-1906 Pimlico Way				NA			NA		04/21/2005
(1905) Churchill Downs Dr	0.08	70	R				From: 53-1909 Saratoga Ct				NA			NA		1999
							To: Cul-de-Sac									
(1906) Hollywood Park Pl	0.05	70	R				From: Cul-de-Sac				NA			NA		1999
(1906) Hollywood Park Pl	0.05	300	R				From: 53-1907 Breeders Run Ct				NA			NA		04/21/2005
(1906) Pimlico Way	0.07	370	R				From: 53-1905 Churchill Downs Dr				NA			NA		04/21/2005
(1906) Triple Crown Ct	0.11	110	R				From: 53-1908 Preakness Ct				NA			NA		1999
							To: Cul-de-Sac									
(1907) Breeders Run Ct	0.08	70	R				From: 53-1906 Hollywood Park Pl				NA			NA		1999
							To: Cul-de-Sac									
(1908) Preakness Ct	0.10	70	R				From: 53-1906 Triple Crown Ct; Pimlico Way				NA			NA		1999
							To: Cul-de-Sac									
(1909) Saratoga Ct	0.04	90	R				From: 53-1905 Churchill Downs Dr				NA			NA		1999
							To: Cul-de-Sac									
(1910) Nerine Ct	0.19	NA					From: 53-1795 Palisade Pkwy				NA			NA		
							To: Cul-de-Sac									
(1911) Breezyhill Dr	0.12	1600	R				From: 53-642 Hay Rd				NA			NA		04/21/2005
(1911) Breezyhill Dr	0.30	850	R				From: 53-1912 Hiddengrove Ct				NA			NA		09/17/2009
							To: 53-1938 Deerwatch Pl									
(1912) Hiddengrove Ct	0.10	130	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1911 Breezyhill Dr									
(1913) Courier Ridge Pl	0.19	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1911 Breezyhill Dr									
(1914) Gristmill Ct	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1913 Courier Ridge Pl									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1915) Weatherwood Dr	0.30	480	R				From: 53-642 Hay Rd				NA			NA		04/21/2005
							To: 53-901 Claiborne Pkwy									
(1916) Tavernsprings Ct	0.08	140	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1915 Weatherwood Dr; 53-1917									
(1917) Stonecottage Pl	0.20	620	R				From: 53-1915 Weatherwood Dr; 53-1916				NA			NA		09/04/2002
							To: Cul-de-Sac									
(1918) Oakencroft Ct	0.07	100	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1917 Stonecottage Pl									
(1919) Meadowthrash Ct	0.13	70	R				From: 53-1915 Weatherwood Dr				NA			NA		09/04/2002
							To: Cul-de-Sac									
(1920) Rolling Woods Pl	0.15	200	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1921 Pinewood Ct									
(1920) Rolling Woods Pl	0.05	480	R				From: 53-1454, E Frederick Dr				NA			NA		02/16/2005
							To: Cul-de-Sac									
(1921) Pinewood Ct	0.19	240	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1920 Rolling Woods Pl									
(1922) Thomas Jefferson Dr	0.10	5900	R				From: 53-1454, E Frederick Dr				NA			NA		02/16/2005
							To: 53-1924 Hillcrest Dr									
(1922) Thomas Jefferson Dr	0.21	170	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1454, E Frederick Dr									
(1923) Leatherleaf Dr	0.04	1900	R				From: Cul-de-Sac				NA			NA		1999
							To: Bramble Court									
(1923) Leatherleaf Dr	0.05	1900	R				From: Cul-de-Sac				NA			NA		1999
							To: Leatherleaf Circle									
(1923) Leatherleaf Dr	0.06	1400	R				From: Cul-de-Sac				NA			NA		1999
							To: Leatherleaf Circle									
(1923) Leatherleaf Dr	0.04	810	R				From: Cul-de-Sac				NA			NA		1999
							To: Cul-de-Sac									
(1924) Hillcrest Dr	0.09	170	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1922 Thomas Jefferson Dr									
(1925) Rabbitrun Terrace	0.10	3200	R				From: 53-1454, E Frederick Dr				NA			NA		09/05/2002
							To: Cul-de-Sac									
(1926) Snowpine Pl	0.15	680	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1874 Wintergrove Dr									
(1927) Difrank Ct	0.11	80	R				From: Cul-de-Sac				NA			NA		09/29/2002
							To: 53-1926 Snowpine Pl									
(1928) Steamside Pl	0.14	590	R				From: 53-1874 Wintergrove Dr				NA			NA		08/29/2002
							To: Cul-de-Sac									
(1929) Midvale Ct	0.06	49	R				From: 53-1928 Steamside Pl				NA			NA		08/29/2002
							To: Cul-de-Sac									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1930) Farmingdale Dr	0.26	960	R			From: 53-900 Ashburn Farm Pkwy					NA			NA		04/21/2005
						To: 53-1874 Wintergrove Dr										
(1931) Mintwood Ct	0.11	100	R			From: Cul-de-Sac					NA			NA		08/29/2002
						To: 53-1930 Farmingdale Dr										
(1932) Amberview Ct	0.06	60	R			From: 53-1930 Farmingdale Dr					NA			NA		08/29/2002
						To: Cul-de-Sac										
(1933) Spiceberry Ct	0.13	130	R			From: 53-1874 Wintergrove Dr					NA			NA		08/29/2002
						To: Cul-de-Sac										
(1934) Burnthill Ct	0.03	40	R			From: Cul-de-Sac					NA			NA		08/29/2002
						To: 53-1874 Wintergrove Dr										
(1935) Hedgeapple Ct	0.15	NA				From: 53-1874 Wintergrove Dr					NA			NA		
						To: Cul-de-Sac										
(1936) Grainery Ct	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1874 Wayside Circle										
(1937) Breezy Hill Dr	0.19	1800	R			From: 53-901 Claiborne Pkwy					NA			NA		09/29/2009
						To: 53-1938 Deerwatch Pl										
(1938) Deerwatch Pl	0.17	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1937										
(1939) Stoney Glen Pl	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1938 Deerwatch Pl										
(1940) Christopher Lane	0.05	450	R			From: 53-1962 Rutherford					NA			NA		03/29/2005
						To: 53-1961 Owens										
(1940) Christopher Lane	0.06	410	R			From: 53-1961 Owens Ct					NA			NA		03/29/2005
						To: 53-1960 Amersham Ct										
(1940) Christopher Lane	0.11	330	R			From: 53-1959 Lowery Ct					NA			NA		03/29/2005
						To: 53-1958 Dunbar Way										
(1940) Christopher Lane	0.06	520	R			From: 53-1957 Forester Ct					NA			NA		03/29/2005
						To: 53-1957 Forester Ct										
(1940) Christopher Lane	0.12	890	R			From: 53-1582 W. Algonkian Pkwy					NA			NA		03/29/2005
						To: 53-1941 Griswold Ct										
(1940) Whittingham Circle	0.05	320	R			From: 53-1942 Harrow Ct					NA			NA		03/29/2005
						To: 53-1944 Vinson Ct										
(1940) Whittingham Circle	0.14	250	R			From: 53-1945 Byron Ct					NA			NA		03/29/2005
						To: 53-1946 Teasdale Ct										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1940) Whittingham Circle	0.06	690	R				From: 53-1946 Teasdale Ct				NA			NA		03/29/2005
(1940) Whittingham Circle	0.04	580	R				From: 53-1947 Rutledge Ct				NA			NA		03/29/2005
							To: 53-1582 E. Algonkian Pkwy									
(1941) Griswold Ct	0.15	280	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1940 Whittingham Circle									
(1942) Harrow Ct	0.07	120	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1940 Whittingham Circle									
(1942) Thales Way	0.04	40	R				From: Cul-de-Sac				NA			NA		1999
							To: Cul-de-Sac									
(1944) Vinson Ct	0.05	90	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1940 Whittingham Circle									
(1945) Byron Ct	0.05	90	R				From: 53-1940 Whittingham Circle				NA			NA		1999
							To: Cul-de-Sac									
(1946) Teasdale Ct	0.10	170	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1940 Whittingham Circle									
(1947) Rutledge Ct	0.12	170	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1940 Whittingham Circle									
(1948) Winding Rd	0.23	1700	R				From: 53-813 Lakeside Dr				NA			NA		11/20/2008
							To: 53-1582 Algonkian Pkwy									
(1949) Allegheny Circle	0.42	140	R				From: 53-1653 Saulty Dr				NA			NA		04/29/2009
							To: End Loop									
(1950)	1.39	NA					From: 53-643 Shellhorn Rd				NA			NA		
							To: 53-625 Waxpool Rd									
(1950) Uunet Dr	1.48	22000	R				From: 53-625 Farmwell Rd; Waxpool Rd				NA			NA		04/29/2009
							To: 53-607 Loudoun County Pkwy									
(1951) Canberra Dr	0.18	650	R				From: 53-1795 Palisade Pkwy				NA			NA		11/20/2008
							To: 53-1968 Outlet Brook Pl									
(1952) Westridge Dr	0.25	570	R				From: 53-1968 Quiet Brook Pl				NA			NA		11/20/2008
							To: 53-1794 Cascades Pkwy									
(1953) Montgomery Pl	0.19	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1783 Hampshire Station Dr									
(1954) Eastlake Ct	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1953 Montgomery Pl									
(1955) Willowood Pl	0.22	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1810 Parkside Circle									
(1956) Staples Way	0.05	20	R				From: 53-1811 Snow Hill Way				NA			NA		12/09/2008
							To: 53-1955 Willowood Pl									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1957) Forester Ct	0.05	90	R			From: 53-1940 Christopher Lane					NA			NA		1999
						To: Cul-de-Sac										
(1958) Dunbar Way	0.05	80	R			From: 53-1940 Christopher Lane					NA			NA		1999
						To: Cul-de-Sac										
(1959) Lowery Ct S	0.06	130	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1940 Christopher Lane										
(1959) Lowery Ct N	0.08	70	R			From: 53-1940 Christopher Lane					NA			NA		1999
						To: Cul-de-Sac										
(1960) Amersham Ct	0.09	110	R			From: 53-1940 Christopher Lane					NA			NA		1999
						To: Cul-de-Sac										
(1961) Owens Ct	0.05	90	R			From: 53-1940 Christopher Lane					NA			NA		1999
						To: Cul-de-Sac										
(1962) Rutherford Circle	0.14	510	R			From: Begin Loop					NA			NA		03/29/2005
						To: 53-1967 Steed Pl										
(1962) Rutherford Circle	0.04	260	R			From: 53-1967 Steed Pl					NA			NA		03/29/2005
						To: 53-1966 Prescott Ct										
(1962) Rutherford Circle	0.04	340	R			From: 53-1966 Prescott Ct					NA			NA		03/29/2005
						To: 53-1965 Stafford Ct										
(1962) Rutherford Circle	0.13	380	R			From: 53-1965 Stafford Ct					NA			NA		03/29/2005
						To: 53-1965										
(1962) Rutherford Circle	0.04	560	R			From: 53-1964					NA			NA		03/29/2005
						To: 53-1964 Thorton Ct										
(1962) Rutherford Circle	0.17	860	R			From: 53-1964 Thorton Ct					NA			NA		03/29/2005
						To: End Loop										
(1962) Rutherford Circle	0.08	1100	R			From: End Loop					NA			NA		03/29/2005
						To: 53-1940 Christopher Lane										
(1962) Rutherford Circle	0.08	1100	R			From: 53-1940 Christopher Lane					NA			NA		03/29/2005
						To: 53-1582 Algonkian Pkwy										
(1963) Chelmsford Ct	0.22	180	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1582 Algonkian Pkwy										
(1964) Thorton Ct	0.08	90	R			From: 53-1962 Rutherford Circle					NA			NA		1999
						To: Cul-de-Sac										
(1965) Stafford Ct	0.11	270	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1962 Rutherford Circle										
(1966) Prescott Ct	0.06	140	R			From: 53-1962 Rutherford Circle					NA			NA		1999
						To: Cul-de-Sac										
(1967) Steed Pl	0.04	150	R			From: 53-1962 Rutherford Circle					NA			NA		1999
						To: Cul-de-Sac										
(1968) Quiet Brook Pl	0.23	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1969 Iris Dr										
(1969) Iris Dr	0.15	230	R			From: 53-1968 Quiet Brook Dr					NA			NA		11/20/2008
						To: 53-1952 Westridge Dr										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(1970) Lagrande Ct	0.03	NA										NA		NA		
(1971) Deer Chase Pl	0.16	470	R									NA		NA		08/29/2002
(1972) Yellowbloom Ct	0.03	45	R									NA		NA		08/29/2002
(1973) Needlepine Ct	0.05	60	R									NA		NA		08/29/2002
(1974) Maplegrove Ct	0.05	40	R									NA		NA		08/29/2002
(1975) Citation Dr	0.30	600	R									NA		NA		04/21/2005
(1976) Cross Timber Dr	0.39	550	R									NA		NA		04/21/2005
(1977) Genuine Reward Ct	0.05	70	R									NA		NA		08/29/2002
(1978) Bold Forbes Ct	0.07	70	R									NA		NA		08/29/2002
(1979) Secretariat Ct	0.06	60	R									NA		NA		08/29/2002
(1980) Hampshire Station Dr	0.32	3000	R									NA		NA		11/20/2008
(1980) Hampshire Station Dr	0.09	140	R									NA		NA		1999
(1981) Whitechapel Way	0.06	90	R									NA		NA		1999
(1981) Whitechapel Way	0.11	820	R									NA		NA		04/21/2005
(1982) Hollymead Pl	0.26	430	R									NA		NA		11/20/2008
(1982) Hollymead Pl	0.08	70	R									NA		NA		1999
(1983) Danforth Pl	0.08	70	R									NA		NA		08/29/2002
(1984) Settlers Point Pl	0.21	NA										NA		NA		
(1985) Kingschase Ct	0.10	NA										NA		NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
1986 Winterset Ct	0.11	NA				From: 53-1984 Settlers Point Pl					NA			NA		
						To: Cul-de-Sac										
1987 Snow Hill Way	0.16	90	R			From: 53-1810 Parkside Circle					NA			NA	12/09/2008	
						To: 53-1810 Parkside Circle										
1988 Carnwood Ct	0.08	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1810 Parkside Circle										
1989 Smithfield Ct	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1810 Parkside Circle										
1990 Redfox Ct	0.08	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1810 Parkside Circle										
1991 Cedarhurst Dr	0.16	150	R			From: 53-1982 Hollymead Pl					NA			NA	12/09/2008	
						To: 53-1980 Hampshire Station Dr										
1992 Pembridge Ct	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1980 Hampshire Station Dr										
1993 Woodlake Pl	0.19	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1980 Hampshire Station Dr										
1994 Langford Ct	0.07	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1993 Woodlake Pl										
1995 Middlecreek Ct	0.09	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1993 Woodlake Pl										
1996 Middlecreek Ct	0.08	NA				From: 53-1993 Woodlake Pl					NA			NA		
						To: Cul-de-Sac										
1997 Brightwater Pl	0.18	NA				From: 53-1805 Quarterpath Trace Circle					NA			NA		
						To: Cul-de-Sac										
1998 Chambliss Ct	0.10	NA				From: 53-1997 Brightwater Pl					NA			NA		
						To: Cul-de-Sac										
1999 Westlake Plaza	0.18	3500	R			From: 53-1794 Cascades Pkwy					NA			NA	12/09/2008	
						To: 53-1795 Palisade Pkwy										
2000 Grottoes Dr	0.18	410	R			From: 53-2104 Blue Water Court					NA			NA	09/16/2008	
						To: 53-2150 Gloucester Pkwy										
2001 Broadnax Place	0.09	NA				From: 53-2000 Grottoes Dr					NA			NA		
						To: Cul-de-Sac										
2002 Amity Place	0.19	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2150 Gloucester Pkwy										
2003 Delightful Place	0.09	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2002 Amity Place										
2004 Needmore Court	0.08	NA				From: 53-2049 Ringold Dr					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
2005 Reliance Court	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2049 Ringold Dr										
2006 Bidwell Ct	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2049 Ringold Dr										
2007 Urbancrest Court	0.10	NA				From: 53-2049 Ringold Dr					NA			NA		
						To: Cul-de-Sac										
2008 Downington Ct	0.04	NA				From: 53-2049 Ringold Dr					NA			NA		
						To: Cul-de-Sac										
2009 Pandora Court	0.18	NA				From: 53-2049 Ringold Court					NA			NA		
						To: Cul-de-Sac										
2010 Coppersmith Dr	0.33	310	R			From: 53-642 Hay Rd					NA			NA	12/16/2008	
						To: 53-1911 Breezyhill Dr										
2011 Countrywalk Ct	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2010 Coppersmith Dr										
2012 Cloverknoll Ct	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2010 Coppersmith Dr										
2013 Longview Dr	0.10	NA				From: 53-2010 Coppersmith Dr					NA			NA		
						To: Cul-de-Sac										
2014 Logmill Ct	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1911 Breezyhill Dr										
2015 Deepspring Ct	0.13	NA				From: 53-1911 Breezyhill Dr					NA			NA		
						To: Cul-de-Sac										
2016 Cherrystone Pl	0.16	NA				From: 53-1911 Breezyhill Dr					NA			NA		
						To: Cul-de-Sac										
2017 Wintersrun Ct	0.14	NA				From: 53-2016 Cherrystone Pl					NA			NA		
						To: Cul-de-Sac										
2018 Fincastle Dr	0.45	1500	R			From: 53-2150 Gloucester Pkwy					NA			NA	09/16/2008	
						To: 53-2020 Ashburn Village										
2019 Christiana Dr	0.39	1500	R			From: 53-2150 Gloucester Pkwy					NA			NA	09/16/2008	
						To: 53-2020 Ashburn Village Blvd										
2020 Ashburn Village Blvd	1.24	21000	R			From: 53-640 Farmwell Rd					NA			NA	12/16/2008	
						To: 53-2380 Tavern Dr										
2020 Ashburn Village Blvd	1.12	14000	G	98%	0%	1%	0%	0%	0%	F	NA		15000	G	2009	
2020 Ashburn Village Blvd	1.09	13000	G	98%	0%	1%	0%	0%	0%	C	0.092	F	14000	G	2009	
2021 Courtland Dr	0.31	2500	R			From: 53-641 Ashburn Rd					NA			NA	02/07/2005	
						To: 53-2020 Ashburn Village Blvd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2022) Louisa Dr	0.27	1600	R			From: 53-641 Ashburn Rd					NA			NA		02/07/2005
						To: 53-2020 Ashburn Village Blvd										
(2023) Ordinary Pl	0.15	290	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2022 Louisa Dr										
(2024) Doswell Pl	0.09	190	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2022 Louisa Dr										
(2025) Clary Ct	0.05	70	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2024 Doswell Pl										
(2026) Rosedale Ct	0.06	370	N			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2022 Louisa Dr										
(2026) Birdnest Pl	0.14	370	R			From: 53-2022 Louisa Dr					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2027) Bristow Circle	0.51	610	R			From: 53-2020 S. Ashburn Village Blvd					NA			NA		02/07/2005
						To: 53-2020 N. Ashburn Village Blvd										
(2028) Mustoe Pl	0.11	180	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2027 Bristow Circle										
(2029) Catlett Pl	0.12	180	R			From: 53-2027 Bristow Circle					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2030) Chatham Way	0.08	110	R			From: 53-2027 Bristow Circle					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2031) Altavista Way	0.14	170	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2027 Bristow Circle										
(2032) Harmony Ct	0.04	45	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 53-2027 Bristow Circle										
(2033) Championship Pl	0.21	940	R			From: 53-641 Ashburn Rd					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2034) Matchpoint Way	0.13	390	R			From: 53-641 Ashburn Rd					NA			NA		02/07/2005
						To: 53-2033; 53-2036										
(2035) French Open Ct	0.03	70	R			From: 53-2033 Championship Pl					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2036) Advantage Ct	0.06	100	R			From: 53-2034; 53-2033					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2037) Flushing Meadows Ct	0.08	120	R			From: 53-2033 Championship Pl					NA			NA		09/04/2002
						To: Cul-de-Sac										
(2038) Chesterton St	0.29	700	R			From: 53-659 Belmont Ridge Rd					NA			NA		12/16/2008
						To: 53-2050 Charter Oak Dr										
(2039) Comfort Court	0.08	NA				From: 53-2002 Amity Place					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2040) Gardengate Circle	0.43	230	R			From: 53-900 Ashburn Farm					NA			NA		09/12/2008
						To: 53-900; 53-1930										
(2041) Blythwood Ct	0.14	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2040 Gardengate Circle										
(2042) Laurel Leaf Ct	0.07	NA				From: 53-2040 Gardengate Circle					NA			NA		
						To: Cul-de-Sac										
(2043) Crossbow Ct	0.08	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2040 Gardengate Circle										
(2044) Crowfoot Ct	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2040 Gardengate Circle										
(2045) Springwater Ct	0.06	NA				From: 53-2040 Gardengate Circle					NA			NA		
						To: Cul-de-Sac										
(2046) Homecrest Ct	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2040 Gardengate Circle										
(2047) Huntland Ct	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2040 Gardengate Circle										
(2048) Heatherton Ct	0.07	NA				From: 53-2040 Gardengate Circle					NA			NA		
						To: Cul-de-Sac										
(2049) Ringold Dr	0.33	570	R			From: 53-2150 Gloucester Pkwy					NA			NA		09/16/2008
						To: 53-2018 Fincastle Dr										
(2050) Charter Oak Dr	0.20	460	R			From: 53-642 Hay Rd					NA			NA		09/12/2008
						To: 53-2056 Melanie Ct; 53-2057										
(2050) Charter Oak Dr	0.33	1800	R			From: 53-2038					NA			NA		09/12/2008
						To: Dead End										
(2051) Tara Ct	0.08	NA				From: 53-2050 Charter Oak Dr					NA			NA		
						To: 53-2050 Charter Oak Dr										
(2052) OHara Ct	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2050 Charter Oak Dr										
(2053) Bluengrey Ct	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2050 Charter Oak Dr										
(2054) Tara	0.09	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2050 Charter Oak Dr										
(2055) Twelve Oaks Way	0.09	1700	R			From: 53-2050 Charter Oak Dr					NA			NA		09/12/2008
						To: 53-642 Hay Rd										
(2056) Bonnieblue Ct	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2050 Charter Oak Dr; Melanie Ct										
(2057) Melanie Ct	0.04	NA				From: 53-2050 Charter Oak Dr					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2058) Michener Dr	0.13	1400	R			From: 53-2090 Hemingway Dr					NA		NA			09/16/2008
						To: 53-2091; 53-2059										
(2059) Downing Court	0.10	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2058 Michener Dr										
(2060) Lefevre Inn	0.20	420	R			From: 53-625 Waxpool Rd					NA		NA			09/12/2008
						To: 53-2062 Ellzey Dr										
(2061) Vestry Ct	0.05	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2060 Lefevre Inn										
(2062) Ellzey Dr	0.43	1300	R			From: 53-2073 Chickacoan Trail					NA		NA			09/12/2008
						To: 53-901 Claiborne Pkwy										
(2063) Avens Ct	0.07	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2062 Ellzey Dr										
(2064) Goodwin Ct	0.19	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2062 Ellzey Dr										
(2065) Schoolhouse Ct	0.08	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2062 Ellzey Dr										
(2066) Thornhill Pl	0.11	NA				From: 53-2062 Ellzey Dr					NA		NA			
						To: Cul-de-Sac										
(2067) Arbor Glen Ct	0.10	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2066 Thornhill Pl										
(2068) Golden Autumn Pl	0.09	NA				From: 53-2062 Ellzey Dr					NA		NA			
						To: Cul-de-Sac										
(2069) Autumn Harvest Ct	0.05	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2068 Golden Autumn Pl										
(2070) Demott Dr	0.34	2600	R			From: Dead End					NA		NA			09/17/2009
						To: 53-625 Waxpool Rd										
(2070) Demott Dr	0.44	1500	R			From: 53-625 Waxpool Rd					NA		NA			11/20/2008
						To: 53-2330										
(2070) Demott Dr	0.16	1800	R			From: 53-2330					NA		NA			09/12/2008
						To: 53-2363										
(2071) Arundell Ct	0.09	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2070 Demott Dr										
(2072) Fling Ct	0.11	NA				From: Cul-de-Sac					NA		NA			
						To: 53-2070 Demott Dr										
(2073) Chickacoan Trail Dr	0.35	1200	R			From: 53-625 Waxpool Rd					NA		NA			11/20/2008
						To: 53-2074 Gatehouse Way										
(2073) Chickacoan Trail Dr	0.69	1300	R			From: 53-2074 Gatehouse Way					NA		NA			09/17/2009
						To: Dead End										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2074) Gatehouse Way	0.06	390	R			From: 53-2075 Tithables Circle					NA			NA		09/17/2009
						To: 53-2073 Chickacoan Trail										
(2075) Tithables Circle	0.37	290	R			From: 53-2078 Awbrey Pl					NA			NA		09/12/2008
						To: 53-2078 Awbrey Pl										
(2076) Hearthstone Ct	0.07	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2075 Tithables Circle										
(2077) Oatyer Ct	0.10	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2075 Tithables Circle										
(2078) Awbrey Pl	0.03	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2075 NW, Tithables Circle										
(2078) Awbrey Pl	0.23	NA				From: 53-2079 White Post Way					NA			NA		
						To: 53-2079 White Post Way										
(2078) Awbrey Pl	0.07	NA				From: 53-2075 SE, Tithables Circle					NA			NA		
						To: 53-2075 SE, Tithables Circle										
(2078) Awbrey Pl	0.03	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2079) White Post Way	0.04	780	R			From: 53- 625 Waxpool Rd					NA			NA		09/12/2008
						To: 53-2078 Awbrey Pl										
(2080) Alexandras Grove	0.79	250	R			From: Dead End					NA			NA		09/23/2009
						To: 53-2081 Katie Leigh Ct										
(2080) Alexandras Grove	0.09	510	R			From: 53-2150 Gloucester Pkwy					NA			NA		09/12/2008
						To: 53-2150 Gloucester Pkwy										
(2081) Katie Leigh Ct	0.12	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2080 Alexandras Grove										
(2082) Lindsay Marie Ct	0.10	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2080 Alexandras Grove										
(2083) Leah May Ct	0.05	NA				From: 53-2080 Alexandras Grove					NA			NA		
						To: Cul-de-Sac										
(2084) Forest Farm Lane	0.12	490	R			From: Dead End					NA			NA		09/23/2009
						To: 53-2086; 53-2087										
(2085) Kimberly Anne Ct	0.15	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2084 Forest Farm Lane										
(2086) Kathleen Elizabeth Dr	0.24	110	R			From: 53-2080 Alexandras Grove					NA			NA		11/20/2008
						To: 53-2084 Forest Farm Lane										
(2087) Amanda Kay Ct	0.09	NA				From: 53-2084 Forest Farm Lane					NA			NA		
						To: Cul-de-Sac										
(2088) Webster Court	0.08	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2090 Hemingway Dr										
(2089) Kouros Ct	0.12	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2090 Hemingway Dr										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2090) Hemingway Dr	0.26	1700	R									NA		NA		09/16/2008
(2090) Hemingway Dr	0.53	2300	R									NA		NA		09/16/2008
(2091) Fitzgerald Dr	0.14	1100	R									NA		NA		09/16/2008
(2091) Fitzgerald Dr	0.07	1100	R									NA		NA		09/16/2008
(2092) Ludlum Ct	0.07	NA										NA		NA		
(2093) Keane Ct	0.05	NA										NA		NA		
(2094) Haley Ct	0.08	NA										NA		NA		
(2095) Abbott Pl	0.12	NA										NA		NA		
(2096) Raymond Way	0.10	30	R									NA		NA		09/16/2008
(2097) Carson Court	0.07	NA										NA		NA		
(2098) Woodworth Ct	0.16	NA										NA		NA		
(2099) McCollough Ct	0.08	NA										NA		NA		
(2100) Tuamac Dr	0.25	1200	R									NA		NA		09/29/2009
(2101)	0.10	NA										NA		NA		
(2101)	0.05	NA										NA		NA		
(2102)	0.10	NA										NA		NA		
(2103) Camptown Ct	0.08	NA										NA		NA		
(2104) Glenhazel Dr	0.32	390	R									NA		NA		09/16/2008
(2104) Blue Water Court	0.10	NA										NA		NA		
(2105) Stillpond Ct	0.06	NA										NA		NA		



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2106) Tallyho Ct	0.06	NA														
(2107) Antiquity Ct	0.04	NA														
(2108) Rochelle Ct	0.07	NA														
(2110) Levee Way	0.06	250		R												12/09/2008
(2111) Longford Way	0.07	480		R												12/09/2008
(2112) Oldspring Pl	0.13	NA														
(2112) Oldspring Pl	0.11	NA														
(2112) Oldspring Pl	0.20	NA														
(2113) Canal Crossing Way	0.09	NA														
(2114) Flatboat Ct	0.06	NA														
(2115) Lock Ct	0.07	NA														
(2116) Wharf Ct	0.05	NA														
(2117)	0.40	NA														
(2118)	0.23	NA														
(2119) Waxpool Rd	1.65	8000		G	98%	1%	1%	0%	0%	0%	C	0.106	F	8500	G	2009
(2120) Swecker Farm Pl	0.24	NA														
(2121) Leechecker Ct	0.05	NA														
(2122) McGees Ferry Way	0.13	70		R												12/09/2008
(2123) Colonel Young Way	0.10	240		R												12/09/2008

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2124) Dulles Center Blvd	0.98	1400	R				From: 53-1902 Atlantic Blvd				NA		NA			09/30/2009
							To: 53-1345 City Center Blvd									
(2125)	0.14	NA					From: 53-2020 Ashburn Village Blvd				NA		NA			
							To: Cul-de-Sac									
(2127)	0.22	NA					From: Cul-de-Sac				NA		NA			
							To: 53-641 Ashburn Rd									
(2128)	0.34	NA					From: Cul-de-Sac				NA		NA			
							To: 53-642 Hay Rd									
(2129)	0.08	NA					From: Cul-de-Sac				NA		NA			
							To: 53-642 Hay Rd									
(2130) Saulty Dr	0.30	NA					From: Cul-de-Sac				NA		NA			
							To: 53-1652 Lowes Island Blvd									
(2131) Anchorage Circle	0.23	70	R				From: 53-2130 Saulty Dr				NA		NA			12/09/2008
							To: 53-2130 Saulty Dr									
(2132) Hidden Cove Ct	0.08	NA					From: 53-2130 Saulty Dr				NA		NA			
							To: Cul-de-Sac									
(2133) Rippling Pl	0.13	120	R				From: 53-2130 Saulty Dr				NA		NA			12/09/2008
							To: 53-1652 Lowes Island Blvd									
(2134) Tidewater Ct	0.06	NA					From: 53-2133 Rippling Pl				NA		NA			
							To: Cul-de-Sac									
(2135) Kentwell Pl	0.24	980	R				From: Potomac View Rd				NA		NA			09/30/2009
							To: 53-2140; 53-2817									
(2135) Kentwell Pl	0.29	NA					From: Cul-de-Sac				NA		NA			
							To: Cul-de-Sac									
(2136)	0.16	NA					From: Cul-de-Sac				NA		NA			
							To: 53-2135									
(2136)	0.18	NA					From: Cul-de-Sac				NA		NA			
							To: Cul-de-Sac									
(2137)	0.04	NA					From: 53-2136				NA		NA			
							To: Cul-de-Sac									
(2138)	0.07	NA					From: 53-2136				NA		NA			
							To: Cul-de-Sac									
(2139)	0.08	NA					From: Cul-de-Sac				NA		NA			
							To: 53-2136									
(2141) Planetree Forest Ct	0.05	NA					From: 53-2142 Westwood Dr				NA		NA			
							To: Cul-de-Sac									
(2142) Westwood Dr	0.11	NA					From: Cul-de-Sac				NA		NA			
							To: 53-1639 Great Falls Forest Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2147)	0.30	NA					From: 53-643 Shellhorn Rd					NA		NA		
							To: Cul-de-Sac									
(2148)	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2147									
(2149)	0.14	NA					From: Cul-de-Sac					NA		NA		
							To: 53-641 Ashburn Rd									
(2150)	Gloucester Pkwy	2.29	5100	R			From: 53-659 Belmont Ridge Rd					NA		NA		11/20/2008
							To: 53-641 Ashburn Rd									
(2150)	Gloucester Pkwy	1.61	15000	R			From: 53-641 Ashburn Rd					NA		NA		09/29/2009
							To: Dead End									
(2151)	Laurel Ridge Dr	0.34	400	R			From: 53-2150 Gloucester Pkwy					NA		NA		12/16/2008
							To: 53-641 Ashburn Rd									
(2152)	Baymeadow Ct	0.04	NA				From: 53-2151 Laurel Ridge Dr					NA		NA		
							To: Cul-de-Sac									
(2153)	Millstead Dr	0.07	NA				From: 53-2151 Laurel Ridge Dr					NA		NA		
							To: Cul-de-Sac									
(2154)	Snowpoint Pl	0.24	NA				From: Cul-de-Sac					NA		NA		
							To: 53-2151 Laurel Ridge Dr									
(2155)	Merryoak Way	0.10	250	R			From: 53-2154 Snowpoint Pl					NA		NA		12/16/2008
							To: 53-641 Ashburn Rd									
(2156)	Robindale Ct	0.07	NA				From: 53-2154 Snowpoint Pl					NA		NA		
							To: Cul-de-Sac									
(2157)	Deerview Dr	0.22	NA				From: Cul-de-Sac					NA		NA		
							To: 53-2150 Gloucester Pkwy									
(2158)	Stonehill Ct	0.07	NA				From: 53-2157 Deerview Dr					NA		NA		
							To: Cul-de-Sac									
(2159)	Needleleaf Way	0.09	390	R			From: 53-2160 Raliegh Pl					NA		NA		12/16/2008
							To: 53-2157 Deerview Dr									
(2160)	Raliegh Pl	0.11	NA				From: Cul-de-Sac					NA		NA		
							To: 53-2159 Needleleaf Way									
(2160)	Raliegh Pl	0.12	NA				From: 53-2159 Needleleaf Way					NA		NA		
							To: Cul-de-Sac									
(2166)	Frost Court	0.13	NA				From: Cul-de-Sac					NA		NA		
							To: 53-2090 Hemingway Dr									
(2166)	Crane Court	0.08	NA				From: 53-2090 Hemingway Dr					NA		NA		
							To: Cul-de-Sac									
(2167)	Welty Court	0.06	NA				From: 53-2090 Hemingway Dr					NA		NA		
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2168) Mitchell Court	0.06	NA					From: Cul-de-Sac				NA			NA		
(2168) Channing Court	0.13	NA				From: 53-2090 Hemingway Dr					NA			NA		
						To: Cul-de-Sac										
(2169) Harte Court	0.08	NA				From: 53-2168 Channing Court					NA			NA		
						To: Cul-de-Sac										
(2170) Swan Creek Ct	0.06	NA				From: Cul-de-Sac					NA			NA		
(2170) Swan Creek Ct	0.07	NA				From: 53-1653 Saulty Dr					NA			NA		
						To: Cul-de-Sac										
(2171)	0.43	NA				From: Cul-de-Sac					NA			NA		
						To: 53-772 Ryan Rd										
(2172) Candice Way	0.17	300	R			From: 53-2173					NA			NA		12/16/2008
						To: 53-2171										
(2173)	0.13	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2172										
(2173)	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2174) Ryan Corner Pl	0.25	420	R			From: Dead End					NA			NA		09/29/2009
						To: 53-625 Waxpool Rd; 53-643 W										
(2175) Regency Dr	0.15	890	R			From: 53-2178 Hyde Park Dr					NA			NA		09/16/2008
						To: 53-625 Waxpool Rd										
(2176) Loganwood Ct	0.14	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2175 Regency Dr										
(2177) Vendome Ct	0.06	NA				From: 53-2175 Regency Dr					NA			NA		
						To: Cul-de-Sac										
(2178) Hyde Park Dr	0.25	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2179										
(2178) Hyde Park Dr	0.55	550	R			From: 53-2179 Cobham Ct					NA			NA		09/29/2009
						To: Cul-de-Sac										
(2179) Cobham Ct	0.06	NA				From: 53-2178 Hyde Park Dr					NA			NA		
						To: Cul-de-Sac										
(2180) Hartley Pl	0.25	NA				From: 53-643 Shellhorn Rd					NA			NA		
						To: Cul-de-Sac										
(2181) Bellair Ct	0.08	NA				From: 53-2180 Hartley Pl					NA			NA		
						To: Cul-de-Sac										
(2182) Castlehill Ct	0.07	NA				From: 53-2178 Hyde Park Dr					NA			NA		
						To: Cul-de-Sac										
(2183) Northlake Blvd	0.54	1100	R			From: 53-773 River Creek Pkwy					NA			NA		09/23/2009
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2184)	0.11	NA					From: 53-2183				NA			NA		
							To: Cul-de-Sac									
(2185)	0.14	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2183 Northlake Blvd									
(2185) Rim Rock Circle	0.31	450	R				From: 53-2183				NA			NA		09/23/2009
							To: 53-2183									
(2185)	0.03	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2186) Running Ridge Way	0.10	360	R				From: 53-2183				NA			NA		12/16/2008
							To: 53-2187									
(2187)	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2186									
(2187)	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2188)	0.03	NA					From: 53-2183				NA			NA		
							To: Cul-de-Sac									
(2189)	0.09	NA					From: 53-2183				NA			NA		
							To: Cul-de-Sac									
(2190)	0.44	NA					From: Cul-de-Sac				NA			NA		
							To: 53-773 Edwards Ferry Rd; River Creek Pkwy									
(2191)	0.12	NA					From: 53-2190				NA			NA		
							To: Cul-de-Sac									
(2192)	0.10	NA					From: 53-2190				NA			NA		
							To: Cul-de-Sac									
(2193)	0.08	NA					From: 53-2190				NA			NA		
							To: Cul-de-Sac									
(2194) Red Rock Way	0.09	820	R				From: 53-2190				NA			NA		12/16/2008
							To: 53-773 Edwards Ferry Rd									
(2195)	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2185									
(2200) Tall Cedars Pkwy	0.27	6000	R				From: 53-606 Loudoun County Pkwy				NA			NA		09/22/2009
							To: 53-621 Elk Lick Rd									
(2200) Tall Cedars Pkwy	0.40	3800	R				From: 53-1266 Planting Field Dr				NA			NA		09/18/2008
							To: 53-2200 Tall Cedars Pkwy									
(2201) South Riding Blvd	0.59	6300	R				From: 53-2201 South Riding Blvd				NA			NA		09/18/2008
							To: US 50 John S Mosby Hwy									
(2202) Chase St	0.11	180	R				From: 53-1266 Planting Field Dr				NA			NA		01/20/2005
							To: 53-1266 Planting Field Dr									
(2203) Ripleys Field Rd	0.45	220	R				From: 53-2202 Chase St				NA			NA		01/20/2005
							To: 53-2202 Chase St									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2204) Darkwoods St	0.10	150	R			From: 53-2203 Ripleys Field To: 53-1266 Planting Field Dr					NA			NA		09/18/2008
(2205) Kennebec Dr	0.13	130	R			From: 53-2206 Edgartown St To: 53-2204 Darkwoods St					NA			NA		01/20/2005
(2206) Edgartown St	0.16	240	R			From: 53-2203 To: 53-1266 Planting Field Dr					NA			NA		01/20/2005
(2207) Stonewall Pond St	0.07	990	R			From: 53-2201 South Riding Blvd To: 53-1266 Planting Field Dr					NA			NA		01/20/2005
(2207) Stonewall Pond St	0.08	410	R			From: 53-1266 Planting Field Dr To: Dead End					NA			NA		09/22/2009
(2209) Lands End Dr	0.36	1300	R			From: 53-620 Braddock Rd To: Dead End					NA			NA		09/24/2009
(2210) Mink Meadows St	0.51	1100	R			From: 53-2230 Talamore Dr To: 53-2244 Iverson Dr					NA			NA		09/18/2008
(2210) Mink Meadows St	0.53	500	R			From: 53-2244 Iverson Dr To: 53-2247 Intrepid St					NA			NA		09/18/2008
(2210) Mink Meadows St	0.20	660	R			From: 53-2247 Intrepid St To: 53-2238 Flintonbridge Dr					NA			NA		12/11/2008
(2211) Murrey Dr	0.32	NA				From: Cul-de-Sac To: 53-2210 Mink Meadows St					NA			NA		
(2211) Murrey Dr	0.29	630	R			From: 53-2210 Mink Meadows St To: 53-2236					NA			NA		09/18/2008
(2212) Orson St	0.19	130	R			From: 53-2214 To: 53-2211 Murrey Dr					NA			NA		12/11/2008
(2213) Quentin St	0.19	180	R			From: 53-2214 To: 53-2211 Murrey Dr					NA			NA		12/11/2008
(2214) Rachel Hill Dr	1.02	2200	R			From: 53-2211 Murrey Dr To: 53-2241 Chorley Wood St					NA			NA		12/11/2008
(2215) Tappahanock Pl	0.11	NA				From: Cul-de-Sac To: 53-2216					NA			NA		
(2215) Tappahanock Pl	0.15	460	R			From: 53-2216 To: 53-1652 Lowes Island Blvd					NA			NA		12/09/2008
(2216) Hammerstone Way	0.07	360	R			From: 53-2215 Tappahanock Pl To: 53-1653 Saulty Dr					NA			NA		12/09/2008
(2217) Beaufort Ct	0.06	NA				From: Cul-de-Sac To: 53-2215 Tappahanock Pl					NA			NA		
(2218) Macgill Ct	0.07	NA				From: 53-2215 Tappahanock Pl To: Cul-de-Sac					NA			NA		
(2221)	0.33	NA				From: 53-642 To: Cul-de-Sac					NA			NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2222) Spring Farm Circle	0.56	160	R				From: 53-742 Poland Rd				NA			NA		12/11/2008
							To: 53-742 Poland Rd									
(2223)	0.11	NA					From: 53-2222				NA			NA		
							To: Cul-de-Sac									
(2224)	0.22	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2222									
(2225)	0.08	NA					From: 53-2222				NA			NA		
							To: Cul-de-Sac									
(2226) Ocala Ct	0.44	210	R				From: 53-2210 Mink Meadows St				NA			NA		12/11/2008
							To: 53-2210 Mink Meadows St									
(2227) Kenai Ct	0.03	NA					From: 53-2226				NA			NA		
							To: Cul-de-Sac									
(2228) Universal St	0.06	49	R				From: 53-2238 Flintonbridge Dr				NA			NA		12/11/2008
							To: 53-2226									
(2229) Plum St	0.05	30	R				From: 53-2226 Ocala Ct				NA			NA		12/11/2008
							To: 53-2238 Flintonbridge Dr									
(2230) Talamore St	0.55	560	R				From: 53-2232 Glasgow Dr				NA			NA		09/24/2009
							To: 53-2232 Glasgow Dr									
(2231) Sarazen Dr	0.46	780	R				From: 53-2233 Royal Burkedale St				NA			NA		12/11/2008
							To: 53-2240 Burke Dale St									
(2232) Glasgow Dr	0.88	490	R				From: Cul-de-Sac				NA			NA		09/24/2009
							To: 53-2214									
(2233) Royal Burkedale St	0.15	450	R				From: 53-2232 Glasgow Dr				NA			NA		09/24/2009
							To: 53-2230									
(2234) Longleaf St	0.12	140	R				From: 53-2232				NA			NA		12/11/2008
							To: 53-2231									
(2235) Hagen Ct	0.08	NA					From: 53-2232				NA			NA		
							To: Cul-de-Sac									
(2236) Hyland Hills St	0.12	380	R				From: 53-2231 Sarazen Dr				NA			NA		04/30/2009
							To: 53-2214 Rachel Hill Dr									
(2236) Hyland Hills St	0.27	720	R				From: 53-2249 Springdale Dr				NA			NA		12/11/2008
							To: 53-2238 Flintonbridge Dr									
(2236) Hyland Hills St	0.05	710	R				From: 53-2238 Flintonbridge Dr				NA			NA		12/11/2008
							To: 53-2238 Flintonbridge Dr									
(2237) Edgewater St	0.95	3800	R				From: 53-606 Loudoun County Pkwy				NA			NA		09/22/2009
							To: 53-1266 Planting Field Dr									
(2237) Edgewater St	0.91	3500	R				From: 53-742 Poland Rd				NA			NA		12/11/2008
							To: 53-742 Poland Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2238) Flintonbridge Dr	0.60	280	R			From: 53-2239 Preisters Pond Dr						NA		NA		12/11/2008
(2238) Flintonbridge Dr	0.35	1100	R			To: 53-2245 Hartwood Dr						NA		NA		09/18/2008
						From: 53-2226										
(2239) Priesters Pond Dr	0.25	890	R			To: 53-2236 Hyland Hills St						NA		NA		12/11/2008
(2239) Priesters Pond Dr	0.22	210	R			From: 53-2237 Edgewater St						NA		NA		12/11/2008
						To: 53-2238 Flintonbridge Dr										
(2240) Burke Dale St	0.45	300	R			From: 53-1266 Planting Field Dr						NA		NA		12/11/2008
						To: 53-2239										
(2241) Chorley Wood St	0.30	170	R			From: 53-2231 Sarazen Dr						NA		NA		12/11/2008
						To: 53-2239 Priesters Pond Dr										
(2242) Pinebluff Dr	0.12	150	R			From: 53-2240 Burke Dale St						NA		NA		12/11/2008
						To: 53-2237										
(2243) St Andrews St	0.11	100	R			From: 53-2232						NA		NA		12/11/2008
						To: 53-2230										
(2244) Iverson Dr	0.64	270	R			From: 53-2249						NA		NA		12/11/2008
						To: 53-2210 Mink Meadows St										
(2245) Hartwood Dr	0.32	80	R			From: 53-2238 Flintonbridge Dr						NA		NA		09/18/2008
(2245) Hartwood Dr	0.05	30	R			To: 53-2238 Flintonbridge Dr						NA		NA		09/24/2009
						From: 53-2249 Springdale Dr										
(2246)	0.14	300	R			To: 53-2238 Flintonbridge Dr						NA		NA		09/18/2008
						From: 53-2238 Flintonbridge Dr										
(2247) Intrepid St	0.16	130	R			To: 53-2246						NA		NA		09/24/2009
						From: 53-2210 Mink Meadows St										
(2248) Primanti St	0.11	100	R			To: 53-2246						NA		NA		09/18/2008
						From: 53-2244 Iverson Dr										
(2249) Springdale Dr	0.43	300	R			To: 53-2238 Flintonbridge Dr						NA		NA		12/11/2008
						From: 53-2237										
(2250) River Oaks Dr	0.19	510	R			To: 53-2270 River Bank St						NA		NA		12/09/2008
						From: 53-2253 Meadow Island Place										
(2251) Five Oaks Ct	0.04	NA				To: Cul-de-Sac						NA		NA		
						From: 53-2250 River Oaks Dr										
(2252) Hilltop Oaks Ct	0.03	NA				To: 53-2250 River Oaks Dr						NA		NA		
						From: Cul-de-Sac										
(2253) Meadow Island Place	0.06	NA				To: Cul-de-Sac						NA		NA		
						From: 53-2250 River Oaks Dr										
(2253) Clifton Point St	0.43	120	R			To: End State Maintenance						NA		NA		09/30/2009
						From: 53-2308 Middle Bluff Place										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2254) Noland Wood Ct	0.07	NA										NA		NA		
(2255) Mason Oak Ct	0.05	NA										NA		NA		
(2256) Forest Overlook Ct	0.07	NA										NA		NA		
(2257) Riverbank Forest Pl	0.18	NA										NA		NA		
(2259)	0.33	NA										NA		NA		
(2260) Cross Breeze Pl	0.14	NA										NA		NA		
(2261) Misty Meadow Ct	0.14	NA										NA		NA		
(2262) Rainsboro Dr	0.61	690	R									NA		NA		09/16/2008
(2263) Mandalay Court	0.10	NA										NA		NA		
(2264) Fenwick Dr	0.29	160	R									NA		NA		09/16/2008
(2265) Ladiesburg Pl	0.29	NA										NA		NA		
(2266)	0.12	460	R									NA		NA		09/16/2008
(2267)	0.16	NA										NA		NA		
(2268)	0.05	180	R									NA		NA		09/16/2008
(2269)	0.04	NA										NA		NA		
(2269)	0.04	NA										NA		NA		
(2270) River Bank St	0.36	2700	R									NA		NA		09/30/2009
(2270) River Bank St	0.17	1700	R									NA		NA		09/30/2009
(2270) River Bank St	0.23	730	R									NA		NA		09/30/2009
(2270) Sisler Court	0.10	NA										NA		NA		

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2273) Halcyon Pl	0.19	NA					From: 53-2270 River Bank St				NA			NA		
							To: Cul-de-Sac									
(2274) Piney Branch Way	0.08	70	R				From: 53-2273 Halcyon Pl				NA			NA		12/09/2008
							To: 53-2257 Riverbank Forest Pl									
(2275) Lewins Ct	0.05	NA					From: 53-2273				NA			NA		
							To: Cul-de-Sac									
(2277)	0.17	NA					From: 53-2262 Rainsboro Dr				NA			NA		
							To: 53-2266									
(2278)	0.12	NA					From: Cul-de-Sac				NA			NA		
(2278)	0.05	NA					From: 53-2277				NA			NA		
							To: Cul-de-Sac									
(2281) Ginghamburg Place	0.17	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2262 Rainsboro Dr									
(2282) Sweetair Court	0.07	NA					From: 53-2281 Ginghamburg Place				NA			NA		
							To: Cul-de-Sac									
(2283) Ruffdale Court	0.07	NA					From: 53-2281 Ginghamburg Place				NA			NA		
							To: Cul-de-Sac									
(2284) Pomeroy Court	0.09	NA					From: 53-2264 Fenwick Dr				NA			NA		
							To: Cul-de-Sac									
(2285) Shy Beaver Court	0.13	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2262 Rainsboro Dr									
(2286) Spectacular Run Pl	0.17	NA					From: Cul-de-Sac				NA			NA		
							To: 53-742 Poland Rd									
(2287) Majestic Prince Pl	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2286									
(2288) Northern Dancer Ct	0.08	NA					From: 53-2287				NA			NA		
							To: Cul-de-Sac									
(2289) Fenian Ct	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2287									
(2290) Savoy Woods Ct	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: 53-742 Poland Rd									
(2291) Medix Run Place	0.21	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2265 Ladiesburg Pl									
(2292) Fawngrove Court	0.07	NA					From: 53-2291 Medix Run Place				NA			NA		
							To: Cul-de-Sac									
(2293) Misty Creek Place	0.20	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2265 Ladiesburg Pl									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2294) Twin Cedar Way	0.06	700	R			From: 53-2295					NA			NA		09/24/2009
						To: 53-742 Poland Rd										
(2295)	0.34	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2296										
(2295)	0.31	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2296)	0.12	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2295										
(2296)	0.06	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2297)	0.10	NA				From: 53-2295					NA			NA		
						To: Cul-de-Sac										
(2299)	0.05	NA				From: 53-620 Braddock Rd					NA			NA		
						To: Cul-de-Sac										
(2300) Rupert Island PI	0.16	NA				From: 53-1652 Lowes Island Blvd					NA			NA		
						To: Cul-de-Sac										
(2301) Griffith PI	0.20	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2300 Rupert Island PI										
(2304) Major Beckham Way	0.12	180	R			From: 53-2305 Stillhouse Branch PI					NA			NA		12/09/2008
						To: 53-2300 Rupert Island PI										
(2305) Stillhouse Branch PI	0.20	NA				From: 53-2301 Griffith PI					NA			NA		
						To: Cul-de-Sac										
(2306) Fitzhugh Ct	0.04	NA				From: 53-2301 Griffith PI					NA			NA		
						To: Cul-de-Sac										
(2307)	0.11	NA				From: 29-1652					NA			NA		
						To: Cul-de-Sac										
(2308) Middle Bluff Place	0.70	580	R			From: Dead End					NA			NA		09/30/2009
						To: 53-2270 River Bank St										
(2308) Middle Bluff Place	0.31	440	R			From: 53-2253 Clifton Point St					NA			NA		09/30/2009
						To: 53-2253										
(2309)	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
(2310) Water Valley Court	0.10	NA				From: 53-2308 Middle Bluff Place					NA			NA		
						To: Cul-de-Sac										
(2311) McCarthys Island Court	0.13	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2270 River Bank St										
(2312) River Cliff Court	0.07	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2308 Middle Bluff Place										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2313)	0.21	NA					From: 53-2270 River Bank St				NA			NA		
							To: 53-2253 Clifton Point St									
(2314)	0.14	NA					From: 53-2313				NA			NA		
							To: 53-2270 River Bank St									
(2330) Vestals Gap Drive	0.87	670	R				From: 53-2348 Glebe View Drive				NA			NA		09/12/2008
							To: 53-2070 Demott Dr									
(2331) Bluestone Ct	0.07	NA					From: 53-2073 Chickacoan Trail				NA			NA		
							To: Cul-de-Sac									
(2332) Midsummer Way	0.09	280	R				From: 53-2333				NA			NA		09/12/2008
							To: 53-2330 Vestals Gap Drive									
(2333) Spring Morning Ct	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2332 Midsummer Way									
(2333) Spring Morning Ct	0.05	NA					From: 53-2332 Midsummer Way				NA			NA		
							To: Cul-de-Sac									
(2334) Marsh Creek Dr	0.30	370	R				From: 53-2330 Vestals Gap Drive				NA			NA		09/12/2008
							To: 53-2337									
(2335) Fern Brook Ct	0.12	NA					From: 53-2334				NA			NA		
							To: Cul-de-Sac									
(2336) Riverstone Ct	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2334 Marsh Creek Dr									
(2337) Cattail Meadows Pl	0.14	270	R				From: Dead End				NA			NA		09/17/2009
							To: 53-2073 Chickacoan Trail Dr									
(2338) Spingwell Dr	0.19	320	R				From: 53-2330 Vestals Gap Drive				NA			NA		09/12/2008
							To: 53-2341 Small Branch Place									
(2339) Cedar Spring Ct	0.14	NA					From: 53-2338 Spingwell Dr				NA			NA		
							To: Cul-de-Sac									
(2340) Moss Landing Ct	0.05	NA					From: 53-2338 Spingwell Dr				NA			NA		
							To: Cul-de-Sac									
(2341) Small Branch Place	0.26	NA					From: Cul-de-Sac				NA			NA		
							To: 53-901 Claiborne Pkwy									
(2342) Hidden Pond Place	0.24	NA					From: 53-2341 Small Branch Place				NA			NA		
							To: Cul-de-Sac									
(2343) Old Wood Way	0.04	380	R				From: 53-2342 Hidden Pond Place				NA			NA		09/12/2008
							To: 53-2363									
(2344) Stillbrook Farm Dr	0.14	570	R				From: 53-2346 Evening Breeze Ct				NA			NA		09/12/2008
							To: 53-625 Waxpool Rd									
(2345) Hollowind Ct	0.13	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2344 Stillbrook Farm Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2346) Evening Breeze Ct	0.06	NA					From: Cul-de-Sac				NA			NA		
(2346) Evening Breeze Ct	0.05	NA					To: 53-2344 Stillbrook Farm Dr				NA			NA		
(2347) Meander Crossing Ct	0.15	NA					From: Cul-de-Sac				NA			NA		
(2348) Glebe View Dr	0.94	1600	R				To: 53-2356 Summerhouse Pl				NA			NA		09/17/2009
(2348) Glebe View Drive	0.13	1300	R				From: Cul-de-Sac				NA			NA		09/17/2009
(2349) Kitchen Prim Ct	0.10	NA					To: Dead End				NA			NA		
(2350) Clover Meadow Ct	0.08	NA					From: 53-2348 Glebe View Drive				NA			NA		
(2351) Meadow Field Ct	0.14	NA					To: Cul-de-Sac				NA			NA		
(2352) Songbird Ct	0.10	NA					From: Cul-de-Sac				NA			NA		
(2353) Gentle Heights Ct	0.12	NA					To: 53-2073 Chickacoan Trail Dr				NA			NA		
(2354) Reynwood Pl	0.09	NA					From: Cul-de-Sac				NA			NA		
(2355) Woodspice Ct	0.06	NA					To: 53-2348 Glebe View Drive				NA			NA		
(2356) Summerhouse Pl	0.19	NA					From: Cul-de-Sac				NA			NA		
(2357) Middle Ridge Pl	0.33	NA					To: Cul-de-Sac				NA			NA		
(2358) Stonewheel Way	0.10	340	R				From: 53-2356 Summerhouse Pl				NA			NA		09/17/2009
(2359) Champney Ct	0.07	NA					To: 53-2363				NA			NA		
(2360) Sturman Pl	0.18	NA					From: 53-2358 Education Ct				NA			NA		
(2361) Reamy Way	0.09	60	R				To: Cul-de-Sac				NA			NA		09/12/2008
(2362) Scara Pl	0.13	NA					From: 53-2360 Sturman Pl				NA			NA		
							To: 53-2362 Scara Pl				NA			NA		
							From: 53-2348 Glebe View Drive				NA			NA		
							To: Cul-de-Sac				NA			NA		

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2363)	0.20	NA										NA		NA		
(2363)	0.31	NA										NA		NA		
(2363)	0.48	NA										NA		NA		
(2364)	0.24	NA										NA		NA		
(2365)	0.04	NA										NA		NA		
(2366)	0.07	NA										NA		NA		
(2367)	0.08	NA										NA		NA		
(2370) Suzanne Hope Way	0.09	1400	R									NA		NA		09/16/2008
(2371) Plymouth Pl	0.24	NA										NA		NA		
(2371) Plymouth Pl	0.18	NA										NA		NA		
(2372) Yorkshire Ct	0.06	NA										NA		NA		
(2373) Clivedon Ct	0.07	NA										NA		NA		
(2375)	0.05	NA										NA		NA		
(2376)	0.11	NA										NA		NA		
(2376)	0.05	NA										NA		NA		
(2380) Tavern Dr	0.68	820	R									NA		NA		09/16/2008
(2381) Paw Paw Court	0.05	NA										NA		NA		
(2382) Confidence Court	0.10	NA										NA		NA		
(2383) Laplume Place	0.20	NA										NA		NA		
(2384) Cardiff Court	0.11	NA										NA		NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2385) Maiden Creek Court	0.16	NA					From: 53-2380 Tavern Dr				NA			NA		
							To: Cul-de-Sac									
(2386) Gladwyne Court	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2380 Tavern Dr									
(2387) Crofton Court	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2380 Tavern Dr									
(2388) Lucinda Court	0.05	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2380									
(2389) Girdland Court	0.05	NA					From: 53-2380 Tavern Dr				NA			NA		
							To: Cul-de-Sac									
(2390) Stronghold Court	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2380 Tavern Dr									
(2391) Jersey Mills Place	0.14	NA					From: 53-2380 Tavern Dr				NA			NA		
							To: Cul-de-Sac									
(2392) Globe Mills Court	0.08	NA					From: 53-2380 Tavern Dr				NA			NA		
							To: Cul-de-Sac									
(2393) Ryder Mills Court	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2380 Tavern Dr									
(2395) Orchid Dr	0.97	1300	R				From: 53-773 River Creek Pkwy				NA			NA		09/23/2009
							To: Dead End									
(2396)	0.22	NA					From: Dead End				NA			NA		
							To: 53-2395									
(2397) Cattail Spring Dr	0.39	680	R				From: 53-2395 Orchid Dr				NA			NA		09/23/2009
							To: Dead End									
(2398) Forest Spring Dr	0.51	430	R				From: 53-773 River Creek Pkwy				NA			NA		09/23/2009
							To: 53-2397 Cattail Spring Dr									
(2399)	0.06	NA					From: 53-2395				NA			NA		
							To: Dead End									
(2400) Lansdowne Blvd	0.81	22000	R				From: SR 7 Harry F Byrd Hwy				NA			NA		09/12/2008
							To: 53-2410 Riverpoint Dr									
(2401) Riverside Pkwy	1.50	14000	R				From: Dead End				NA			NA		09/17/2009
							To: 53-659 Belmont Ridge Rd									
(2401) Riverside Pkwy	0.55	15000	R				From: Dead End				NA			NA		09/17/2009
							To: Dead End									
(2402) Deerfield	0.25	2200	R				From: 53-2401 Riverside Pkwy				NA			NA		09/12/2008
							To: 53-2403									
(2403) Woodbridge Pkwy	0.22	3800	R				From: 53-2400				NA			NA		09/10/2008
							To: 53-2402									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2404)	0.08	NA										NA		NA		
(2404)	0.32	NA										NA		NA		
(2405) Squirrel Ridge	0.37	680	R									NA		NA		09/10/2008
(2406)	0.32	NA										NA		NA		
(2407)	0.08	NA										NA		NA		
(2408)	0.07	NA										NA		NA		
(2408)	0.16	NA										NA		NA		
(2409)	0.26	NA										NA		NA		
(2410) River Point Dr	1.29	1000	R									NA		NA		09/23/2009
(2410) River Point Dr	0.43	3200	R									NA		NA		09/09/2008
(2410) River Point Dr	0.20	2700	R									NA		NA		09/09/2008
(2410) Riverpoint Dr	1.44	2200	R									NA		NA		11/05/2009
(2411) Cotton Hall St	0.38	480	R									NA		NA		11/20/2008
(2412) Chartier Dr	0.46	300	R									NA		NA		09/09/2008
(2413) Grey Oak St	0.08	70	R									NA		NA		09/09/2008
(2414) Famstead Dr	0.11	3	R									NA		NA		09/11/2008
(2415) Red House Dr	0.22	360	R									NA		NA		09/12/2008
(2416)	0.08	NA										NA		NA		
(2417) Creekfield	0.38	140	R									NA		NA		09/10/2008
(2418)	0.05	NA										NA		NA		



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
2419	Burnt Bridge	0.17	160	R			From: 53-2421				NA		NA		09/10/2008	
							To: 53-2411									
2420	Peaceful Stream	0.17	160	R			From: 53-2421				NA		NA		09/10/2008	
							To: 53-2410									
2421	Kittwake	0.33	90	R			From: 53-2422				NA		NA		09/10/2008	
							To: 53-2404									
2422		0.04	NA				From: Cul-de-Sac				NA		NA			
							To: 53-2421									
2422		0.10	NA				From: 53-2421				NA		NA			
							To: Dead End									
2423	Coton Manor Dr.	0.36	2600	R			From: 53-2401 Riverside Pkwy				NA		NA		09/15/2009	
							To: 53-2410 River Point Dr									
2423		0.86	NA				From: 53-2410 River Point Dr				NA		NA			
							To: 53-2428									
2424	Quiver Ridge Dr	0.55	260	R			From: Cul-de-Sac				NA		NA		09/23/2009	
							To: 53-2410 River Point Dr									
2425	Rocky Creek Dr	0.31	280	R			From: 53-2426				NA		NA		09/09/2008	
							To: Riverside Parkway									
2426	Kings Port Dr	0.18	1100	R			From: 53-2425 Rocky Creek Dr				NA		NA		11/20/2008	
							To: Riverside Parkway									
2427		0.09	NA				From: Cul-de-Sac				NA		NA			
							To: 53-2426									
2427		0.20	NA				From: 53-2426				NA		NA			
							To: Cul-de-Sac									
2428		0.40	NA				From: Cul-de-Sac				NA		NA			
							To: 53-2423									
2429	Habitat Circle	0.21	150	R			From: 53-2410 Ridgeback Ct				NA		NA		09/23/2009	
							To: 53-2410 Ridgeback Ct									
2430	Lenah Run Circle	0.79	340	R			From: 53-600 Lenah Rd				NA		NA		09/22/2009	
							To: 53-2444									
2430	Lenah Run Circle	0.32	140	R			From: 53-2444				NA		NA		11/20/2008	
							To: 53-2435									
2430	Lenah Run Circle	0.20	600	R			From: 53-2435				NA		NA		11/20/2008	
							To: 53-2434 Windy Hollow Ct									
2430	Lenah Run Circle	0.96	1000	R			From: 53-2434 Windy Hollow Ct				NA		NA		11/20/2008	
							To: 53-600 Lenah Rd									
2431	Mercers Crossing Ct	0.03	NA				From: Cul-de-Sac				NA		NA			
							To: 53-2430 Lenah Run Circle									
2432	Misty Vale Circle	0.19	60	R			From: 53-2430 Lenah Run Circle				NA		NA		11/20/2008	
							To: 53-2430 Lenah Run Circle									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2433) Cool Valley Circle	0.21	100	R				From: 53-2430 Lenah Run Circle				NA			NA		11/20/2008
							To: 53-2430 Lenah Run Circle									
(2434) Windy Hollow Ct	0.04	NA					From: 53-2430 Lenah Run Circle				NA			NA		
							To: Cul-de-Sac									
(2435)	0.22	NA					From: 53-2430				NA			NA		
							To: Cul-de-Sac									
(2436) Lenah Woods Pl	0.63	490	R				From: Cul-de-Sac				NA			NA		09/22/2009
							To: 53-2435									
(2437)	0.29	NA					From: 53-2436				NA			NA		
							To: Cul-de-Sac									
(2438)	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2437									
(2439)	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2436									
(2440)	0.13	NA					From: 53-2439				NA			NA		
							To: Cul-de-Sac									
(2441)	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2436									
(2442)	0.20	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2430; 53-2443									
(2443) Dark Hollow Circle	0.18	40	R				From: 53-2430 W, Lenah Run Circle				NA			NA		11/20/2008
							To: 53-2444									
(2444)	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2430; 53-2443									
(2445)	0.04	NA					From: 53-2430				NA			NA		
							To: Cul-de-Sac									
(2446)	0.18	NA					From: 53-2430				NA			NA		
							To: 53-2430									
(2450) Forest Manor Ct	0.64	590	R				From: 53-772 Ryan Rd				NA			NA		11/20/2008
							To: 53-2452 Early Light Pl									
(2451) Falling Leaf Ct	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2450 Forest Manor Ct									
(2452) Early Light Pl	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2450 Forest Manor Ct									
(2452) Early Light Pl	0.05	NA					From: 53-2450 Forest Manor Ct				NA			NA		
							To: Cul-de-Sac									
(2453)	0.40	NA					From: 53-772 Ryan Rd				NA			NA		
							To: 53-2454									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2454)	0.29	NA					From: 53-2456					NA		NA		
							To: 53-2450									
(2455)	0.11	NA					From: 53-2454					NA		NA		
							To: Cul-de-Sac									
(2456)	0.13	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2454									
(2456)	0.08	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
(2510) Zula Chase Pl	0.62	200	R				From: Cul-de-Sac					NA		NA		09/17/2009
							To: 53-772 Ryan Rd									
(2511) Harper Manor Ct	0.05	NA					From: 53-2510 Zula Chase Pl					NA		NA		
							To: Cul-de-Sac									
(2512) Welbourne Woods Dr	0.09	NA					From: 53-2510 Zula Chase Pl					NA		NA		
							To: 53-2510 Zula Chase Pl									
(2513)	0.36	NA					From: 53-2514					NA		NA		
							To: 53-772									
(2514)	0.97	NA					From: 53-2513					NA		NA		
							To: Shadow of:750865									
(2515)	0.24	NA					From: 53-2513					NA		NA		
							To: 53-2514									
(2516)	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2514									
(2517)	0.06	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2514									
(2518)	0.09	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2513									
(2519)	0.17	NA					From: 53-772 Ryan Rd					NA		NA		
							To: 53-2521									
(2520)	0.13	NA					From: 53-2519					NA		NA		
							To: Cul-de-Sac									
(2521)	0.31	NA					From: 53-2526					NA		NA		
							To: 53-2527; Begin Loop									
(2521)	0.62	NA					From: End Loop					NA		NA		
							To: Cul-de-Sac									
(2522)	0.51	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2521									
(2523)	0.11	NA					From: 53-2522					NA		NA		
							To: Cul-de-Sac									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2524)	0.07	NA														
(2525)	0.07	NA														
(2526)	0.10	NA														
(2527)	0.06	NA														
(2528)	0.08	NA														
(2529)	0.07	NA														
(2530)	0.12	NA														
(2536) Belmont Glen Pl	0.27	NA														
(2537) Larue Ct	0.04	NA														
(2538) Fairhunt Dr	0.13	NA														
(2539) Leesylvania Ct	0.07	NA														
(2540) Holly Knoll Ct	0.06	NA														
(2545)	0.35	NA														
(2546)	0.07	NA														
(2547)	0.11	NA														
(2548)	0.07	NA														
(2549)	0.10	NA														
(2600) Ridgeway Drive	1.02	3400	R													09/17/2009
(2601)	0.05	NA														

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Loudoun County</b>																	
(2602)	0.18	NA					From: 53-2600					NA				NA	
							To: Cul-de-Sac										
(2603)	0.06	NA					From: 53-2600					NA				NA	
							To: Cul-de-Sac										
(2604)	0.09	NA					From: Cul-de-Sac					NA				NA	
							To: 53-2600										
(2605)	0.14	NA					From: Ridgeway Drive					NA				NA	
							To: Cul-de-Sac										
(2606)	0.14	NA					From: Ridgeway Drive					NA				NA	
							To: Cul-de-Sac										
(2607)	0.15	NA					From: 53-2606					NA				NA	
							To: Cul-de-Sac										
(2608) Stone Hollow Dr	0.26	1600	R				From: 53-2600 Ridgeway Drive					NA				NA	09/29/2009
							To: 53-901										
(2609)	0.14	NA					From: 53-2608					NA				NA	
							To: Cul-de-Sac										
(2611)	0.09	NA					From: Cul-de-Sac					NA				NA	
							To: 53-2600 Ridgeway Drive										
(2612) Highview Trail Pl	0.06	750	R				From: 53-2600 Ridgeway Drive					NA				NA	09/29/2009
							To: 53-2613										
(2613)	0.05	NA					From: 53-2612					NA				NA	
							To: Cul-de-Sac										
(2614) Wells Way	0.06	NA					From: 53-901 Claiborne Pkwy					NA				NA	
							To: 53-2615										
(2615)	0.09	NA					From: Cul-de-Sac					NA				NA	
							To: 53-2614										
(2615)	0.04	NA					From: 53-2614					NA				NA	
							To: Cul-de-Sac										
(2625) Stone Springs Blvd	1.35	3700	R				From: Dead End					NA				NA	09/22/2009
							To: US 50 John S Mosby Hwy										
(2626) Millstream Dr	0.46	1800	R				From: 53-2627					NA				NA	09/22/2009
							To: Dead End										
(2627) Tall Cedars Pkwy	0.28	1400	R				From: 53-2625 Stone Springs Blvd					NA				NA	09/22/2009
							To: 53-2626 Millstream Dr										
(2627) Tall Cedars Pkwy	0.24	NA					From: 53-2626 Millstream Dr					NA				NA	
							To: Dead End										
(2628) Greenstone Dr	0.49	1100	R				From: 53-2625 Stone Springs Blvd					NA				NA	11/05/2009
							To: 53-659 Gum Spring Rd										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
2629 Mineral Springs Circle	0.30	760	R				From: 53-2628				NA			NA		09/22/2009
							To: 53-2630 WEST									
2630	0.48	NA					From: 53-2625				NA			NA		
							To: Cul-de-Sac									
2631	0.04	NA					From: 53-2630				NA			NA		
							To: Cul-de-Sac									
2632	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2630									
2633	0.16	NA					From: 53-2629				NA			NA		
							To: Cul-de-Sac									
2634	0.15	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2633									
2635	0.26	NA					From: 53-2629 Mineral Springs Circle				NA			NA		
							To: 53-2627 Tall Cedars Pkwy									
2636	0.19	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2635									
2637	0.29	NA					From: 53-2638				NA			NA		
							To: 53-2641									
2638	0.11	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2635									
2638	0.13	NA					From: 53-2635				NA			NA		
							To: Cul-de-Sac									
2639	0.22	NA					From: 53-2629 Mineral Springs Circle				NA			NA		
							To: 53-2638									
2640	0.05	NA					From: 53-2639				NA			NA		
							To: Cul-de-Sac									
2641	0.22	NA					From: 53-2629 Mineral Springs Circle				NA			NA		
							To: Cul-de-Sac									
2642 Cordgrass Circle	0.47	500	R				From: 53-2625 Stone Springs Blvd				NA			NA		09/22/2009
							To: 53-2625 Stone Springs Blvd									
2643	0.16	NA					From: 53-2642				NA			NA		
							To: Cul-de-Sac									
2644 Waterdock Dr	0.14	80	R				From: 53-2642 Cordgrass Circle				NA			NA		09/22/2009
							To: 53-2642 Cordgrass Circle									
2645	0.04	NA					From: 53-2644				NA			NA		
							To: Cul-de-Sac									
2650 Donavan Dr	0.45	1600	R				From: 53-620 Braddock Rd				NA			NA		09/22/2009
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2651) Quintan St	0.34	150	R				From: 53-2650 Donovan Dr				NA			NA		09/22/2009
							To: 53-2237 Edgewater St									
(2652)	0.16	100	R				From: 53-2651				NA			NA		09/18/2008
							To: 53-2654									
(2653)	0.18	100	R				From: 53-2650				NA			NA		09/18/2008
							To: 53-2651									
(2654)	0.17	80	R				From: 53-2650				NA			NA		09/18/2008
							To: 53-2651									
(2655) Wendell St	0.32	550	R				From: 53-620 Braddock Rd				NA			NA		09/22/2009
							To: 53-2656 Valiant Dr									
(2656) Valiant Dr	0.80	490	R				From: 53-2655 Wendell St				NA			NA		09/22/2009
							To: 53-2650 Donovan Dr									
(2657)	0.19	NA					From: Dead End				NA			NA		
							To: 53-606 Loudoun County Pkwy									
(2658)	0.09	NA					From: 53-606 Loudoun County Pkwy				NA			NA		
							To: Dead End									
(2659)	0.32	NA					From: 53-2660				NA			NA		
							To: 53-1248 Donegal Dr									
(2660)	0.19	NA					From: 53-2237 Edgewater St				NA			NA		
							To: 53-1248 Donegal Dr									
(2661)	0.15	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1248 Donegal Dr									
(2662)	0.06	NA					From: 53-2661				NA			NA		
							To: 53-2660									
(2684)	0.83	NA					From: 53-2020 Ashburn Village Blvd				NA			NA		
							To: 53-2020 Ashburn Village Blvd									
(2685)	0.05	NA					From: 53-2684				NA			NA		
							To: Cul-de-Sac									
(2686)	0.05	NA					From: 53-2684				NA			NA		
							To: Cul-de-Sac									
(2687)	0.48	NA					From: 53-2684				NA			NA		
							To: 53-2684									
(2688)	0.15	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2687									
(2689) Cheltenham Circle	1.13	1300	R				From: 53-2020 Ashburn Village Blvd				NA			NA		09/29/2009
							To: 53-2020 Ashburn Village Blvd									
(2690) Clappertown Dr	0.19	200	R				From: 53-2691 Felicity Pl				NA			NA		09/29/2009
							To: 53-2689 Cheltenham Circle									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2691) Felicity Pl	0.20	450	R				From: 53-2692					NA		NA		09/29/2009
							To: 53-2689 Cheltenham Circle									
(2692)	0.08	NA					From: 53-2691					NA		NA		
							To: Cul-de-Sac									
(2693)	0.10	NA					From: 53-2689					NA		NA		
							To: Cul-de-Sac									
(2694)	0.07	NA					From: 53-2689					NA		NA		
							To: Cul-de-Sac									
(2695)	0.08	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2689									
(2696)	0.07	NA					From: 53-2689					NA		NA		
							To: Cul-de-Sac									
(2697)	0.21	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2689									
(2697)	0.12	NA					From: 53-2689					NA		NA		
							To: Cul-de-Sac									
(2698)	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2689									
(2699)	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2689									
(2700) Augusta Dr	0.46	9300	R				From: SR 7 Harry Flood Byrd Hwy					NA		NA		09/30/2009
							To: Dead End									
(2701) Ripken Way	0.13	170	R				From: 53-2702					NA		NA		09/22/2009
							To: 53-661 Montesor Rd									
(2702)	0.51	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2701									
(2702)	0.16	NA					From: 53-2701					NA		NA		
							To: Cul-de-Sac									
(2706)	0.08	NA					From: 53-625 Waxpool Rd					NA		NA		
							To: Cul-de-Sac									
(2707)	0.07	NA					From: 53-2706					NA		NA		
							To: Cul-de-Sac									
(2711)	0.19	NA					From: 53- 625					NA		NA		
							To: Cul-de-Sac									
(2712)	0.14	NA					From: 53-2711					NA		NA		
							To: Cul-de-Sac									
(2713) Covent Garden Way	0.21	NA					From: 53-2119 Waxpool Rd					NA		NA		
							To: 53-2716 Liverpool St									



Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2714) Earls Ct	0.05	NA									NA			NA		
(2715) Piccadilly Circus Ct	0.05	NA									NA			NA		
(2716) Liverpool St	0.16	NA									NA			NA		
(2716) Liverpool St	0.09	NA									NA			NA		
(2717) Hatten Gross Ct	0.08	NA									NA			NA		
(2718) Malin Ct	0.09	NA									NA			NA		
(2719) Sperrin Court	0.09	NA									NA			NA		
(2719) Sperrin Ct	0.04	NA									NA			NA		
(2720)	0.34	NA									NA			NA		
(2721)	0.49	NA									NA			NA		
(2738) Cedar Ridge Blvd	0.85	NA									NA			NA		
(2738) Cedar Ridge Blvd	0.88	NA									NA			NA		
(2739) Paddock Trail	0.92	NA									NA			NA		
(2739) Paddock Trail	0.35	NA									NA			NA		
(2740) Iron Bit Place	0.70	NA									NA			NA		
(2740) Iron Bit Place	0.54	NA									NA			NA		
(2741) Bridle Place	0.32	NA									NA			NA		
(2741) Bridle Place	0.18	NA									NA			NA		
(2742) Stable Court	0.12	NA									NA			NA		
(2742) Roan Ct	0.30	NA									NA			NA		

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2743) Post Time Court	0.25	NA					From: Cul-de-Sac				NA			NA		
(2743) Appaloosa Trail Ct	0.40	NA					From: 53-2738 Cedar Ridge Blvd				NA			NA		
							To: Cul-de-Sac									
(2744) Equine Trail Court	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2740 Iron Bit Place									
(2745) Saddle Trail Court	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2740 Iron Bit Place									
(2746) Equine Path Way	0.19	NA					From: 53-2747 Equine Ct				NA			NA		
							To: 53-2739 Paddock Trail									
(2747) Equine Ct	0.09	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2746 Equine Path Way									
(2747) Equine Ct	0.26	NA					From: 53-2746				NA			NA		
							To: Cul-de-Sac									
(2750) Clarecastle Dr	0.36	1200	R				From: 53-2238				NA			NA		09/24/2009
							To: 53-2755									
(2751)	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2750									
(2752) Celbridge Way	0.09	60	R				From: 53-2756 Hollybank Pl				NA			NA		09/22/2009
							To: 53-2750 Clarecastle Dr									
(2753) Hopefield Pl	0.09	340	R				From: 53-2756 Hollybank Pl				NA			NA		09/24/2009
							To: 53-2750 Clarecastle Dr									
(2754)	0.31	NA					From: 53-2750 Clarecastle Dr				NA			NA		
							To: 53-742 Poland Rd									
(2755)	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2750									
(2755)	0.04	NA					From: 53-2750				NA			NA		
							To: Cul-de-Sac									
(2756) Hollybank Pl	0.11	80	R				From: 53-2751				NA			NA		09/22/2009
							To: 53-2753 Hopefield Pl									
(2757)	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2754									
(2758)	0.13	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2754									
(2815)	0.16	NA					From: 53-2118				NA			NA		
							To: 53-1653 Saulty Dr									
(2816)	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2815									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
2817	0.14	NA				From: 53-2135 Kentwell Pl					NA			NA		
						To: 53-1582; 53-1805; 53-2140										
2818	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2140										
2819	0.08	NA				From: 53-2135					NA			NA		
						To: Cul-de-Sac										
2820	0.05	NA				From: 53-2135					NA			NA		
						To: Cul-de-Sac										
2821	0.07	NA				From: 53-2135					NA			NA		
						To: 53-1582										
2830	0.15	NA				From: 53-2831					NA			NA		
						To: 53-731 Watermill Rd										
2831	0.10	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2830										
2831	0.17	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
2840	0.33	NA				From: Cul-de-Sac					NA			NA		
						To: -										
2841	0.22	NA				From: 53-682 Householder Rd					NA			NA		
						To: Cul-de-Sac										
2842	0.27	NA				From: Cul-de-Sac					NA			NA		
						To: 53-680 Axline Rd										
2849	0.11	NA				From: 53-860 Watson Rd					NA			NA		
						To: Cul-de-Sac										
2852	Park Heights Circle	0.40	420	R		From: 53-1320 Evening Star Dr					NA			NA		09/22/2009
						To: 53-1320 Evening Star Dr										
2853		0.08	NA			From: Dead End					NA			NA		
						To: 53-2852										
2854		0.05	NA			From: Dead End					NA			NA		
						To: 53-2852										
2855		0.07	NA			From: Dead End					NA			NA		
						To: 53-2852										
2855		0.11	NA			From: Cul-de-Sac					NA			NA		
						To: Dead End										
2856	Arrowood Pl	0.57	320	R		From: 53-1320 Evening Star Dr					NA			NA		09/22/2009
						To: Cul-de-Sac										
2857		0.08	NA			From: Cul-de-Sac					NA			NA		
						To: 53-2856										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Loudoun County</b>																	
(2858)	0.04	NA										NA				NA	
(2864)	0.19	NA										NA				NA	
(2865)	0.08	NA										NA				NA	
(2866)	0.09	NA										NA				NA	
(2877)	0.19	NA										NA				NA	
(2878)	0.18	NA										NA				NA	
(2879)	0.14	NA										NA				NA	
(2880)	Golden Springs Ct	0.63	230	R								NA				NA	09/24/2009
(2881)	0.18	NA										NA				NA	
(2882)	0.13	NA										NA				NA	
(2883)	0.04	NA										NA				NA	
(2884)	0.16	NA										NA				NA	
(2885)	0.11	NA										NA				NA	
(2886)	0.18	NA										NA				NA	
(2900)	Fultonham Circle	0.49	910	R								NA				NA	09/29/2009
(2901)	0.07	NA										NA				NA	
(2902)	0.07	NA										NA				NA	
(2903)	0.06	NA										NA				NA	
(2904)	0.08	NA										NA				NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
2904	0.08	NA					From: 53-2900					NA		NA		
							To: Cul-de-Sac									
2905	0.11	NA					From: 53-2900					NA		NA		
							To: Cul-de-Sac									
2906	0.20	NA					From: 53-2900					NA		NA		
							To: Cul-de-Sac									
2907	0.06	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2906									
2908	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2900									
2908	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
2920	0.45	NA					From: 53-641 Ashburn Rd					NA		NA		
							To: 53-625 Waxpool Rd									
2921	0.11	NA					From: 53-2920					NA		NA		
							To: 53-2922									
2922	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2921									
2922	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
2923	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2921									
2950	0.28	NA					From: 53-788 Hall Rd					NA		NA		
							To: Cul-de-Sac									
2951	0.20	NA					From: 53-2950					NA		NA		
							To: 53-2950									
2960	0.14	NA					From: 53-606 Old Ox Rd					NA		NA		
							To: 53-2961									
2961	0.20	NA					From: 53-614 Beaver Meador Rd					NA		NA		
							To: 53-2960									
2978	1.11	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1061 Russell Branch Pkwy									
2979	0.17	NA					From: 53-2978					NA		NA		
							To: 53-1061 Russell Branch Pkwy									
2980	0.20	NA					From: 53-2978					NA		NA		
							To: 53-2979									
2981	0.07	NA					From: 53-2979					NA		NA		
							To: Cul-de-Sac									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
(2982)	0.26	NA					From: 53-2978					NA		NA		
							To: 53-2978									
(2983)	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2978									
(2984)	0.03	NA					From: 53-2978					NA		NA		
							To: 53-1061 Russell Branch Pkwy									
(3029)	0.60	NA					From: Dead End					NA		NA		
							To: 53-761 Sunny Ridge Rd									
(3037)	0.47	NA					From: 53-625					NA		NA		
							To: 53-607 S, Smith Switch Rd									
(3037)	0.84	NA					From: 53-607 N, Smith Switch Rd					NA		NA		
							To: 53-607 N, Smith Switch Rd									
(3037)	0.32	NA					From: End Loop					NA		NA		
							To: End Loop									
(3038)	0.17	NA					From: Cul-de-Sac					NA		NA		
							To: 53-3037									
(6253) Reams Station Pl	0.02	60					From: Cul-de-Sac					NA		NA		1999
							To: Fairfax County Line									
<b>Town of Middleburg</b>																
(9232)	0.05	210					From: 53-626 Foxcroft Rd					NA		NA		1999
							To: 53-626 Foxcroft Rd									
<b>Loudoun County</b>																
(9233)	0.02	80					From: 53-722 Lincoln Rd					NA		NA		1999
							To: Dead End									
(9235)	0.02	80					From: 53-677 Partlow Rd					NA		NA		1999
							To: 53-677 Partlow Rd									
<b>Town of Lovettsville</b>																
(9236)	0.10	230					From: 53-796 Loudoun St S					NA		NA		1999
							To: 53-796 Loudoun St S									
<b>Town of Leesburg</b>																
(9282)	0.08	280					From: 253-4200 Catoctin Circle					NA		NA		1999
							To: Dead End									
<b>Loudoun County</b>																
(9283)	0.20	620					From: Dead End					NA		NA		1999
							To: 53-1401; 53-1471									
<b>Town of Leesburg</b>																
(9284)	0.01	380					From: Douglas Elementary School					NA		NA		1999
							To: Douglas Elementary School									
<b>Loudoun County</b>																
(9337)	0.14	490					From: 53-1401					NA		NA		1999
							To: 53-1401									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Loudoun County</b>																
9338	0.15	680	R									NA		NA		1999
9339	0.11	80	R									NA		NA		1999
9340	0.36	250	R									NA		NA		1999
9355	0.12	130	R									NA		NA		1999
9433	0.08	80	R									NA		NA		1999
9434	0.05	280	R									NA		NA		1999
9459	0.10	150	R									NA		NA		1999
9461	0.08	210	R									NA		NA		1999
9462	0.15	820	R									NA		NA		1999
9462	0.21	870	R									NA		NA		1999
<b>Town of Leesburg</b>																
9536	Loudoun Co High School	0.13	610	R								NA		NA		1999
<b>Loudoun County</b>																
9944	Waterford Elem School	0.14	210	R								NA		NA		1999
9945		0.08	490	R								NA		NA		1999
<b>Town of Leesburg</b>																
1	Battlefield Pkwy	0.83	5000	G	99%	0%	0%	0%	0%	0%	C	0.101	F	5400	G	2009
1	Battlefield Pkwy	0.42	3200	G	100%	0%	0%	0%	0%	0%	C	0.119	F	3500	G	2009
1	Battlefield Pkwy	0.98	4300	G	100%	0%	0%	0%	0%	0%	C	0.115	F	4700	G	2009
1	Battlefield Pkwy	0.59	4000	G	96%	1%	1%	2%	1%	0%	C	0.101	F	4400	G	2009
3	Fort Evans Rd	0.84	8700	G	97%	0%	1%	1%	0%	0%	C	0.096	F	9500	G	2009
4	Plaza St	0.44	9100	G	99%	0%	0%	0%	0%	0%	F	0.09	F	9900	G	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Leesburg</b>																	
4 25.3	Plaza St	0.48	3200	G	99%	0%	From: 253-4208 Edwards Ferry Rd To: Rust Dr				C	0.098	F	3500	G	2009	
4 25.3	Plaza St	0.32	2300	G	99%	0%	From: Rust Dr To: Battlefield Pkwy				F	0.111	F	2400	G	2009	
5 25.3	River Creek Pkwy	0.29	11000	G	99%	0%	From: SR 7 Market St To: NCL Leesburg				F	0.094	F	12000	G	2009	
4200 25.3	Catoctin Circle	0.84	1100	G	98%	1%	From: 253-1 Battlefield Pkwy To: 253-4208 Edwards Ferry Rd				F	0.15	F	1200	G	2009	
4200 25.3	Catoctin Circle	0.29	8000	G	98%	1%	From: 253-4208 Edwards Ferry Rd To: Bus 7, Market St E				F	0.108	F	8700	G	2009	
4200 25.3	Catoctin Circle	0.17	18000	G	98%	1%	From: Bus 7, Market St E To: South St				F	NA		20000	G	2009	
4200 25.3	Catoctin Circle	0.63	19000	G	98%	1%	From: South St To: US 15 King St S				C	NA		20000	G	2009	
4200 25.3	Catoctin Circle	0.57	10000	G	98%	1%	From: US 15 King St S To: Dry Mill Rd				F	0.110	F	11000	G	2009	
4200 25.3	Catoctin Circle	0.38	5600	G	98%	1%	From: Dry Mill Rd To: Childrens Center Rd				F	0.113	F	0.68	6100	G	2009
4200 25.3	Catoctin Circle	0.29	4500	G	98%	1%	From: Childrens Center Rd To: Market St W				F	0.105	F	0.654	4900	G	2009
4200 25.3	Fairview St	0.64	2400	G	98%	1%	From: Market St W To: Old Waterford Rd				F	0.161	F	0.554	2600	G	2009
4201 25.3	Sycolin Rd	1.61	5600	G	96%	0%	From: SCL Leesburg To: US 15 Leesburg Bypass				F	0.097	F	6100	G	2009	
4201 25.3	Sycolin Rd	0.64	9200	G	96%	0%	From: US 15 Leesburg Bypass To: Bus SR 7				F	NA		10000	G	2009	
4205 25.3	Dry Mill Rd	0.59	4600	G	99%	0%	From: WCL Leesburg To: Lee Ave				C	0.162	F	5000	G	2009	
4205 25.3	Dry Mill Rd	0.25	4900	G	99%	0%	From: Lee Ave To: Catoctin Circle				F	0.13	F	5400	G	2009	
4205 25.3	Dry Mill Rd	0.49	2800	G	99%	0%	From: Catoctin Circle To: W Loudoun St				F	0.135	F	0.653	3000	G	2009
4205 25.3	Ayr St	0.09	640	G	99%	0%	From: Loudoun St To: Market St				F	0.117	F	700	G	2009	
4206 25.3	Loudoun St	0.28	4100	G	99%	0%	From: Market St To: Market St W				C	0.094	F	4400	G	2009	
4206 25.3	Loudoun St	0.35	6700	G	99%	0%	From: Market St W To: 253-4205 Ayr St				F	0.1	F	7200	G	2009	
4206 25.3	Loudoun St	0.30	8800	G	99%	0%	From: 253-4205 Ayr St To: Bus US 15				C	0.090	F	9600	G	2009	
4208 25.3	Edwards Ferry Rd	0.11	3300	G	99%	0%	From: Bus US 15 To: Market St E				F	0.091	F	3600	G	2009	
4208 25.3	Edwards Ferry Rd	0.41	4100	G	99%	0%	From: Market St E To: Harrison St				C	0.095	F	4500	G	2009	
4208 25.3	Edwards Ferry Rd	0.20	9700	G	99%	0%	From: Harrison St To: Prince St				F	0.103	F	11000	G	2009	
							From: Prince St To: Washington St										



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Leesburg</b>																
(4208/253) Edwards Ferry Rd	0.15	10000	G	99%	0%	0%	0%	0%	0%	F	0.102	F		11000	G	2009
						From: Washington St										
						To: Plaza St										
(4208/253) Edwards Ferry Rd	0.51	16000	G	99%	0%	0%	0%	0%	0%	F	0.097	F		18000	G	2009
						From: US 15										
						To: Battlefield Pkwy										
(4208/253) Edwards Ferry Rd	0.66	9700	G	99%	0%	1%	0%	0%	0%	F	0.108	F		11000	G	2009
						From: US 15										
						To: Masons Lane										
(4209/253) Evergreen Mill Rd	1.01	8000	G	97%	0%	1%	1%	1%	0%	C	0.104	F		8700	G	2009
						From: Masons Lane										
						To: SCL Leesburg, 53-621										
(4210/253) Country Club Dr	0.40	1800	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.597	2000	G	2009
						From: Bradfield Dr										
						To: US 15 King St										
<b>Town of Purcellville</b>																
(6/286) Telegraph Springs Rd	0.46	1900	N								NA			NA		04/25/2005
						From: SCL Purcellville										
						To: 53-1610, A St										
(6/286) 20th St	0.34	1100	R								NA			NA		1999
						From: 53-1608, E St										
						To: BUS SR 7 W, Main St										
(6/286) 20th St	0.34	3100	R								NA			NA		09/09/2008
						From: BUS SR 7 E, Main St										
						To: NCL Purcellville										
(6/286) Hatcher Ave	0.80	4000	G	97%	1%	1%	1%	0%	0%	C	0.094	F	0.53	4200	G	2009
						From: 53-690 Silcott Springs Rd; SCL Purcellville										
						To: 286-14; S Nursery St										
(7/286) S Nursery Ave	0.43	NA									NA			NA		
						From: 286-14; S 32nd St										
						To: Bus SR 7, W Main St										
						From: Bus SR 7 E, W Main St										
(7/286) 23rd St; Hillsboro Rd	0.10	1800	R								NA			NA		1999
						From: 286-12 21st Street										
						To: 53-1604; 21st St										
(7/286) Hillsboro Rd	0.69	3700	G	97%	1%	1%	1%	0%	0%	F	0.097	F		3900	G	2009
						From: NCL Purcellville										
						To: SCL Purcellville										
(8/286) Maple Ave S	0.65	2200	N								NA			NA		1999
						From: Bus SR 7; W Main St										
(8/286) Maple Ave N	0.44	4900	R								NA			NA		01/12/2005
						From: 286-32 Loudoun Valley High School										
(8/286) Maple Ave N	0.28	1200	R								NA			NA		1999
						From: FR-962 Hirst Rd										
						To: Bus SR 7 Main St W										
(9/286) 33rd St N	0.17	610	R								NA			NA		1999
						From: 286-11 Country Club Dr W										
						To: 286-9 33rd St N										
(10/286) Holly Lane	0.07	70	R								NA			NA		1999
						From: Dead End										
						To: 286-26 Glenmeade Circle										
(11/286) W Country Club Dr	0.10	300	R								NA			NA		1999
						From: 286-9 33rd St N										
(11/286) W. Country Club Dr	0.27	300	R								NA			NA		1999
						From: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Purcellville</b>																	
12 286 21st Street	0.13	2200	G	97%	1%	1%	0%	0%	0%	C	0.102	F		2400	G	2009	
						From: 286-7 Hillsboro Rd; 23rd St											
						To: Bus SR 7											
13 286 Orchard Dr	0.41	530	R								NA			NA		1999	
						From: 286-14 Nursery Ave S											
						To: Bus SR 7 Main St W											
14 286 Nursery Ave S	0.64	2100	R								NA			NA		1999	
						From: 286-7 Silcott Springs Rd											
						To: Bus SR 7, Main St E											
15 286 East G St	0.62	400	R								NA			NA		1999	
						From: 286-6 20th St											
						To: 286-8 Maple Ave S											
16 286 East E St	0.27	590	R								NA			NA		1999	
						From: 286-6 20th St											
						To: 286-15, East G St											
16 286 South 12th St	0.27	1400	R								NA			NA		09/15/2009	
						From: 286-8 Maple Ave S											
						To: SR 7 Main St E											
17 286 9th St S	0.36	750	R								NA			NA		1999	
						From: Bus SR 7, Main St E											
						To: Cul-de-Sac											
18 286 N 16th St	0.07	130	R								NA			NA		1999	
						From: 286-6 Hatcher Ave											
						To: Dead End											
19 286 Loudoun Valley Dr	0.23	230	R								NA			NA		1999	
						From: 286-6 20th St											
						To: Cul-de-Sac											
20 286 East D St	0.25	280	R								NA			NA		1999	
						From: Cul-de-Sac											
						To: Cul-de-Sac											
21 286 Burnleigh Ct	0.08	NA									NA			NA			
						From: 286-26 Glenmeade Circle											
						To: 286-26 Glenmeade Circle											
22 286 Heronwood Ct	0.12	NA									NA			NA			
						From: Cul-de-Sac											
						To: Cul-de-Sac											
23 286 Oakleigh Ct	0.07	NA									NA			NA			
						From: 286-26 Glenmeade Circle											
						To: Cul-de-Sac											
24 286 Bolingbrook Ct	0.05	NA									NA			NA			
						From: Cul-de-Sac											
						To: 286-26 Glenmeade Circle											
25 286 East A St	0.50	990	R								NA			NA		1999	
						From: 286-6 20th St; Telegraph Springs Rd											
						To: 53-722 Lincoln Rd; SCL Purcellville											
26 286 North Nichols Place	0.02	620	R								NA			NA		09/15/2009	
						From: End State Maintenance											
						To: 286-29 Ashleigh Rd											
26 286 Glenmeade Circle	0.06	NA									NA			NA			
						From: 286-27 Kinloch Ct; 286-28 Dunridge Ct											
						To: 286-34 Rockburn Ct											
26 286 Glenmeade Circle	0.06	300	R								NA			NA		09/15/2009	
						From: 286-22 Heronwood Ct; 286-21 Burnleigh Ct											
						To: 286-24 Bolingbrook Ct; 286-23 Oakleigh Ct											

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Purcellville</b>																
26 286 Glenmeade Circle	0.09	NA				From: 286-24 Bolingbrook Ct; 286-23 Oakleigh Ct					NA			NA		
						To: 286-11, W Country Club Dr										
27 286 Kinloch Ct	0.07	NA				From: Cul-de-Sac					NA			NA		
						To: 286-26 Glenmeade Circle										
28 286 Dunridge Ct	0.05	NA				From: 286-26 Glenmeade Circle					NA			NA		
						To: Cul-de-Sac										
29 286 Ashleigh Rd	0.16	870	R			From: 286-26 North Nichols Pl					NA			NA	09/12/2008	
						To: 286-7 Hillsboro Rd										
30 286 Dresden Ct	0.04	NA				From: 286-29 Ashleigh Rd					NA			NA		
						To: Cul-de-Sac										
31 286 Hirst Rd	0.70	NA				From: FR-962; SCL Purcellville					NA			NA		
						To: Hillsboro Rd; NCL Purcellville										
32 286 Loudoun Valley High Sc	0.17	1100	R			From: 286-8 W, Maple Ave					NA			NA	1999	
						To: 286-8 E, Maple Ave										
33 286 Rockburn Ct	0.19	290	R			From: Dead End					NA			NA	1999	
						To: 286-14 Nursery Ave S										
34 286 Rockburn Ct	0.08	NA				From: 286-26 Glenmeade Circle					NA			NA		
						To: Cul-de-Sac										
35 286 15th St	0.15	440	R			From: 53-1610 East A St					NA			NA	1999	
						To: Dead End										
<b>Town of Leesburg</b>																
Cardinal Park Dr		6400	G			From: Trailview Blvd					0.098	F		6400	G	2009
						To: Market St										
Catoctin Circle		1800	G			From: Grafton Way					0.105	F	0.623	1800	G	2009
						To: Southview Pl										
Governors Dr		1300	G			From: Country Club Dr					0.104	F		1300	G	2009
						To: US 15										
Trailview Blvd Prop		1400	G			From: Dead End					0.109	F	0.625	1400	G	2009
						To: Cardinal Park Dr										
<b>Town of Purcellville</b>																
K St		250	G			From: 26th St					0.115	F		250	G	2009
						To: Nursery Ave										
Remington Dr		340	G			From: Wexford Place					0.133	F	0.511	340	G	2009
						To: Eastgate Dr										
Wintergreen Dr		360	G			From: Orchard Brook Lane					0.104	F	0.55	360	G	2009
						To: Locust Grove Dr										