

**2008**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**138**

City of Winchester

Information in this report is included in Report

**34**

(Frederick County)

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route
-  Bypas - Bypass Route
-  Truck - Truck Route
- ALT  
 ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Winchester

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From:	US 50, US 522 Par. Braddock St															
7 50 522	Boscawen St City of Winchester	0.18	2000	F	97%	1%	2%	0%	0%	0%	C	0.094	F	2200	F		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	F	97%	1%	2%	0%	0%	F	NA		12000	F		
	To:	US 11 Cameron St															
	From:	Boscawen St															
7 11 11 50	Cameron St City of Winchester	0.17	7400	F	96%	1%	2%	0%	1%	0%	F	NA		8100	F		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	F	NA		15000	F		
	To:	Piccadilly St															
	From:	US 11 Cameron St															
7	Piccadilly St City of Winchester	0.18	9300	F	97%	1%	1%	0%	1%	0%	F	0.087	F	10000	F		
	To:	East Lane															
	From:	Piccadilly St															
7	East Lane City of Winchester	0.02	8500	F	97%	1%	1%	0%	1%	0%	F	0.085	F	9300	F		
	To:	Fairfax Lane															
	From:	Highland Ave															
7	National Ave City of Winchester	0.32	8800	F	97%	1%	1%	0%	1%	0%	F	0.092	F	9600	F		
	To:	138-5213 Pleasant Valley Rd															
7	Berryville Ave City of Winchester	0.79	22000	F	97%	1%	1%	0%	1%	0%	C	0.084	F	24000	F		
	To:	Ross St															
7	Berryville Ave City of Winchester (Maint: 34)	0.16	25000	F	97%	1%	1%	0%	1%	0%	F	0.087	F	27000	F		
	To:	I-81; ECL Winchester															
	From:	US 50 Boscawen St															
7 522 11 50	Braddock St City of Winchester	0.17	6600	F	96%	1%	2%	0%	1%	0%	F	0.086	F	7200	F		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	F	NA		15000	F		
	To:	Piccadilly St															
	From:	Braddock St															
7 50 522	Piccadilly St City of Winchester	0.18	8800	F	97%	1%	2%	0%	0%	0%	F	0.089	F	9500	F		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	F	97%	1%	2%	0%	0%	F	NA		12000	F		
	To:	SR 7 Cameron St															
	From:	SCL Winchester															
11	Valley Ave City of Winchester	1.37	14000	F	97%	0%	1%	0%	1%	0%	C	0.086	F	15000	F		
	To:	Middle Rd															
11	Valley Ave City of Winchester	0.12	19000	F	96%	0%	1%	1%	2%	0%	F	0.086	F	0.518	20000	F	
	To:	Weems Lane															
11	Valley Ave City of Winchester	0.67	17000	F	96%	0%	1%	1%	2%	0%	F	NA		18000	F		
	To:	Jubal Early Dr															
11	Valley Ave City of Winchester	0.59	11000	F	98%	0%	1%	0%	0%	0%	C	0.093	F	12000	F		
	To:	US 11 Par Braddock St															
11	Valley Ave City of Winchester	0.09	2900	F	96%	1%	1%	1%	1%	0%	F	0.093	F	3200	F		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	93%	2%	3%	1%	1%	F	0.093	F	13000	F		
	To:	Gerrard St															

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Winchester

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Valley Ave To: Cameron St	City of Winchester	0.10	10000	F	96%	1%	1%	1%	1%	0%	F	0.087	F	11000	F	
From: US 50 Gerrard St To: Cameron St	City of Winchester	0.53	5200	F	96%	1%	2%	0%	1%	0%	C	0.080	F	5600	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	97%	1%	1%	0%	1%	0%	C	0.089	F	13000	F	
From: Boscawen St To: Cameron St	City of Winchester	0.17	7400	F	96%	1%	2%	0%	1%	0%	F	NA		8100	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	0%	F	NA		15000	F	
From: Piccadilly St To: Cameron St	City of Winchester	0.83	4800	F	96%	1%	1%	1%	1%	0%	C	0.105	F	5300	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			9400	F	96%	1%	1%	1%	1%	0%	C	0.099	F	10000	F	
From: US 11 Par, Loudoun St To: NCL Winchester	City of Winchester	0.31	10000	F	96%	1%	1%	1%	1%	0%	F	0.086	F	11000	F	
From: US 11 Valley Ave To: Braddock St	City of Winchester	0.09	9100	F	92%	2%	4%	1%	1%	0%	F	0.096	F	9900	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	93%	2%	3%	1%	1%	0%	F	0.093	F	13000	F	
From: Gerrard St To: Braddock St	City of Winchester	0.53	6400	F	97%	1%	1%	0%	1%	0%	C	0.096	F	7000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	97%	1%	1%	0%	1%	0%	C	0.089	F	13000	F	
From: Boscawen St To: Braddock St	City of Winchester	0.17	6600	F	96%	1%	2%	0%	1%	0%	F	0.086	F	7200	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	0%	F	NA		15000	F	
From: Piccadilly St To: Braddock St	City of Winchester	0.36	2600	F	92%	2%	4%	1%	1%	0%	C	0.09	F	2900	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			7500	F	95%	1%	2%	1%	1%	0%	C	NA		8100	F	
From: North Ave To: Braddock St	City of Winchester	0.03	520	F	96%	1%	1%	1%	0%	0%	C	0.102	F	0.692	570	F
From: Loudoun St To: North Ave	City of Winchester	0.30	3500	F	98%	1%	1%	0%	0%	0%	C	0.085	F	0.695	3800	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8400	F	97%	1%	1%	0%	1%	0%	C	NA		9100	F	
From: Wyck St To: Loudoun St	City of Winchester	0.24	4600	F	95%	1%	1%	1%	1%	0%	C	0.092	F	4900	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			9400	F	96%	1%	1%	1%	1%	0%	C	0.099	F	10000	F	
From: I-81 To: Jubal Early Dr	City of Winchester	0.09	25000	N	97%	0%	1%	1%	1%	0%	N	0.091	N	27000	N	



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Winchester

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: US 50 Par, Millwood Ave 17 50 522 Jubal Early Dr	City of Winchester	0.06	25000	F	97%	0%	1%	1%	1%	0%	C	0.091	F	27000	F	
To: Apple Blossom Dr																
From: Jubal Early Dr 17 50 522 Apple Blossom Dr	City of Winchester	0.05	10000	F	97%	0%	1%	1%	1%	0%	F	0.084	N	11000	F	
To: US 50 Par, Millwood Dr																
From: US 50 Par, Apple Blossom Dr 17 50 522 Millwood Ave	City of Winchester	0.75	13000	F	97%	1%	1%	0%	1%	0%	F	0.084	F	14000	F	
To: US 11 Cameron St																
From: WCL Winchester 50 Amherst St	City of Winchester	0.64	18000	F	99%	1%	0%	0%	0%	0%	F	0.09	F	20000	F	
To: Fox Dr																
From: Fox Dr 50 Amherst St	City of Winchester	0.75	15000	F	99%	1%	0%	0%	0%	0%	C	0.086	F	17000	F	
To: Boscawen St																
From: Amherst St 50 Boscawen St	City of Winchester	0.37	11000	F	99%	1%	0%	0%	0%	0%	F	0.085	F	12000	F	
To: Braddock St																
From: Boscawen St 50 11 50 522 Braddock St	City of Winchester	0.53	6400	F	97%	1%	1%	0%	1%	0%	C	0.096	F	7000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	97%	1%	1%	0%	1%	0%	C	0.089	F	13000	F	
To: Gerrard St																
From: Braddock St 50 522 Gerrard St	City of Winchester	0.07	8200	F	97%	1%	1%	0%	1%	0%	F	0.087	F	8900	F	
To: Valley Ave																
From: Valley Ave 50 11 522 Gerrard St	City of Winchester	0.10	10000	F	96%	1%	1%	1%	1%	0%	F	0.087	F	11000	F	
To: US 11 Cameron St																
From: US 11 Cameron St 50 17 522 Millwood Ave	City of Winchester	0.75	13000	F	97%	1%	1%	0%	1%	0%	F	0.084	F	14000	F	
To: US 50 Par, Apple Blossom Dr																
From: US 50 Par, Millwood Dr 50 17 522 Apple Blossom Dr	City of Winchester	0.05	10000	F	97%	0%	1%	1%	1%	0%	F	0.084	N	11000	F	
To: Jubal Early Dr																
From: Apple Blossom Dr 50 17 522 Jubal Early Dr	City of Winchester	0.06	25000	F	97%	0%	1%	1%	1%	0%	C	0.091	F	27000	F	
To: US 50 Par, Millwood Ave																
From: US 50 Par, Jubal Early Dr 50 17 522 Millwood Ave	City of Winchester	0.09	25000	N	97%	0%	1%	1%	1%	0%	N	0.091	N	27000	N	
To: I-81																
From: Boscawen St 50 522 11 522 Braddock St	City of Winchester	0.17	6600	F	96%	1%	2%	0%	1%	0%	F	0.086	F	7200	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	0%	F	NA		15000	F	
To: Piccadilly St																
From: Braddock St 50 7 522 Piccadilly St	City of Winchester	0.18	8800	F	97%	1%	2%	0%	0%	0%	F	0.089	F	9500	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	F	97%	1%	2%	0%	0%	0%	F	NA		12000	F	
To: Cameron St																

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Winchester

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Piccadilly St																
50 11 11 522 Cameron St	City of Winchester	0.17	7400	F	96%	1%	2%	0%	1%	0%	F	NA		8100	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	0%	F	NA		15000	F	
To: Boscawen St																
50 11 11 522 Cameron St	City of Winchester	0.53	5200	F	96%	1%	2%	0%	1%	0%	C	0.080	F	5600	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	97%	1%	1%	0%	1%	0%	C	0.089	F	13000	F	
To: US 50 Millwood Ave																
From: US 50 Apple Blossom Dr																
50 Millwood Ave	City of Winchester	0.18	9000	F	98%	0%	1%	0%	1%	0%	C	0.084	F	9800	F	
To: US 50 Jubal Early Drive																
From: SCL Winchester																
North 81	City of Winchester (Maint: 34)	0.07	29000	A	78%	1%	1%	1%	18%	1%	C	0.096	A	30000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			58000	A	78%	1%	1%	1%	18%	1%	C	NA		59000	A	
To: NCL Winchester																
From: SCL Winchester																
South 81	City of Winchester (Maint: 34)	0.07	29000	A	78%	1%	1%	1%	18%	1%	C	0.095	A	29000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			58000	A	78%	1%	1%	1%	18%	1%	C	NA		59000	A	
To: NCL Winchester																
From: I-81																
522 50 17 Millwood Ave	City of Winchester	0.09	25000	N	97%	0%	1%	1%	1%	0%	N	0.091	N	27000	N	
To: US 50 Par; Jubal Early Dr																
From: US 50 Par; Millwood Ave																
522 50 17 Jubal Early Dr	City of Winchester	0.06	25000	F	97%	0%	1%	1%	1%	0%	C	0.091	F	27000	F	
To: Apple Blossom Dr																
From: Jubal Early Dr																
522 50 17 Apple Blossom Dr	City of Winchester	0.05	10000	F	97%	0%	1%	1%	1%	0%	F	0.084	N	11000	F	
To: US 50 Par; Millwood Dr																
From: US 50 Par; Apple Blossom Dr																
522 50 17 Millwood Ave	City of Winchester	0.75	13000	F	97%	1%	1%	0%	1%	0%	F	0.084	F	14000	F	
To: US 11 Cameron St																
From: Millwood Ave																
522 11 11 50 Cameron St	City of Winchester	0.53	5200	F	96%	1%	2%	0%	1%	0%	C	0.080	F	5600	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	97%	1%	1%	0%	1%	0%	C	0.089	F	13000	F	
To: Boscawen St																
522 11 11 50 Cameron St	City of Winchester	0.17	7400	F	96%	1%	2%	0%	1%	0%	F	NA		8100	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	0%	F	NA		15000	F	
To: SR 7 Piccadilly St																
From: US 11 Cameron St																
522 7 50 Piccadilly St	City of Winchester	0.18	8800	F	97%	1%	2%	0%	0%	0%	F	0.089	F	9500	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	F	97%	1%	2%	0%	0%	0%	F	NA		12000	F	
To: US 50, SR 7 Braddock St																
522 Piccadilly St	City of Winchester	0.19	5500	F	97%	0%	1%	0%	1%	0%	F	0.096	F	6000	F	
To: Fairmont Ave																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 City of Winchester

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Piccadilly St																
522 Fairmont Ave	City of Winchester	0.22	5700	F	97%	0%	1%	0%	1%	0%	F	0.101	F	6200	F	
To: Commercial St																
From: Commercial St																
522 Fairmont Ave	City of Winchester	0.55	11000	F	97%	0%	1%	0%	1%	0%	C	0.1	F	12000	F	
To: NCL Winchester																
From: US 522, US 11 Cameron St																
522 11 50 Gerrard St	City of Winchester	0.10	10000	F	96%	1%	1%	1%	1%	0%	F	0.087	F	11000	F	
To: US 11 Valley Ave																
From: US 11 Valley Ave																
522 50 Gerrard St	City of Winchester	0.07	8200	F	97%	1%	1%	0%	1%	0%	F	0.087	F	8900	F	
To: Braddock St																
From: Braddock St																
522 50 11 50 Braddock St	City of Winchester	0.53	6400	F	97%	1%	1%	0%	1%	0%	C	0.096	F	7000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	97%	1%	1%	0%	1%	0%	C	0.089	F	13000	F	
To: US 50 Boscawen St																
From: US 50 Boscawen St																
522 11 50 522 Braddock St	City of Winchester	0.17	6600	F	96%	1%	2%	0%	1%	0%	F	0.086	F	7200	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	F	96%	1%	2%	0%	1%	0%	F	NA		15000	F	
To: US 522 Piccadilly St																

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Winchester

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Winchester</b>																
① Woodstock Ln	0.63	1700	F	97%	1%	2%	0%	0%	0%	C	0.101	F	0.511	1800	F	2008
						From: Pleasant Valley Rd										
						To: ECL Winchester										
② Fort Collier Dr	0.16	7100	F	95%	1%	1%	1%	3%	1%	C	0.089	F		7700	F	2008
						From: Berryville Ave										
						To: NCL Winchester										
③ Washington St	0.64	3500	F	99%	1%	0%	0%	0%	0%	C	0.091	F		3800	F	2008
						From: Handley Blvd										
						To: Piccadilly St										
④ Handley Blvd	0.08	9600	F	99%	1%	0%	0%	0%	0%	F	0.088	F		10000	F	2008
						From: Braddock St										
						To: Washington St										
⑤ Tevis Ave	0.21	7600	F	99%	0%	1%	0%	0%	0%	C	0.087	F		8300	F	2008
						From: Valley Ave										
						To: Cedarmeade Ave										
⑥ Cedarmeade Ave	0.55	1300	F	98%	1%	1%	0%	0%	0%	C	0.106	F	0.527	1400	F	2008
						From: Tevis St										
						To: Papermill Rd										
⑦ Jubal Early Dr	0.65	5700	F	99%	1%	0%	0%	0%	0%	F	0.107	F		6200	F	2008
						From: Handley Ave										
						To: US 11 Valley Avenue										
⑦ Jubal Early Dr	0.98	20000	F	99%	1%	0%	0%	0%	0%	F	0.089	F		21000	F	2008
						From: US 50 Par Apple Blossom Dr										
⑤200 Cedar Creek Grade	0.52	13000	F	98%	0%	1%	1%	0%	0%	F	0.095	F		14000	F	2008
						From: WCL Winchester										
						To: Valley Ave										
⑤200 Weems Ln	0.50	11000	F	98%	0%	1%	1%	0%	0%	C	0.086	F		11000	F	2008
						From: Papermill Rd										
⑤201 Middle Rd	1.01	4200	F	98%	0%	0%	1%	0%	0%	C	0.101	F		4600	F	2008
						From: Valley Ave										
						To: WCL Winchester										
⑤203 Fox Dr	0.86	5100	F	97%	2%	1%	0%	0%	0%	C	0.104	F		5600	F	2008
						From: US 50 Amherst St										
						To: NCL Winchester										
⑤204 Cork St	0.08	8000	F	99%	0%	0%	0%	0%	0%	F	0.091	F		8700	F	2008
						From: US 11 Cameron St										
⑤204 Cork St	0.48	9400	F	99%	0%	0%	0%	0%	0%	F	0.088	F		10000	F	2008
						From: Kent St										
⑤204 Senseny Rd	0.44	10000	F	99%	0%	0%	0%	0%	0%	C	0.09	F		11000	F	2008
						From: 138-5213 Pleasant Valley Rd										
						To: ECL Winchester										
⑤206 Commercial St	0.29	3400	F	98%	0%	1%	0%	0%	0%	C	0.1	F		3700	F	2008
						From: Faimont Ave										
						To: Cameron St										
⑤207 Shawnee Dr	0.67	5000	F	96%	0%	1%	1%	2%	0%	C	0.094	F		5500	F	2008
						From: SCL Winchester										
						To: Papermill Rd										
⑤209 Papermill Rd	0.86	10000	F	98%	0%	1%	0%	0%	0%	F	0.087	F		11000	F	2008
						From: SECL Winchester										
⑤209 Papermill Rd	0.64	6200	F	97%	1%	1%	0%	0%	0%	C	0.092	F		6700	F	2008
						From: Pleasant Valley Rd										
⑤209 Loudoun St	0.58	12000	F	98%	0%	1%	0%	0%	0%	C	0.091	F	0.548	13000	F	2008
						From: Weems Lane										
						To: Commerce St										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Winchester

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Winchester</b>																
(5209) Loudoun St	0.57	5200	F	98%	0%	1%	0%	0%	0%	F	0.093	F		5600	F	2008
						From: Commerce St										
						To: Gerrard St										
(5213) Pleasant Valley Rd	1.22	21000	F	98%	0%	1%	0%	1%	0%	C	NA		23000	F	2008	
						From: Papermill Rd										
(5213) Pleasant Valley Rd	0.36	23000	F	98%	0%	1%	0%	1%	0%	F	0.065	F	25000	F	2008	
						From: Jubal Early Drive										
(5213) Pleasant Valley Rd	0.91	21000	F	98%	0%	1%	0%	1%	0%	F	NA		23000	F	2008	
						From: Millwood Ave										
(5213) Pleasant Valley Rd	0.36	17000	F	98%	0%	1%	0%	1%	0%	F	NA		19000	F	2008	
						From: Cork St										
						To: Berryville Ave										
(5221) Smithfield Ave	0.63	2200	F	97%	1%	1%	1%	1%	0%	C	0.093	F	0.593	2400	F	2008
						From: National Ave										
						To: NCL Winchester										
2nd St		260	F								0.095	F	0.569	280	F	2008
						From: Summit Ave										
						To: Papermill Rd										
Amherst St		4400	F								0.092	F		4800	F	2008
						From: Boscawen St										
						To: Braddock St										
Battaile Dr		680	F								0.196	F	0.528	730	F	2008
						From: Shawnee Dr										
						To: SCL Winchester										
Beachcroft Rd		210	F								0.105	F	0.510	230	F	2008
						From: Wentworth Dr										
						To: Oakwood Ct										
Bellview Ave		940	F								0.105	F		1000	F	2008
						From: Valley Ave										
						To: Lewis St										
Bond St		370	F								0.098	F		400	F	2008
						From: Loudoun St										
						To: Cameron St										
Braddock St		610	F								0.105	F		660	F	2008
						From: Jackson Ave										
						To: Locust Ave										
Branner Ave		340	F								0.125	F		370	F	2008
						From: Ridge Ave										
						To: Isaac St										
Butler Ave		230	F								0.136	F		250	F	2008
						From: Green St										
						To: Beau St										
Caroline St		280	F								0.123	F		310	F	2008
						From: Old Fort Rd										
						To: Marion St										
Commerce St		720	F								0.1	F		790	F	2008
						From: Whitlock Ave										
						To: Southwerk St										
Dunlap St		180	F								0.114	F		200	F	2008
						From: Bruce St										
						To: WCL Winchester										
E Southwerk St		1400	F								0.117	F		1500	F	2008
						From: S Loudoun St										
						To: S Cameron St										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 City of Winchester

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Winchester</b>																
Elm St		2600	F				From: Frederick Ave				0.096	F		2800	F	2008
							To: Woodland Ave									
Euclid Ave		250	F				From: Grove St				0.13	F	0.521	270	F	2008
							To: Woodstock Lane									
Glaize Ave		260	F				From: S.Loudoun St				0.107	F		280	F	2008
							To: Dead End									
Handley St		650	F				From: Whitlock Ave				0.146	F		710	F	2008
							To: Sheridan St									
Imperial St		260	F				From: Papermill Rd				0.113	F	0.667	280	F	2008
							To: Superior Ave									
Jackson Ave		380	F				From: Braddock St				0.125	F		420	F	2008
							To: Pennsylvania Ave									
Kent St		950	F				From: Beau St				0.096	F	0.555	1000	F	2008
							To: WCL Winchester									
Kent St		4600	F				From: Boscawen St				0.095	F		5000	F	2008
							To: Philpot St									
Leicester St		330	F				From: Parkway Ave				0.113	F	0.595	360	F	2008
							To: Shawnee Ave									
Marion St		350	F				From: Branner Ave				0.132	F		390	F	2008
							To: Caroline St									
Massanutten Terrace		160	F				From: Hockman Ave				0.109	F	0.773	170	F	2008
							To: Middle Rd									
Miller St		530	G				From: Handley St				NA			580	G	2008
							To: Ivy St									
Orchard Ave		190	F				From: Elm St				0.128	F	0.593	200	F	2008
							To: ECL Winchester									
Parkway Ave		820	F				From: Pall Mall St				0.124	F		890	F	2008
							To: Leicester St									
Pennsylvania Ave		480	F				From: Richards				0.108	F		520	F	2008
							To: Jackson Ave									
Peyton St		390	F				From: Fairmont Ave				0.119	F		420	F	2008
							To: Braddock St									
Pleasant Valley Rd		480	F				From: Dead End				0.228	F	0.761	530	F	2008
							To: Cedarmeade Ave									
Purcell Ave		1800	F				From: Cork St				0.141	F		1900	F	2008
							To: Grove St									
S Kent St		1000	F				From: Millwood Ave				0.109	F		1100	F	2008
							To: Southwerk St									

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 City of Winchester

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Winchester</b>																
Saratoga Dr		500	F			From: Dulles Circle				0.121	F			540	F	2008
						To: Lake Dr										
Shenandoah Ave		790	F			From: Leicester St				0.1	F	0.875		860	F	2008
						To: Cork St										
Stewart St		8800	F			From: Wolfe St				0.092	F			9500	F	2008
						To: Boscawen St										
Summit Ave		150	F			From: 2Nd St				0.138	F	0.744		160	F	2008
						To: 1St Street										
Tennyson Ave		660	F			From: Jefferson St				0.171	F			720	F	2008
						To: Leicester St										
Washington St		3900	F			From: Boscawen St				0.091	F			4200	F	2008
						To: Amherst St										
Wentworth Dr		1200	F			From: Applecroft Rd				0.111	F			1300	F	2008
						To: Beachcroft Rd										
Whitter Ave		730	F			From: Wood Ave				0.112	F			790	F	2008
						To: Ridge Ave										
Wood Ave		570	F			From: Whitter Ave				0.104	F			620	F	2008
						To: Lanny Dr										
Woodland Ave		870	F			From: Pine St				0.097	F	0.531		950	F	2008
						To: Elm St										
Wyck St		3600	F			From: Loudoun St				0.101	F			3900	F	2008
						To: Braddock St										