

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Jurisdiction Report

47

James City County
City of Williamsburg

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
		From: Charles City County Line, Chickahominy Bridge														
5 John Tyler Memorial Hwy	James City County	4.38	3000	G	97%	1%	1%	1%	0%	0%	F	0.087	F	0.577	3100	G
		To: 47-614 Centerville Rd														
5 John Tyler Memorial Hwy	James City County	2.04	8400	G	97%	1%	1%	1%	0%	0%	F	0.087	F	0.534	8600	G
		To: 47-615 Ironbound Rd														
5 John Tyler Memorial Hwy	James City County	1.51	9900	G	97%	1%	1%	1%	0%	0%	C	0.089	F	0.545	11000	G
		To: 47-652 Stanley Dr														
5 John Tyler Memorial Hwy	James City County	0.29	16000	G	97%	1%	1%	1%	0%	0%	F	0.088	F	0.578	18000	G
		To: SR 199, 46-616														
5 199	James City County	0.22	35000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.575	38000	G
		To: WCL Williamsburg														
5 199	City of Williamsburg (Maint: 47)	0.24	35000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.575	38000	G
		To: SR 31, SR 199														
		From: SR 31 Jamestown Rd; SR 199														
5 Jamestown Rd	City of Williamsburg	0.27	11000	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.594	12000	G
		To: 137-7073 John Tyler Memorial Hwy														
5 Jamestown Rd	City of Williamsburg	1.50	13000	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.586	14000	G
		To: 137-7075 Boundary St														
		From: Jamestown Rd														
5 Boundary St	City of Williamsburg	0.07	12000	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.605	12000	G
		To: Francis St														
		From: Boundary St														
5 Francis St	City of Williamsburg	0.09	8200	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.593	8800	G
		To: SR 132 Henry St														
		From: Francis St														
5 132 Henry St	City of Williamsburg	0.38	5500	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.531	5800	G
		To: SR 162 Lafayette St														
		From: SR 132 Henry St														
5 Lafayette St	City of Williamsburg	0.33	9300	G	97%	1%	2%	0%	0%	0%	F	0.095	F	0.504	10000	G
		To: Capital Landing Rd														
5 Lafayette St	City of Williamsburg	0.73	7800	G	97%	1%	2%	0%	0%	0%	C	0.086	F	0.603	8300	G
		To: US 60 Page St														
5 60 Page St	City of Williamsburg	0.25	15000	G	98%	1%	1%	0%	0%	0%	C	0.083	F	0.564	16000	G
		To: Second St														
5 60 Page St	City of Williamsburg	0.31	14000	G	98%	1%	1%	0%	0%	0%	F	0.083	F	0.519	15000	G
		To: US 60 Page St														
5 Capitol Landing Rd	City of Williamsburg	0.62	6300	G								NA		6800	G	
		To: SR 143 Merrimac St														
		From: New Kent County Line														
30 Old Stage Hwy	James City County	2.13	10000	G	87%	0%	2%	4%	7%	0%	F	0.095	F	0.694	10000	G
		To: I-64														

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: I-64																
(30) Barhamsville Rd	James City County	1.71	9500	G	93%	1%	1%	1%	4%	0%	C	0.094	F	0.621	9700	G
To: US 60 Richmond Rd																
From: 47-607 Croaker Rd; 47-755 Rochambeau Dr																
(30) Rochambeau Dr	James City County	2.95	7600	G	97%	1%	1%	0%	1%	0%	C	0.117	F	0.585	7700	G
To: 47-755 Rochambeau Dr; 47-607																
From: I-64																
(30) Croaker Rd	James City County	0.46	12000	G	97%	1%	1%	0%	1%	0%	F	0.096	F	0.570	12000	G
To: I-64																
From: SR 30 Old Stage Hwy																
(30) Ramp	James City County	0.19	1300	A								0.115	A		1400	A
To: I-64 West																
From: SR 30 TO I-64 EAST																
East (30) Ramp	James City County	0.26	NA									NA			NA	
To: I-64-E FROM RT 30 EAST																
From: SR 30 I-64-E231A FROM & TO IS 64																
East (30) Ramp	James City County	0.28	NA									NA			NA	
To: I-64-E FROM RT 30 EAST & 607 SOUTH																
From: SR 30 TO I-64 WEST																
East (30) Ramp	James City County	0.23	NA									NA			NA	
To: I-64-W FROM RT 30 EAST & 607 SOUTH																
From: SR 30 TO I-64 EAST																
West (30) Ramp	James City County	0.26	NA									NA			NA	
To: I-64-E FROM RT 30 WEST																
From: SR 30 TO I-64 EAST																
West (30) Ramp	James City County	0.22	NA									NA			NA	
To: I-64-E FROM RT 30 WEST & 607 SOUTH																
From: SR 30; 47-607 I-64-W231B FRO																
West (30) Ramp	James City County	0.31	NA									NA			NA	
To: I-64-W FROM RT 30 WEST & RT 607 SOUTH																
From: Jamestown Ferry																
(31) Jamestown Rd	James City County	2.10	16000	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.59	16000	G
To: 47-681 Sandy Bay Rd																
From: WCL Williamsburg																
(31) Jamestown Rd	James City County	2.30	8900	G	98%	1%	1%	0%	0%	0%	C	0.097	F	0.642	9700	G
To: State Maintenance Boundary																
From: SR 5; SR 199																
(31) Jamestown Rd	City of Williamsburg	0.04	16000	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.572	17000	G
To: State Maintenance Boundary																
From: SR 5; SR 199																
(31) Jamestown Rd	City of Williamsburg (Maint: 47)	0.02	16000	G	98%	1%	1%	0%	0%	0%	F	0.087	F	0.572	17000	G
To: SR 5; SR 199																
From: New Kent County Line																
(60) Richmond Rd	James City County	5.05	6500	G	97%	1%	1%	1%	0%	0%	F	0.089	F	0.645	6600	G
To: SR 30 North of Toano																

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: SR 30 North of Toano																
60 Richmond Rd	James City County	3.12	15000	G	97%	1%	1%	1%	0%	0%	F	0.089	F	0.574	16000	G
To: 47-607 Croaker Rd																
60 Richmond Rd	James City County	2.85	20000	G	97%	1%	1%	1%	0%	0%	C	0.087	F	0.551	22000	G
To: 47-614 Centerville Rd																
60 Richmond Rd	James City County	0.15	25000	G	97%	1%	1%	1%	0%	0%	F	0.085	F	0.54	27000	G
To: SR 199																
60 Richmond Rd	James City County	1.81	14000	G	97%	1%	1%	1%	0%	0%	F	0.087	F	0.62	15000	G
To: 47-658 Olde Towne Rd																
60 Richmond Rd	James City County	0.43	22000	N	98%	0%	1%	0%	0%	0%	N	0.079	N	0.523	24000	N
To: WCL Williamsburg																
60 Richmond Rd	City of Williamsburg	1.37	22000	G	98%	0%	1%	0%	0%	0%	F	0.079	F	0.523	24000	G
To: Ironbound Rd																
60 Richmond Rd	City of Williamsburg	0.30	24000	G	98%	0%	1%	0%	0%	0%	C	0.082	F	0.562	25000	G
To: Bypass Rd																
60 Bypass Rd	City of Williamsburg	0.11	25000	G	99%	0%	0%	0%	0%	0%	C	0.076	F	0.548	27000	G
To: NCL Williamsburg																
60 Bypass Rd	City of Williamsburg	0.50	15000	G	98%	0%	1%	0%	0%	0%	C	0.085	F	0.516	16000	G
To: Parkway Dr																
60 Bypass Rd	City of Williamsburg	0.16	12000	G	98%	0%	1%	0%	0%	0%	F	0.084	F	0.511	13000	G
To: SR 5 Capitol Landing Rd																
60 5 Page St	City of Williamsburg	0.31	14000	G	98%	1%	1%	0%	0%	0%	F	0.083	F	0.519	15000	G
To: Second Street																
60 5 Page St	City of Williamsburg	0.25	15000	G	98%	1%	1%	0%	0%	0%	C	0.083	F	0.564	16000	G
To: SR 5 Lafayette St; York St																
60 York St	City of Williamsburg	0.60	13000	G	97%	1%	1%	0%	0%	0%	C	0.08	F	0.508	13000	G
To: ECL Williamsburg																
60 Pocahontas Trail	James City County	1.34	7600	G	97%	1%	1%	0%	0%	0%	F	0.092	F	0.53	8300	G
To: SR 199																
60 Pocahontas Trail	James City County	0.04	18000	G	93%	2%	1%	1%	3%	0%	F	0.092	N	0.53	18000	G
To: York County Line																
60 Pocahontas Trail	James City County	3.10	8600	G	93%	2%	1%	1%	3%	0%	C	0.096	F	0.588	9400	G
To: NCL Newport News																
East																
64	James City County	2.45	26000	A	91%	1%	1%	1%	6%	0%	F	0.116	A		23000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			52000	A	91%	1%	1%	1%	7%	0%	F	0.111	A		45000	A
To: SR 30 Old Stage Rd																

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: SR 30 Old Stage Rd															
	James City County	4.28	29000	B	91%	1%	1%	1%	6%	0%	F	0.11	A	26000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	B	91%	1%	1%	1%	7%	0%	F	0.103	A	52000	B	
East 64	From: 47-607 Croaker Rd															
	James City County	1.97	32000	A	91%	1%	1%	1%	6%	0%	F	0.105	A	29000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	A	91%	1%	1%	1%	7%	0%	F	0.099	A	58000	A	
East 64	From: York County Line															
	James City County (Maint: 99)	2.04	39000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	40000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.56	83000	G
East 64	From: SR 143 Merrimac Trail															
	James City County (Maint: 99)	0.30	40000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	42000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	NA		83000	G	
East 64 Ramp	From: I-64-E TO RT 30															
	James City County	0.33	NA									NA		NA		
East 64 Ramp	From: I-64-E227B TO RT 30 EAST															
	James City County	0.03	NA									NA		NA		
East 64 Ramp	From: I-64-E227A TO RT 30 EAST															
	James City County	0.04	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 30 WEST & 607 SOUTH															
	James City County	0.33	NA									NA		NA		
East 64 Ramp	From: I-64-E TO RT 30 EAST & 607 NORTH															
	James City County	0.20	NA									NA		NA		
East 64 Ramp	From: I-64 East															
	James City County	0.25	2400	G								0.136	F	2400	G	
West 64	From: New Kent County Line															
	James City County	2.89	26000	A	90%	1%	1%	1%	7%	0%	F	0.118	A	22000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		52000	A	91%	1%	1%	1%	7%	0%	F	0.111	A	45000	A	
West 64	From: SR 30 Old Stage Rd															
	James City County	4.35	29000	B	90%	1%	1%	1%	7%	0%	F	0.110	A	26000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	B	91%	1%	1%	1%	7%	0%	F	0.103	A	52000	B	

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: 47-607 Croaker Rd															
	James City County	1.44	31000	A	90%	1%	1%	1%	7%	0%	F	0.105	A	28000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	A	91%	1%	1%	1%	7%	0%	F	0.099	A	58000	A	
West 64	To: York County Line															
	James City County (Maint: 99)	2.38	42000	G	96%	0%	1%	1%	3%	0%	F	0.079	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.56	83000	G
West 64 Ramp	From: I-64-W TO RT 30															
	James City County	0.29	NA									NA		NA		
West 64 Ramp	To: I-64-W227B TO RT 30 WEST R															
	James City County	0.02	NA									NA		NA		
West 64 Ramp	From: I-64-W227A TO RT 30 WEST															
	James City County	0.08	NA									NA		NA		
West 64 Ramp	To: SR 30 FROM I-64 WEST															
	James City County	0.21	NA									NA		NA		
West 64 Ramp	From: I-64-W TO RT 30 EAST & 607 NORTH															
	James City County	0.31	NA									NA		NA		
132 Henry St South	To: SR 199															
	City of Williamsburg	1.77	3600	G	99%	0%	1%	0%	0%	0%	C	0.098	F	0.519	3900	G
132 Henry St South	From: Ireland Street															
	City of Williamsburg	0.08	5400	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.621	5800	G
132 5 Henry St	To: SR 5 Henry St; Francis St															
	City of Williamsburg	0.38	5500	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.531	5800	G
132 Henry St North	From: FRANCIS ST															
	City of Williamsburg	0.44	6400	G	96%	1%	2%	0%	0%	0%	C	0.089	F	0.596	6800	G
132 N.Henry St	To: SR 132 Y															
	City of Williamsburg	0.16	9400	G	96%	1%	2%	0%	0%	0%	F	0.088	F	0.640	10000	G
Wye 132	To: York County Line															
	City of Williamsburg	0.29	5400	G	98%	1%	0%	0%	0%	0%	F	NA		5800	G	
143 Merrimac Trail	From: SR 132 N.Henry St															
	James City County	2.44	9300	G	98%	0%	1%	1%	0%	0%	F	0.134	F	0.513	10000	G
	To: NCL Newport News															
	To: York County Line															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
143 Merrimac Trail	From: York County Line															
	James City County	1.12	15000	G	98%	0%	1%	1%	0%	0%	F	0.091	F	0.534	17000	G
143 Merrimac Trail	To: York County Line															
	From: ECL Williamsburg															
143 Merrimac Trail	City of Williamsburg	0.90	6700	G	98%	0%	1%	0%	0%	0%	C	0.096	F	0.539	7200	G
143 Merrimac Trail	To: SR 5 Capital Landing Rd															
	From: City of Williamsburg	0.37	8800	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.506	9400	G
199	To: York County Line															
	From: US 60 Richmond Rd															
199	James City County	2.48	23000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.51	25000	G
199	To: 47-612 Longhill Rd															
	From: James City County	1.83	28000	G	98%	1%	1%	0%	0%	0%	C	0.092	F	0.549	31000	G
199	To: SR 321 Monticello Ave															
	From: James City County	1.45	27000	G	97%	0%	1%	1%	1%	0%	F	0.087	F	0.584	30000	G
199 5	To: SR 5, 47-616, 137-7073 John Tyler Mem Hwy															
	From: James City County	0.22	35000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.575	38000	G
199 5	To: WCL Williamsburg															
	From: City of Williamsburg (Maint: 47)	0.24	35000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.575	38000	G
199	To: SR 5; SR 31 Jamestown Rd															
	From: City of Williamsburg (Maint: 47)	0.07	36000	G	97%	0%	1%	1%	1%	0%	F	0.089	F	0.555	39000	G
199	To: James City County Line															
	From: ECL Williamsburg															
199	James City County	0.07	36000	N	97%	0%	1%	1%	1%	0%	N	0.089	N	0.555	39000	N
199	To: WCL Williamsburg															
	From: James City County Line															
199	City of Williamsburg (Maint: 47)	0.09	36000	N	97%	0%	1%	1%	1%	0%	N	0.089	N	0.555	39000	N
199	To: ECL Williamsburg															
	From: James City County	0.11	36000	G	97%	0%	1%	1%	1%	0%	F	0.089	F	0.555	39000	G
199	To: 47-700 Brookwood Dr															
	From: James City County	1.44	33000	G	97%	1%	1%	1%	0%	0%	C	0.096	F	0.575	36000	G
199	To: SR 132 Henry St, Colonial Parkway															
	From: James City County	1.11	33000	G	97%	0%	1%	1%	1%	0%	F	0.094	F	0.555	36000	G
199	To: Mounts Bay Rd, Quarterpath Rd															
	From: James City County	1.19	31000	G	97%	0%	1%	1%	1%	0%	F	0.094	F	0.571	34000	G
321 Monticello Ave	To: York County Line, US 60 Pocahontas Trail															
	From: SR 199															
321 Monticello Ave	James City County	0.92	24000	G	99%	0%	1%	0%	0%	0%	C	0.084	F	0.591	24000	G
321 Monticello Ave	To: 47-615 Ironbound Rd															
	From: City of Williamsburg (Maint: 47)	0.77	18000	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.568	19000	G
	To: Compton Dr															

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
359 Jamestown Festival Parkway	James City County	0.34	2200	G	99%	0%	0%	0%	0%	0%	C	0.127	F	0.755	2300	G
	From: Colonial Pkwy															
	To: SR 31 Jamestown Rd															
90003 Colonial Parkway	James City County (Maint: US)	8.05	2400	O								NA			NA	
	From: Jamestown Visitor Center															
	To: Williamsburg Corporate Limit															
90003 Colonial Parkway	City of Williamsburg (Maint: US)	3.20	4700	O								NA			NA	
	From: James City County Line															
	To: York County Line															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(F135)	0.41	NA										NA		NA		
(F136)	0.29	30	R									NA		NA		10/18/2007
(F137) Cloverleaf Lane	0.42	70	R									NA		NA		10/18/2007
(F137) Rochambeau Dr	1.05	830	R									NA		NA		10/18/2007
(F137) Rochambeau Dr	4.69	4200	R									NA		NA		09/20/2007
(F663)	0.20	50	R									NA		NA		10/18/2007
(F664)	0.54	50	R									NA		NA		10/18/2007
(F665)	0.24	45	R									NA		NA		04/06/2010
(F666)	0.15	30	R									NA		NA		10/18/2007
(F667)	0.13	200	R									NA		NA		10/18/2007
(F827)	0.05	NA										NA		NA		
(F1062)	0.20	30	R									NA		NA		10/18/2007
(600) Six Mount Zion Rd	0.76	190	R									NA		NA		04/30/2010
(600) Six Mount Zion Rd	1.19	110	G									NA		110	G	2011
(600) Six Mount Zion Rd	0.90	70	R									NA		NA		04/30/2010
(601) Hicks Island Rd	1.38	640	R									NA		NA		04/30/2010
(601) Barnes Rd	1.10	260	R									NA		NA		04/30/2010
(601) Barnes Rd	1.80	340	R									NA		NA		04/30/2010
(601) Barnes Rd	0.60	1200	G									NA		1200	G	2011
(601) Holly Forks Rd	0.83	610	R									NA		NA		04/30/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(602) Fenton Mill Rd	1.71	3300	R									NA		NA		04/30/2010
						From: York County Line										
						To: 47-607 Croaker Rd										
(602) Fenton Mill Rd	0.14	150	R									NA		NA		10/07/2007
						From: 47-609 Cedar Point Lane										
(602) Old Mill Lane	0.23	1100	R									NA		NA		04/30/2010
						From: 47-1628 Crosscut Court										
(602) Old Mill Lane	0.13	720	R									NA		NA		04/30/2010
						From: 47-1629 Timber Lane										
(603) Diascund Rd	3.77	760	G	97%	1%	1%	1%	0%	0%	C	0.13	F	0.527	770	G	2011
						From: 47-610 Forge Rd										
						To: US 60 E, Richmond Rd										
(603) Diascund Reservoir Rd	0.35	930	R									NA		NA		04/30/2010
						From: US 60 W, Richmond Rd										
						To: 47-622 Racefield Dr										
(603) Diascund Reservoir Rd	0.35	930	R									NA		NA		04/30/2010
						From: New Kent County Line										
(605) Croaker Landing	1.00	350	R									NA		NA		04/13/2010
						From: 47-607 Sycamore Landing Rd; Croaker Rd										
						To: Dead End										
(606) Ware Creek Rd	2.10	20	R									NA		NA		10/07/2007
						From: 47-600 Six Mount Zion Rd										
						To: 47-608 Mt Laurel Rd										
(606) Ware Creek Rd	1.30	200	R									NA		NA		04/13/2010
						From: 47-607 S, Croaker Rd										
						To: 47-607 N, Croaker Rd										
(606) Riverview Rd	2.91	380	R									NA		NA		04/13/2010
						From: 47-646 Newman Rd										
(606) Riverview Rd	1.22	460	R									NA		NA		04/13/2010
						From: 47-735 W, Plantation Dr										
(606)	0.08	410	R									NA		NA		04/06/2010
						From: 47-642 W, Four Mile Tree Rd										
(606)	0.09	250	R									NA		NA		04/06/2010
						From: 47-693 Pleasant Point Rd										
(606)	0.07	180	R									NA		NA		04/06/2010
						From: 47-642 E, Four Mile Tree Rd										
(606)	0.24	100	R									NA		NA		04/06/2010
						From: 47-735 Plantation Dr										
(607) Croaker Rd	0.51	9200	G	96%	1%	2%	0%	1%	0%	C	0.095	F	0.502	9400	G	2011
						From: US 60 Richmond Rd										
						To: 47-760										
(607) Croaker Rd	0.38	9100	G	96%	1%	2%	0%	1%	0%	F	0.097	F	0.543	9300	G	2011
						From: SR 30 W, Rochambeau Dr										
						To: I-64; SR 30										
(607) Croaker Rd	0.09	6800	G	93%	1%	2%	3%	1%	0%	C	0.09	F	0.513	7000	G	2011
						From: 47-602 Fenton Mill Rd										
(607) Croaker Rd	0.72	3700	G	93%	1%	2%	3%	1%	0%	F	0.094	F	0.547	3800	G	2011
						From: 47-606 S, Ware Creek Rd										
						To: 47-606 N, Ware Creek Rd										
(607) Croaker Rd	1.93	1200	G	93%	1%	2%	3%	1%	0%	F	0.103	F	0.654	1200	G	2011
						From: 47-605 Croaker Landing										
(607) Sycamore Landing Rd	1.85	360	R									NA		NA		04/06/2010
						From: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(608) Mt Laurel Rd	2.32	40	R								NA			NA		04/06/2010
			From: 47-600 Six Mount Zion Rd													
			To: 47-606 Ware Creek Rd													
(609) Cedar Point Lane	0.23	150	R								NA			NA		04/06/2010
			From: FR-136													
(609) Cedar Point Lane	0.11	1000	R								NA			NA		04/06/2010
			From: 47-1605 Elmwood Lane													
(609) Cedar Point Lane	0.27	1300	R								NA			NA		04/06/2010
			From: 47-602 Old Mill Lane; Fenton Mill Rd													
(609)	0.30	370	R								NA			NA		04/06/2010
			From: 47-607 S. Croaker Rd													
			To: 47-607 N. Croaker Rd													
			To: 47-606 Riverview Rd													
(610) Brickyard Rd	0.60	40	R								NA			NA		04/06/2010
			From: Dead End													
(610) Forge Rd	1.11	1800	R								NA			NA		04/06/2010
			From: 47-715 North Riverside Dr													
(610) Forge Rd	3.10	2700	G	96%	1%	1%	0%	2%	0%	C	0.095	F	0.621	2800	G	2011
			From: 47-603 Diascund Res Rd													
			To: US 60 Richmond Rd													
(611) Jolly Pond Rd	0.20	280	R								NA			NA		04/06/2010
			From: 47-633 Jolly Pond Rd; Bush Neck Rd													
(611) Jolly Pond Rd	0.10	170	R								NA			NA		04/06/2010
			From: 47-764 Deerwood Dr													
(611) Jolly Pond Rd	3.79	1200	R								NA			NA		04/06/2010
			From: 0.10 ME 47-764 Deerwood Dr													
(611) Jolly Pond Rd	1.20	1200	R								NA			NA		04/06/2010
			From: 47-632 Cranstons Mill Pond Rd													
			To: 47-614 Centerville Rd													
(612) Longhill Rd	1.41	7200	G	98%	1%	1%	0%	0%	0%	F	0.097	F	0.503	7300	G	2011
			From: 47-614 Centerville Rd													
(612) Longhill Rd	1.96	17000	G	98%	1%	1%	0%	0%	0%	C	0.093	F	0.619	18000	G	2011
			From: 0.24 ME 47-830													
(612) Longhill Rd	0.19	12000	R								NA			NA		04/06/2010
			From: 47-615 Longhill Connector Rd													
(612) Longhill Rd	0.27	8800	R								NA			NA		04/06/2010
			From: SR 322 Eastern State Hospital													
			To: WCL Williamsburg													
(613) Brick Bat Rd	2.58	360	G								NA			360	G	2011
			From: SR 5 John Tyler Mem Hwy													
(613) News Rd	2.20	3600	G	99%	1%	0%	0%	0%	0%	F	0.102	F	0.562	3700	G	2011
			From: 47-614 S. Centerville Rd													
(613) News Rd	0.65	8300	G	99%	1%	0%	0%	0%	0%	C	0.096	F	0.659	8400	G	2011
			From: 47-614 N. Centerville Rd													
(613) News Rd	0.12	11000	G	99%	1%	0%	0%	0%	0%	F	0.093	F	0.506	11000	G	2011
			From: 47-1480 W. Powhatan Secondary													
			To: 47-5000 Monticello Ave													
(614) Greensprings Rd	1.99	3200	G	96%	1%	2%	1%	0%	0%	F	0.103	F	0.652	3200	G	2011
			From: 47-615 Ironbound Rd; 47-783													
(614) Centerville Rd	3.70	4800	G	96%	1%	2%	1%	0%	0%	F	0.094	F	0.605	4900	G	2011
			From: FR-665													
			To: SR 5 W, John Tyler Mem Hwy													
			To: SR 5 E, John Tyler Mem Hwy													
			To: 47-633 Jolly Pond Rd													

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(614) Centerville Rd	2.97	8400	G								0.084	F	0.503	8600	G	2011
(614) Centerville Rd	1.30	9700	G	96%	1%	2%	1%	0%	0%	C	0.085	F	0.544	10000	G	2011
(615) Ironbound Rd	0.45	1200	R								NA			NA		04/06/2010
(615) Ironbound Rd	0.67	7200	G	98%	1%	1%	0%	0%	0%	F	0.097	F	0.532	7600	G	2011
(615) Ironbound Rd	1.25	9700	G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.504	10000	G	2011
(615) Ironbound Rd	0.64	2000	G	98%	1%	1%	0%	0%	0%	F	0.118	F	0.726	2100	G	2011
(615) Ironbound Rd	0.13	9000	G	98%	1%	1%	0%	0%	0%	F	0.093	F	0.555	9600	G	2011
(615) Ironbound Rd	0.76	11000	G	98%	1%	1%	0%	0%	0%	C	0.089	F	0.517	11000	G	2011
(615) Longhill Connector Rd	0.59	7800	G	98%	1%	1%	0%	0%	0%	F	0.093	F	0.601	8300	G	2011
(615) Longhill Connector Rd	0.25	9300	G	98%	1%	1%	0%	0%	0%	F	0.096	F	0.569	9900	G	2011
(616) Strawberry Plains Rd	1.12	7500	G	98%	1%	1%	0%	0%	0%	C	0.090	F	0.508	8200	G	2011
(617) Treasure Island Rd	1.40	50	R								NA			NA		04/06/2010
(617) Lake Powell Rd	1.16	1500	G	97%	1%	1%	1%	0%	0%	C	0.092	F	0.547	1600	G	2011
(617) Lake Powell Rd	0.24	680	R								NA			NA		04/06/2010
(618) Lake Powell Rd	0.22	130	R								NA			NA		05/15/2010
(618) Lake Powell Rd	1.28	70	R								NA			NA		05/15/2010
(620)	0.45	60	R								NA			NA		05/15/2010
(621) Stewarts Rd	1.00	240	R								NA			NA		05/15/2010
(622) Racefield Dr	1.30	670	R								NA			NA		05/15/2010
(622) Racefield Dr	1.48	110	R								NA			NA		08/15/2007
(622) Racefield Dr	0.77	500	R								NA			NA		05/15/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(623) Maupin Place	0.09	90	R									NA		NA		05/15/2010
(624) Coleman Dr	0.10	120	R									NA		NA		03/22/2010
(627) Malvern Circle	0.05	20	R									NA		NA		04/22/2010
(629) Hickory Signpost Rd	1.30	670	R									NA		NA		04/01/2010
(630)	0.05	120	R									NA		NA		03/16/2010
(630)	0.35	20	R									NA		NA		03/16/2010
(631)	3.85	380	R									NA		NA		03/16/2010
(631) Chickahominy Rd	2.10	1700	G	91%	3%	4%	1%	1%	0%	C	0.102	F	0.571	1700	G	2011
(632) Cranstons Mill Pond Rd	1.49	520	R									NA		NA		03/16/2010
(633) Bush Neck Rd	3.20	210	R									NA		NA		08/15/2007
(633) Jolly Pond Rd	2.20	30	R									NA		NA		03/16/2010
(634) Fire Tower Rd	0.90	150	R									NA		NA		03/22/2010
(635)	0.23	80	R									NA		NA		03/15/2010
(636)	0.14	150	R									NA		NA		03/15/2010
(639)	0.60	270	R									NA		NA		03/15/2010
(639) Llewellyn Dr	0.06	50	R									NA		NA		03/15/2010
(639) Llewellyn Dr	0.03	20	R									NA		NA		03/15/2010
(640) Powhatan Springs Rd	0.31	690	R									NA		NA		03/15/2010
(641) Tyler Dr	0.27	160	R									NA		NA		03/15/2010
(642) Four Mile Tree Rd	0.25	50	R									NA		NA		04/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(642) Four Mile Tree Rd	0.17	100	R								NA			NA		04/06/2010
			From: 47-606 EAST													
(642) Four Mile Tree Rd	0.10	40	R								NA			NA		04/06/2010
			From: 47-693 Pleasant Point Rd													
			To: Dead End													
(643) Magruder Lane	0.10	110	R								NA			NA		03/22/2010
			From: 47-644 Monument Dr													
			To: 99-641 York County Line													
(644) Monument Dr	0.09	80	R								NA			NA		03/22/2010
			From: Dead End													
(644) Monument Dr	0.07	150	R								NA			NA		03/22/2010
			From: 47-643 Magruder Lane													
			To: 99-641 York County Line													
(645)	0.14	3600	R								NA			NA		03/22/2010
			From: US 60 Richmond Rd													
			To: York County Line; 99-603													
(646) Newman Rd	0.50	1300	G	97%	1%	1%	0%	0%	0%	C	0.100	F	0.725	1400	G	2011
			From: York County Line													
(646) Newman Rd	1.01	1100	G	97%	1%	1%	0%	0%	0%	F	0.099	F	0.551	1100	G	2011
			From: 47-768 North Cove Rd													
			To: 47-606 Riverview Rd													
(647)	0.46	220	R								NA			NA		03/22/2010
			From: 47-676 Farmville Lane													
			To: 47-676 Farmville Lane													
(648) Howard Dr	0.35	430	R								NA			NA		04/06/2010
			From: US 60 Pocahontas Trail													
			To: 47-654 E, Jackson St													
(648) Whiting Ave	0.20	10	R								NA			NA		04/06/2010
			From: 47-654 W, Jackson St													
			To: 47-655 Church St													
(648)	0.06	340	R								NA			NA		04/06/2010
			From: 47-692 Railroad St													
			To: Dead End													
(649) Bush Springs Rd	0.74	420	R								NA			NA		04/06/2010
			From: US 60 Richmond Rd													
			To: 47-669 S, Gilbert Adams Rd													
(650) Foley Dr	0.27	140	R								NA			NA		03/22/2010
			From: 47-624 Coleman Dr													
(650) Foley Dr	0.15	70	R								NA			NA		03/22/2010
			From: 47-669 N, Gilbert Adams Rd													
(651) Davis Dr	0.28	130	R								NA			NA		03/22/2010
			From: SR 143 W, Merrimac Trail													
			To: SR 143 E, Merrimac Trail													
(652)	0.05	90	R								NA			NA		03/22/2010
			From: 47-1476 Burnley Dr													
(652)	0.45	250	R								NA			NA		03/22/2010
			From: 47-722													
(652)	0.11	970	G								NA			970	G	2011
			From: 47-713 Hermitage Rd													
			To: SR 5 John Tyler Mem Hwy													
(653) Duer Dr	0.10	130	R								NA			NA		03/22/2010
			From: 47-689 Gilley Dr													
(653) Duer Dr	0.07	250	R								NA			NA		03/22/2010
			From: 47-688 Vaiden Dr													
			To: 47-687 Leon Dr													

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(653) Duer Dr	0.13	490	R									NA		NA		03/22/2010
(654) Jackson St	0.28	510	R									NA		NA		03/22/2010
(654) Jackson St	0.04	410	R									NA		NA		03/22/2010
(654) Jackson St	0.05	520	R									NA		NA		03/22/2010
(655) Church St	0.32	520	R									NA		NA		03/22/2010
(656) Magruder Ave	0.09	660	R									NA		NA		03/22/2010
(656) Woodside Dr	0.15	440	R									NA		NA		03/22/2010
(656) Woodside Dr	0.48	380	R									NA		NA		03/22/2010
(656) Woodside Dr	0.07	410	R									NA		NA		03/22/2010
(656) Woodside Dr	0.05	430	R									NA		NA		03/22/2010
(656) Woodside Dr	0.16	460	R									NA		NA		03/22/2010
(656) Woodside Dr	0.04	320	R									NA		NA		03/22/2010
(657) Ivy Hill Rd	1.30	240	R									NA		NA		03/22/2010
(658) Olde Towne Rd	0.91	8100	G	98%	1%	1%	0%	0%	0%	C	0.109	F	0.51	8600	G	2011
(658) Olde Towne Rd	0.27	9200	G	98%	1%	1%	0%	0%	0%	F	0.099	F	0.550	9800	G	2011
(658) Olde Towne Rd	0.18	9100	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.548	9700	G	2011
(659) Menzels Rd	1.25	80	R									NA		NA		03/22/2010
(660) Juniper Court	0.04	340	R									NA		NA		03/22/2010
(661) Jackson Dr	0.22	210	R									NA		NA		03/22/2010
(661) Jackson Dr	0.04	400	R									NA		NA		03/22/2010
(661) Jackson Dr	0.09	470	R									NA		NA		03/22/2010
(661) Jackson Dr	0.10	510	R									NA		NA		03/22/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(662) Stuart Circle	0.09	70	R			From: 47-661 S, Jackson Dr					NA			NA		03/22/2010
(662) Lee Dr	0.12	780	R			To: 47-661 N, Jackson Dr					NA			NA		03/24/2010
						From: SR 143 Merrimac Trail										
(663) Mahogany Lane	0.08	180	R			To: 47-656 Woodside Dr					NA			NA		03/24/2010
						From: 47-655 Church St										
(665) Turners Neck Rd	0.15	120	R			To: Dead End					NA			NA		03/24/2010
						From: 47-631										
(666) Cooley Rd	0.04	70	R			To: Cul-de-Sac					NA			NA		04/01/2010
(666) Cooley Rd	0.09	140	R			From: 47-697 Gladys Dr					NA			NA		04/01/2010
(666) Cooley Rd	0.07	180	R			To: 47-722 Deer Spring Rd					NA			NA		04/01/2010
(666) Cooley Rd	0.18	210	R			From: 47-720 Richards Rd					NA			NA		04/01/2010
(666) Cooley Rd	0.23	490	R			To: 0.18 ME 47-720 Richards Rd					NA			NA		04/01/2010
						From: SR 5 John Tyler Mem Hwy										
(667)	0.30	290	R			To: Dead End					NA			NA		04/01/2010
						From: 47-656 Woodside Dr										
(668) Madison Rd	0.21	160	R			To: 47-669 Gilbert Adams Rd					NA			NA		04/01/2010
						From: 99-641; 99-668 York County Line										
(669) Gilbert Adams Rd	0.10	880	R			To: SR 143 Merrimac Trail					NA			NA		04/01/2010
(669) Gilbert Adams Rd	0.09	650	G			From: 47-661 Jackson Dr					NA		650	G	2011	
(669) Gilbert Adams Rd	0.04	600	R			To: 47-641 Tyler Dr					NA			NA		04/01/2010
(669) Gilbert Adams Rd	0.02	590	R			From: 47-668 Madison Rd					NA			NA		04/01/2010
(669) Adams Rd	0.11	510	R			To: 47-650 S, Foley Dr					NA			NA		04/01/2010
(669) Adams Rd	0.04	490	R			From: 47-650 N, Foley Dr					NA			NA		04/01/2010
						To: 99-641 York County Line										
(670)	0.10	100	R			From: SR 31; 47-682					NA			NA		04/01/2010
(670)	0.11	30	R			To: 47-671 W, The Colony					NA			NA		04/01/2010
						From: 47-671 E, The Colony										
(671) The Colony	0.11	120	R			To: 47-682 Neck-O-Land Rd					NA			NA		03/15/2010
(671) The Colony	0.15	110	R			From: 47-670 WEST					NA			NA		03/15/2010
(671) The Colony	0.10	30	R			To: 47-670 EAST					NA			NA		03/15/2010
						From: 47-618 Lake Powell Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(672) Carriage Rd	0.06	830	R								NA		NA			03/15/2010
(672) Carriage Rd	0.24	750	R								NA		NA			03/15/2010
(672) Carriage Rd	0.06	430	R								NA		NA			04/16/2010
(672) Carriage Rd	0.30	140	R								NA		NA			04/16/2010
(673)	0.03	70	R								NA		NA			04/16/2010
(673)	0.09	90	R								NA		NA			04/16/2010
(673)	0.55	190	R								NA		NA			04/16/2010
(674) Leisure Rd	0.31	60	R								NA		NA			04/16/2010
(675) Grove Heights Ave	0.10	110	R								NA		NA			04/16/2010
(675) Grove Heights Ave	0.13	80	R								NA		NA			04/16/2010
(675) Grove Heights Ave	0.10	100	R								NA		NA			04/16/2010
(676) Farmville Lane	0.03	70	R								NA		NA			04/16/2010
(676) Farmville Lane	0.02	100	R								NA		NA			04/16/2010
(676) Farmville Lane	0.06	450	R								NA		NA			04/16/2010
(676) Farmville Lane	0.07	530	R								NA		NA			04/16/2010
(676) Farmville Lane	0.04	690	R								NA		NA			04/16/2010
(676) Farmville Lane	0.06	1000	R								NA		NA			04/16/2010
(676) Farmville Lane	0.06	110	R								NA		NA			04/16/2010
(677) Government Rd	0.07	2600	R								NA		NA			04/16/2010
(678) Ruth Lane	0.36	190	R								NA		NA			04/16/2010
(679) Crossover Rd	0.16	110	R								NA		NA			04/16/2010
(680) Four-H Club Rd	0.39	3100	R								NA		NA			03/10/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(680) Four-H Club Rd	0.19	70	R											NA		03/10/2010
(681) Sandy Bay Rd	0.35	120	R											NA		03/10/2010
(681) Sandy Bay Rd	0.27	5100	G	98%	1%	1%	0%	0%	0%	C	0.1	F	0.507	5400	G	2011
(682) Neck-O-Land Rd	0.93	1000	R											NA		03/10/2010
(682) Neck-O-Land Rd	0.55	1300	R											NA		03/10/2010
(684) Thomas Nelson Lane	0.05	120	R											NA		03/10/2010
(684) Thomas Nelson Lane	0.28	260	R											NA		03/10/2010
(685) Tyler Brooks Dr	0.17	270	R											NA		03/10/2010
(686) Wallace Rd	0.13	240	R											NA		03/10/2010
(687)	0.02	240	R											NA		03/10/2010
(687)	0.06	110	R											NA		03/10/2010
(687)	0.09	100	R											NA		03/10/2010
(687) Leon Dr	0.10	130	R											NA		04/01/2010
(687) Leon Dr	0.18	620	R											NA		04/01/2010
(688) Vaiden Dr	0.12	48	R											NA		04/01/2010
(689) Gilley Dr	0.12	70	R											NA		04/01/2010
(690) Commons Way	0.10	110	R											NA		04/01/2010
(691)	0.09	30	R											NA		04/01/2010
(692) Railroad St	0.40	360	R											NA		04/06/2010
(693) Pleasant Point Rd	0.15	90	R											NA		04/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(694) Lake Dr	0.10	30	R			From: 47-695 Ware Rd					NA			NA		04/06/2010
(694) Lake Dr	0.16	110	R			To: 47-627 Malvern Circle					NA			NA		04/06/2010
(694) Lake Dr	0.05	310	R			From: 47-695 Ware Rd					NA			NA		04/06/2010
(694) Lake Dr						To: SR 31 Jamestown Rd										
(695) Ware Rd	0.27	130	R			From: 47-694 Lake Dr					NA			NA		04/06/2010
(695) Ware Rd						To: 47-694 Lake Dr										
(696) York River Rd	2.10	80	R			From: 47-606 Riverview Rd					NA			NA		04/06/2010
(696) York River Rd						To: Dead End										
(697) Gladys Dr	0.08	90	R			From: 47-666 Cooley Rd					NA			NA		04/01/2010
(697) Gladys Dr						To: Cul-de-Sac										
(698) Rogers Court	0.04	50	R			From: Dead End					NA			NA		04/01/2010
(698) Rogers Court						To: 47-617 Lake Powell Rd										
(699) Camp Rd	0.50	120	R			From: Dead End					NA			NA		04/01/2010
(699) Camp Rd						To: US 60 Richmond Rd										
(700) Brookwood Dr	0.13	1400	G			From: Dead End					NA			1400	G	2011
(700) Brookwood Dr	0.08	8800	G			To: 47-617 Lake Powell Rd				0.103	F	0.523		9400	G	2011
(700) Brookwood Dr						To: SR 199										
(701) Laurel Court	0.05	60	R			From: 47-703 Laurel Lane					NA			NA		04/01/2010
(701) Laurel Court						To: Cul-de-Sac										
(702) Willow Dr	0.02	10	R			From: Dead End					NA			NA		04/01/2010
(702) Willow Dr	0.15	200	R			To: 47-703 Laurel Lane					NA			NA		04/01/2010
(702) Willow Dr						To: 47-617 Lake Powell Rd										
(703) Laurel Lane	0.06	130	R			From: 47-702 Willow Dr					NA			NA		04/01/2010
(703) Laurel Lane	0.10	960	R			To: 47-704 Shore Dr					NA			NA		04/01/2010
(703) Laurel Lane	0.05	1100	R			From: 47-701 Laurel Court					NA			NA		04/01/2010
(703) Laurel Lane						To: 47-700 Brookwood Dr										
(704) Shore Dr	0.07	100	R			From: Dead End					NA			NA		04/01/2010
(704) Shore Dr	0.27	220	R			To: 47-710 Colony Point Rd					NA			NA		04/01/2010
(704) Shore Dr						To: 47-703 Laurel Lane										
(705) Richardson Rd	0.29	310	R			From: New Kent County Line					NA			NA		04/01/2010
(705) Richardson Rd						To: 47-601 Barnes Rd										
(706) Winston Dr	0.15	140	R			From: 47-706 Winston Dr					NA			NA		04/01/2010
(706) Winston Dr	0.21	70	R			To: 47-719 S, Hurst St					NA			NA		04/01/2010
(706) Winston Dr						To: 47-719 N, Hurst St										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(706) Winston Dr	0.08	210	R			From: 47-719 N, Hurst St					NA		NA			04/01/2010
(706) Winston Dr	0.15	190	R			To: 47-706 N, Winston Dr					NA		NA			04/01/2010
(706) Winston Dr	0.09	780	R			To: 47-707 Kathryl Court					NA		NA			04/01/2010
						From: SR 31 Jamestown Rd										
(707) Kathryl Court	0.11	110	R			To: Dead End					NA		NA			04/01/2010
						From: 47-706 Winston Dr										
(708) Selby Lane	0.13	210	R			To: Cul-de-Sac					NA		NA			04/06/2010
						From: 99-677 York County Line										
(709) Chestnut Dr	0.22	190	R			To: 47-724 Dogwood Dr					NA		NA			04/06/2010
						From: 47-617 Lake Powell Rd										
(710) Colony Point Rd	0.17	140	R			To: 47-704 Shore Dr					NA		NA			04/06/2010
(710) Colony Point Rd	0.06	30	R			To: 47-786 North Court					NA		NA			04/06/2010
						From: Cul-de-Sac										
(712) Ferncliff Dr	0.10	410	R			To: SR 5 John Tyler Mem Hwy					NA		NA			04/06/2010
(712) Ferncliff Dr	0.10	240	R			To: 47-714 Surry Dr					NA		NA			04/06/2010
(712) Ferncliff Dr	0.23	150	R			To: 47-713 Hermitage Rd					NA		NA			04/06/2010
						From: Dead End										
(713) Hermitage Rd	0.06	120	R			To: 47-652 Stanley Dr					NA		NA			04/06/2010
(713) Hermitage Rd	0.09	40	R			To: 47-714 Surry Dr					NA		NA			04/06/2010
						From: 47-712 Ferncliff Dr										
(714) Surry Dr	0.06	60	R			To: 47-713 Hermitage Rd					NA		NA			04/06/2010
						From: 47-712 Ferncliff Dr										
(715) North Riverside Dr	0.28	110	R			To: Dead End					NA		NA			04/06/2010
(715) North Riverside Dr	0.65	440	R			To: 47-716 Hampton Dr					NA		NA			04/06/2010
(715) North Riverside Dr	0.33	1200	R			To: 47-1014 Otey Dr					NA		NA			04/06/2010
(715) North Riverside Dr	0.95	1400	R			To: 47-1009 Old Stage Rd					NA		NA			04/06/2010
						From: 47-610 Forge Rd; Brickyard Rd										
(716) Hampton Dr	0.14	200	R			To: 47-715 North Riverside Dr					NA		NA			04/06/2010
(716) South Riverside Dr	0.07	80	R			To: 47-1008 Riverside Dr					NA		NA			04/06/2010
(716) South Riverside Dr	0.06	80	R			To: 47-1007 Richmond Ave					NA		NA			04/06/2010
(716) South Riverside Dr	0.30	230	R			To: 47-1014 Otey Dr					NA		NA			04/06/2010
						From: 47-737 Canal St										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(716) South Riverside Dr	0.27	240	R			From: 47-737 Canal St					NA		NA			04/06/2010
						To: Cul-de-Sac										
(717) Druid Court	0.20	160	R			From: 47-732 Braddock Rd					NA		NA			04/06/2010
(717) Druid Court	0.12	270	R			From: 0.20 MN 47-732					NA		NA			04/06/2010
(717) Druid Court	0.04	30	R			From: 47-727 Oxford Rd					NA		NA			04/06/2010
						To: Dead End										
(718) Oxford Circle	0.09	120	R			From: 47-727 Oxford Rd					NA		NA			04/06/2010
						To: Dead End										
(719) Hurst St	0.06	90	R			From: 47-706 Winston Dr					NA		NA			04/06/2010
						To: 47-706 Winston Dr										
(720) Richards Rd	0.19	60	R			From: 47-666 Cooley Rd					NA		NA			04/06/2010
						To: 47-687										
(721) Settlers Lane	0.28	150	R			From: 47-614 Centerville Rd					NA		NA			04/06/2010
						To: Cul-de-Sac										
(722) Deer Spring Rd	0.17	690	R			From: 47-666 Cooley Rd					NA		NA			04/06/2010
						To: 47-687 EAST										
(722)	0.07	170	R			From: 47-687 WEST					NA		NA			04/01/2010
						To: 47-652 Stanley Dr										
(723) Old Church Rd	0.30	210	R			From: Dead End					NA		NA			04/01/2010
						To: US 60 Richmond Rd										
(724) Dogwood Dr	0.13	120	R			From: 47-709 Chestnut Dr					NA		NA			04/01/2010
						To: 47-725 Redbud Lane										
(724) Dogwood Dr	0.07	220	R			From: 47-617 Lake Powell Rd					NA		NA			03/18/2010
						To: 47-1330 Rolling Woods Dr										
(725) Redbud Lane	0.14	60	R			From: 47-724 Dogwood Dr					NA		NA			03/18/2010
						To: 47-1401 Spring Rd										
(726) Kingswood Dr	0.03	80	R			From: 47-734 Dover Rd					NA		NA			03/18/2010
(726) Kingswood Dr	0.33	140	R			From: 47-727 Oxford Rd					NA		NA			03/18/2010
						To: Dead End										
(727) Oxford Rd	0.01	70	R			From: 47-732 Braddock Rd					NA		NA			03/18/2010
(727) Oxford Rd	0.05	300	R			From: 47-718 Oxford Circle					NA		NA			03/18/2010
(727) Oxford Rd	0.14	420	R			From: 47-717 Druid Court					NA		NA			03/18/2010
(727) Oxford Rd	0.02	640	R			From: 0.03 ME 47-717					NA		NA			03/18/2010
(727) Oxford Rd	0.16	420	R			From: 47-734 Dover Rd					NA		NA			03/18/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(727) Oxford Rd	0.08	600	R									NA		NA		03/18/2010
(728) Raleigh Square	0.12	280	R									NA		NA		03/15/2010
(728) Raleigh Square	0.07	320	R									NA		NA		03/15/2010
(729) Albemarle Dr	0.20	100	R									NA		NA		03/15/2010
(730) Jesters Lane	0.28	280	R									NA		NA		03/15/2010
(731) Anthony Wayne Rd	0.14	140	R									NA		NA		03/15/2010
(732) Braddock Rd	0.05	30	R									NA		NA		03/15/2010
(732) Braddock Rd	0.24	130	R									NA		NA		03/15/2010
(733) Chanco Rd	0.15	80	R									NA		NA		04/01/2010
(734) Dover Rd	0.27	120	R									NA		NA		04/01/2010
(735) Plantation Dr	0.50	210	R									NA		NA		04/06/2010
(736) Berkely Town Rd	0.21	170	R									NA		NA		04/06/2010
(737) Canal St	0.64	390	R									NA		NA		04/06/2010
(737) Osprey Dr	0.31	390	N									NA		NA		04/06/2010
(739) Greenway Circle	0.08	48	R									NA		NA		04/06/2010
(740) Alesa Dr	0.03	180	R									NA		NA		04/06/2010
(740) Alesa Dr	0.12	200	R									NA		NA		04/06/2010
(741) Debra Dr	0.09	120	R									NA		NA		04/06/2010
(742) Old News Rd	0.68	2800	G	98%	0%	1%	0%	0%	0%	C	0.105	F	0.685	2900	G	2011
(743) Williams Circle	0.07	80	R									NA		NA		03/15/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(746) Old Stage Rd	1.50	890	R			From: SR 30 WEST; FR-827					NA			NA		03/15/2010
(746)	1.30	860	R			From: SR 30 MID					NA			NA		03/15/2010
						To: SR 30 E, Rochambeau Dr										
(747) Tewning Rd	0.34	1400	R			From: Cul-de-Sac					NA			NA		03/15/2010
						To: WCL Williamsburg										
(748) Mosby Lane	0.15	60	R			From: Dead End					NA			NA		03/15/2010
						To: 99-642 York County Line										
(749) Sherwood Forest	0.26	120	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-606; 47-735										
(750) Wickre St	0.25	260	R			From: Dead End					NA			NA		05/22/2010
						To: 99-641 York County Line										
(751) Mt Laurel Rd	0.40	530	R			From: 47-746					NA			NA		03/31/2010
(751) Mt Laurel Rd	0.13	130	R			From: 47-1625 Sand Dr					NA			NA		03/31/2010
						To: Dead End										
(753) Orange Dr	0.13	320	R			From: SR 143 Merrimac Trail					NA			NA		03/31/2010
						To: 99-677; York County Line										
(754) Industrial Blvd	0.38	850	R			From: US 60 Richmond Rd					NA			NA		03/31/2010
						To: Dead End										
(755) Rochambeau Dr	0.64	1600	R			From: FR-137 Cloverleaf Lane					NA			NA		03/31/2010
						To: SR 30; 47-607 Croaker Rd										
(756)	0.42	360	R			From: 47-746					NA			NA		03/31/2010
						To: 47-1624 Welstead St										
(757)	0.14	120	R			From: Dead End					NA			NA		03/31/2010
						To: 99-641 Penniman Rd										
(758) Maxton Lane	0.48	330	R			From: Dead End					NA			NA		03/31/2010
						To: 47-607 Croaker Rd										
(759)	0.55	580	R			From: US 60 Richmond Rd					NA			NA		03/31/2010
						To: Dead End										
(760)	0.21	570	R			From: Dead End					NA			NA		03/31/2010
(760)	0.07	990	R			From: 47-1640 Mirror Lake Dr					NA			NA		03/31/2010
						To: 47-607 Croaker Rd										
(761)	0.22	2000	R			From: US 60 Richmond Rd					NA			NA		04/01/2010
(761)	0.04	20	R			From: 47-630					NA			NA		08/15/2007
						To: Dead End										
(762)	0.14	550	R			From: 47-615 Ironbound Rd					NA			NA		04/07/2010
						To: 47-740 Alesa Dr										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(763) Watford Lane	0.23	150	R			From: 47-615 Ironbound Rd					NA			NA		04/07/2010
						To: 47-672 Carriage Rd										
(764) Deerwood Dr	0.31	100	R			From: 47-611 Jolly Pond Rd					NA			NA		04/07/2010
						To: Cul-de-Sac										
(765) Dickson Circle	0.04	40	R			From: 47-639 Llewellyn Dr					NA			NA		04/07/2010
						To: Cul-de-Sac										
(766)	1.03	60	R			From: Dead End					NA			NA		04/06/2010
						To: 47-610 Forge Rd										
(767) North Cove Rd	0.32	190	R			From: Dead End					NA			NA		04/06/2010
						To: 47-631										
(768)	0.05	110	R			From: Cul-de-Sac					NA			NA		04/06/2010
(768)	0.19	160	R			From: 47-769 Barlows Rd					NA			NA		04/06/2010
						To: 47-646 Newman Rd										
(769)	0.21	120	R			From: Cul-de-Sac					NA			NA		04/06/2010
(769) Barlows Rd	0.11	80	R			From: 47-768					NA			NA		04/06/2010
						To: Cul-de-Sac										
(770) Overton Trail	0.06	100	R			From: 47-746 Old Stage Rd					NA			NA		04/06/2010
						To: 47-772 Highfield Dr										
(771) Halfpenny Dr	0.06	60	R			From: 47-746 Old Stage Rd					NA			NA		04/06/2010
						To: 47-772 Highfield Dr										
(772) Highfield Dr	0.10	60	R			From: 47-771 Halfpenny Dr					NA			NA		04/06/2010
						To: 47-770 Overton Trail										
(772) Highfield Dr	0.10	47	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-769										
(773)	0.04	20	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: Cul-de-Sac										
(774)	0.31	45	R			From: Cul-de-Sac					NA			NA		08/17/2007
						To: US 60 Pocahontas Trail										
(775) Friendship Dr	0.13	70	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-631 Chickahominy Rd										
(776) Monticello Ave	0.98	1400	R			From: 47-614 Centerville Rd					NA			NA		08/17/2007
						To: Greensprings Plantation Dr										
(776) Greensprings Plantation Dr	0.37	NA				From: Monticello Ave					NA			NA		
						To: SR 5 John Tyler Memorial Hwy										
(777) Natures Way	0.14	30	R			From: Dead End					NA			NA		04/06/2010
						To: 47-766										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(780) Midlands Rd	0.12	1100	R								NA			NA		04/06/2010
(783) Ironbound Rd	0.39	1100	G	99%	1%	0%	0%	0%	0%	C	0.098	F	0.597	1100	G	2011
(784)	0.11	110	R								NA			NA		08/17/2007
(785) Melissa Lane	0.36	20	R								NA			NA		04/06/2010
(786) North Court	0.07	60	R								NA			NA		04/06/2010
(787) South Court	0.07	50	R								NA			NA		04/06/2010
(790) Lakeside Circle	0.03	4	R								NA			NA		03/15/2010
(795) The Point Dr	0.32	40	R								NA			NA		03/15/2010
(830)	0.89	240	R								NA			NA		08/17/2007
(1001) Waterview Rd	0.11	200	R								NA			NA		03/15/2010
(1001) Church Lane	0.20	330	R								NA			NA		03/15/2010
(1001) Church Lane	0.20	420	R								NA			NA		03/15/2010
(1001) Church Lane	0.14	500	R								NA			NA		03/15/2010
(1001)	0.07	690	R								NA			NA		03/15/2010
(1001)	0.65	820	R								NA			NA		03/15/2010
(1001)	0.15	220	R								NA			NA		03/15/2010
(1002) School Lane	0.31	350	R								NA			NA		03/15/2010
(1002)	0.06	510	R								NA			NA		03/15/2010
(1002) Toano Dr	0.10	580	R								NA			NA		03/15/2010
(1003) Chesapeake Ave	0.07	270	R								NA			NA		08/17/2007
(1004) Tom Taylor Rd	0.25	220	R								NA			NA		03/15/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1005	Branchs Pond Rd	0.19	140	R								NA		NA		03/15/2010
1007	Richmond Ave	0.11	70	R								NA		NA		03/15/2010
1008	Riverside Dr	0.13	70	R								NA		NA		03/15/2010
1009	Old Stage Rd	0.44	140	R								NA		NA		03/15/2010
1010	Holly Lane	0.14	40	R								NA		NA		03/15/2010
1011	Laurel Lane	0.17	60	R								NA		NA		03/15/2010
1012	River Dr	0.09	20	R								NA		NA		03/15/2010
1012	River Rd	0.07	60	R								NA		NA		03/15/2010
1012	River Rd	0.09	50	R								NA		NA		03/15/2010
1013	White Oak Dr	0.40	100	R								NA		NA		03/15/2010
1014	Otey Dr	0.30	340	R								NA		NA		03/15/2010
1014	Otey Dr	0.09	500	R								NA		NA		03/15/2010
1014	Otey Dr	0.27	380	R								NA		NA		03/15/2010
1015	Warrens Pond Rd	0.15	140	R								NA		NA		04/01/2010
1016	Tabiatha Lane	0.20	60	R								NA		NA		04/01/2010
1017	Church Lane	0.51	310	R								NA		NA		04/01/2010
1018	Little Creek Rd	0.07	47	R								NA		NA		04/01/2010
1018	Little Creek Rd	0.19	150	R								NA		NA		04/01/2010
1019	Hankins Industrial Park Rd	0.17	340	R								NA		NA		04/01/2010
1020	Summer Ct	0.07	40	R								NA		NA		04/01/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1020) Turnlington Rd	0.05	130	R								NA			NA		04/01/2010
(1020) Turnlington Rd	0.14	140	R								NA			NA		04/01/2010
(1020) Turnlington Rd	0.08	160	R								NA			NA		04/01/2010
(1020) Turnlington Rd	0.29	480	R								NA			NA		04/01/2010
(1021) Hinton St	0.05	100	R								NA			NA		04/01/2010
(1022) Michelles Circle	0.05	50	R								NA			NA		04/01/2010
(1022) Vincent Dr	0.15	60	R								NA			NA		04/01/2010
(1022)	0.12	80	R								NA			NA		04/01/2010
(1023) Joys Circle	0.05	48	R								NA			NA		04/01/2010
(1024) Jonathan Ct	0.06	80	R								NA			NA		04/01/2010
(1025) Waverly Lane	0.36	110	R								NA			NA		04/01/2010
(1026) Matthew Court	0.22	80	R								NA			NA		04/01/2010
(1027) Ridgedale Ave	0.03	770	R								NA			NA		04/01/2010
(1027) Ridgedale Ave	0.06	110	R								NA			NA		04/01/2010
(1028) Crestview Dr	0.05	110	R								NA			NA		04/01/2010
(1028) Crestview Dr	0.09	350	R								NA			NA		04/01/2010
(1028) Woodridge Ct	0.04	100	R								NA			NA		04/01/2010
(1029) Pinecrest Circle	0.10	200	R								NA			NA		04/01/2010
(1030) Merry Oaks Lane	0.76	350	R								NA			NA		03/31/2010
(1031) Hilltop Court	0.11	40	R								NA			NA		03/31/2010
(1031) Hilltop Court	0.07	70	R								NA			NA		03/31/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1032) Cedar Dr	0.10	10	R								NA		NA			03/31/2010
(1035)	0.46	NA									NA		NA			
(1036) Ingram Rd	0.20	720	R								NA		NA			03/11/2010
(1036) Ingram Rd	0.20	810	R								NA		NA			03/11/2010
(1037) Toano Woods Rd	0.16	490	R								NA		NA			04/06/2010
(1037) Toano Woods Rd	0.07	350	R								NA		NA			04/06/2010
(1037) Toano Woods Rd	0.13	40	R								NA		NA			04/06/2010
(1038) Thacher Dr	0.28	110	R								NA		NA			04/06/2010
(1038) Thacher Dr	0.11	190	R								NA		NA			04/06/2010
(1038) Thacher Dr	0.03	370	R								NA		NA			04/06/2010
(1039) Marlbrook Dr	0.26	100	R								NA		NA			04/06/2010
(1040) Preakness Lane	0.10	380	R								NA		NA			04/06/2010
(1041) Belmont Dr	0.11	180	R								NA		NA			04/06/2010
(1041) Belmont Dr	0.06	180	R								NA		NA			04/06/2010
(1045) La Grange Pkwy	0.53	200	R								NA		NA			10/02/2007
(1046) Westmont	0.14	310	R								NA		NA			10/02/2007
(1047) John Deere	0.09	190	R								NA		NA			10/02/2007
(1050) Wellesley Blvd	0.60	210	R								NA		NA			10/02/2007
(1050) Wellesley Blvd	0.34	1200	R								NA		NA			04/06/2010
(1051) Tewkesbury Way	0.26	210	R								NA		NA			04/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1052) Weathersfield Way	0.30	140	R				From: 47-1050 Wellesley Blvd				NA		NA		04/06/2010	
							To: Cul-de-Sac									
(1053) Chelsea Crescent	0.12	360	R				From: 47-1050; 47-1057				NA		NA		04/06/2010	
							To: 47-1050; Gap									
(1053) Chelsea Crescent	0.05	120	R				From: 47-1052 Weathersfield Way				NA		NA		04/06/2010	
							To: 47-1051 Tewkesbury Way									
(1054) Mayfair Circle	0.04	290	R				From: 47-1055 South Mayfair Circle				NA		NA		04/06/2010	
							To: 47-1050 Wellesley Blvd									
(1055) South Mayfair Circle	0.49	290	R				From: 47-1054 Mayfair Circle				NA		NA		04/06/2010	
							To: 47-1054 Mayfair Circle									
(1056) Shrewsbury Square	0.13	100	R				From: 47-1050 Wellesley Blvd				NA		NA		04/06/2010	
							To: 47-1050 Wellesley Blvd									
(1057)	0.39	380	R				From: Cul-de-Sac				NA		NA		04/06/2010	
							To: 47-1050 Wellesley Blvd									
(1058)	0.03	50	R				From: 47-1057				NA		NA		04/05/2010	
							To: Cul-de-Sac									
(1059)	0.03	40	R				From: 47-1057				NA		NA		04/05/2010	
							To: Cul-de-Sac									
(1060)	0.32	490	R				From: Cul-de-Sac				NA		NA		04/05/2010	
							To: 47-1057									
(1061)	0.04	48	R				From: Cul-de-Sac				NA		NA		04/05/2010	
							To: 47-1050 Wellesley Blvd									
(1062)	0.05	80	R				From: 47-1050; 47-1052				NA		NA		04/05/2010	
							To: Cul-de-Sac									
(1070)	0.42	570	R				From: 47-1644 Lock Haven Dr				NA		NA		04/05/2010	
							To: 47-1071									
(1070)	0.31	520	R				From: 47-1071				NA		NA		04/05/2010	
							To: SR 30 Rochambeau Dr									
(1071)	0.33	120	R				From: 47-1073				NA		NA		04/05/2010	
							To: 47-1070; 47-1073									
(1072)	0.04	40	R				From: 47-1071				NA		NA		04/05/2010	
							To: Cul-de-Sac									
(1073)	0.24	200	R				From: 47-1081				NA		NA		04/05/2010	
							To: 47-1077									
(1073)	0.39	120	R				From: 47-1077				NA		NA		04/05/2010	
							To: 47-1070; 47-1071									
(1074)	0.04	50	R				From: 47-1073				NA		NA		04/05/2010	
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1075)	0.09	100	R									NA		NA		04/05/2010
(1076)	0.08	90	R									NA		NA		04/05/2010
(1077)	0.04	45	R									NA		NA		04/05/2010
(1078)	0.06	50	R									NA		NA		04/05/2010
(1079)	0.04	48	R									NA		NA		04/05/2010
(1080)	0.04	30	R									NA		NA		04/05/2010
(1081)	0.44	70	R									NA		NA		04/05/2010
(1082)	0.06	80	R									NA		NA		04/05/2010
(1083)	0.06	70	R									NA		NA		04/05/2010
(1084)	0.03	50	R									NA		NA		04/05/2010
(1085)	0.51	130	R									NA		NA		04/05/2010
(1086)	0.03	20	R									NA		NA		04/05/2010
(1087)	0.03	10	R									NA		NA		04/05/2010
(1088)	0.05	40	R									NA		NA		04/05/2010
(1099)	0.17	90	R									NA		NA		04/05/2010
(1100)	Chestnut Hill Court	0.05	130	R								NA		NA		03/17/2010
(1101)	John Rolfe Lane	0.10	280	R								NA		NA		03/17/2010
(1101)	John Rolfe Lane	0.06	590	R								NA		NA		03/17/2010
(1101)	John Rolfe Lane	0.15	1000	R								NA		NA		03/17/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1101) John Rolfe Lane	0.11	1200	R				From: 47-1109 Proctor Circle					NA		NA		03/17/2010
(1101) John Rolfe Lane	0.50	1400	R				To: 47-1103 Pasbehegh Dr					NA		NA		03/17/2010
							From: SR 5 John Tyler Mem Hwy									
(1102) The Maine West	0.25	200	R				To: Dead End					NA		NA		03/17/2010
(1102) The Maine West	0.05	280	R				From: 47-1117 Cardinal Court					NA		NA		03/17/2010
(1102)	0.26	260	R				To: 47-1101 John Rolfe Lane					NA		NA		03/17/2010
(1102)	0.04	250	R				From: 47-1111 West Circle					NA		NA		03/17/2010
(1102)	0.19	250	R				To: 47-1105 W, Argall Town Lane					NA		NA		03/17/2010
(1102)	0.11	290	R				From: 47-1105 E, Argall Town Lane					NA		NA		03/17/2010
(1102) The Maine	0.28	400	R				To: 47-1106 Powie Circle					NA		NA		03/17/2010
(1102) The Maine	0.08	520	R				From: 47-1113 Berkeley Circle					NA		NA		03/17/2010
(1102) The Maine	0.20	630	R				To: 47-1104 S, Jordans Journey					NA		NA		03/17/2010
(1102) The Maine	0.18	810	R				From: 47-1114 Barrows Mount					NA		NA		03/17/2010
(1102) The Maine	0.11	1000	R				To: 47-1104 N, Jordans Journey					NA		NA		03/17/2010
(1102) The Maine	0.18	1400	R				From: 47-1103 Pasbehegh Dr					NA		NA		03/17/2010
(1103) Pasbehegh Dr	0.11	410	R				To: 47-614 Greensprings Rd					NA		NA		03/17/2010
(1103) Pasbehegh Dr	0.09	440	R				From: 47-1101 John Rolfe Lane					NA		NA		03/17/2010
(1103) Pasbehegh Dr	0.48	480	R				To: 47-1108 Lawnes Circle					NA		NA		03/17/2010
(1103) Pasbehegh Dr	0.48	480	R				From: 47-1107 Falling Creek Circle					NA		NA		03/17/2010
(1104) Jordans Journey	0.14	80	R				To: 47-1102 The Maine					NA		NA		03/17/2010
(1104) Jordans Journey	0.18	210	R				From: 47-1102 The Maine					NA		NA		03/17/2010
(1104) Jordans Journey	0.12	240	R				To: 47-1115 Crossover Rd					NA		NA		03/17/2010
(1104) Jordans Journey	0.11	320	R				From: 47-1116 Bermuda Circle					NA		NA		03/17/2010
(1104) Jordans Journey	0.11	320	R				To: 47-1114 Barrows Mount					NA		NA		03/17/2010
(1105) Argall Town Lane	0.26	150	R				From: 47-1102					NA		NA		03/17/2010
(1106) Powie Circle	0.07	60	R				To: 47-1102					NA		NA		03/17/2010
							From: 47-1102 The Maine									
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1107) Falling Creek Circle	0.16	100	R								NA			NA		03/17/2010
(1108) Lawnes Circle	0.06	50	R								NA			NA		03/17/2010
(1109) Proctor Circle	0.06	49	R								NA			NA		03/17/2010
(1110) Curles Circle	0.07	80	R								NA			NA		03/17/2010
(1111) West Circle	0.03	20	R								NA			NA		03/17/2010
(1112) Shelbank Rd	0.13	100	R								NA			NA		03/17/2010
(1113) Berkeley Circle	0.13	260	R								NA			NA		03/17/2010
(1114) Barrows Mount	0.09	80	R								NA			NA		03/17/2010
(1114) Barrows Mount	0.11	110	R								NA			NA		03/17/2010
(1115) Crossover Rd	0.10	40	R								NA			NA		03/17/2010
(1116) Bermuda Circle	0.09	90	R								NA			NA		03/17/2010
(1117) Cardinal Court	0.10	90	R								NA			NA		03/17/2010
(1118) Neal Court	0.07	80	R								NA			NA		03/18/2010
(1119) Robins Way	0.12	340	R								NA			NA		03/18/2010
(1120) Fieldcrest Court	0.16	420	R								NA			NA		03/18/2010
(1120) Fieldcrest Court	0.05	80	R								NA			NA		03/18/2010
(1121) Deerfield Ct	0.43	60	R								NA			NA		03/18/2010
(1121) Deerfield Ct	0.07	250	R								NA			NA		03/18/2010
(1122) Mallard Cove	0.08	130	R								NA			NA		03/18/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1123) Quail Hollow	0.10	130	R								NA		NA			03/18/2010
(1124) Green Swamp Rd	0.16	100	R								NA		NA			03/18/2010
(1125) Saw Mill Rd	0.33	120	R								NA		NA			03/18/2010
(1126) Nelms Lane	0.18	250	R								NA		NA			03/18/2010
(1127) Lancaster Court	0.13	190	R								NA		NA			03/18/2010
(1128) Greenbrier	0.19	310	R								NA		NA			03/18/2010
(1129) Fernwood	0.10	130	R								NA		NA			03/18/2010
(1130) Jameswood Way	0.15	560	R								NA		NA			03/18/2010
(1130) Jameswood Way	0.06	450	R								NA		NA			03/18/2010
(1130) Jameswood Way	0.12	220	R								NA		NA			03/18/2010
(1131) Maple Lane	0.12	210	R								NA		NA			03/18/2010
(1132) Evergreen Way	0.11	120	R								NA		NA			03/18/2010
(1132) Evergreen Way	0.10	620	R								NA		NA			03/18/2010
(1133) Loxley Lane	0.12	60	R								NA		NA			03/18/2010
(1134)	0.20	130	R								NA		NA			08/21/2007
(1135) Heritage Landing Rd	0.04	190	R								NA		NA			03/18/2010
(1135) Heritage Landing Rd	0.38	210	R								NA		NA			03/18/2010
(1135) Heritage Landing Rd	0.15	650	R								NA		NA			03/18/2010
(1136) Timber Ridge	0.24	230	R								NA		NA			03/18/2010
(1136) Timber Ridge	0.08	120	R								NA		NA			03/18/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1137) Pine Hollow Path	0.10	170	R								NA			NA		03/18/2010
(1138) Pinedell Lane	0.13	160	R								NA			NA		03/18/2010
(1139) Sweet Gum Lane	0.11	140	R								NA			NA		03/18/2010
(1140) Ash View	0.05	60	R								NA			NA		03/18/2010
(1141) Beechnut Court	0.05	50	R								NA			NA		03/18/2010
(1147) Mulberry Lane	0.39	330	R								NA			NA		08/21/2007
(1148) Bliss Armstead Court	0.04	80	R								NA			NA		08/21/2007
(1149) William Ludwell Lee	0.13	200	R								NA			NA		08/21/2007
(1150) Mott Lane	0.61	710	R								NA			NA		03/18/2010
(1151) Manion Dr	0.20	210	R								NA			NA		03/18/2010
(1151) Manion Dr	0.09	130	R								NA			NA		03/18/2010
(1153) Derby Lane	0.53	330	R								NA			NA		03/18/2010
(1155)	0.21	650	R								NA			NA		03/18/2010
(1160) Plowman Dr	0.25	220	R								NA			NA		04/13/2010
(1161) Squires Way	0.16	100	R								NA			NA		04/13/2010
(1161) Squires Way	0.22	110	R								NA			NA		04/13/2010
(1162) Harness Court	0.05	110	R								NA			NA		04/13/2010
(1162) Harness Court	0.05	70	R								NA			NA		04/13/2010
(1163) West Miller Rd	0.18	110	R								NA			NA		04/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1170) Francis Berkeley	1.67	460	R				47-614 Centerville Rd				NA			NA		03/18/2010
							Cul-de-Sac									
(1171) Philip Ludwell	0.56	270	R				47-614 Centerville Rd				NA			NA		03/18/2010
							Cul-de-Sac									
(1172) Mary Byrd	0.04	50	R				Cul-de-Sac				NA			NA		03/18/2010
							47-1171 Philip Ludwell									
(1173) John Shropshire	0.14	160	R				Cul-de-Sac				NA			NA		03/18/2010
							47-1170 Francis Berkeley									
(1174) William Hodgson	0.07	80	R				Cul-de-Sac				NA			NA		03/18/2010
							47-1173 John Shropshire									
(1175) George Mason	0.21	130	R				Cul-de-Sac				NA			NA		03/18/2010
							Cul-de-Sac									
(1176) Elizabeth Killebrew	0.05	60	R				Cul-de-Sac				NA			NA		03/18/2010
							47-1175 George Mason									
(1177) Samuel Mathews	0.05	70	R				Cul-de-Sac				NA			NA		03/18/2010
							47-1170 Francis Berkeley									
(1178) Captain Drew	0.04	30	R				Cul-de-Sac				NA			NA		03/18/2010
							47-1170 Francis Berkeley									
(1179) Giles Bland	0.03	48	R				47-1170 Francis Berkeley				NA			NA		03/18/2010
							Cul-de-Sac									
(1180) William Lee	0.04	70	R				47-1170 Francis Berkeley				NA			NA		03/18/2010
							Cul-de-Sac									
(1190) Eagle Way	0.24	1700	R				Dead End				NA			NA		10/25/2007
							SR 5 John Tyler Mem Hwy									
(1201) Kingspoint Dr	0.13	80	R				Dead End				NA			NA		03/18/2010
							47-1215 Acacia Court									
(1201) Kingspoint Dr	0.08	220	R				47-1214 Cove Rd				NA			NA		03/18/2010
							47-1211 Crownpoint Rd									
(1201) Kingspoint Dr	0.04	1200	R				47-1206 Northpoint Rd				NA			NA		03/18/2010
							47-1205 Glenwood Court									
(1201) Kingspoint Dr	0.06	1400	R				47-1204 Woodbine Court				NA			NA		03/18/2010
							47-1203 Fern Court									
(1201) Kingspoint Dr	0.03	1900	R				47-1202 Ivy Court				NA			NA		03/18/2010
							SR 132; SR 199									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1202) Ivy Court	0.02	30	R								NA			NA		03/18/2010
(1203) Fern Court	0.02	20	R								NA			NA		03/25/2010
(1204) Woodbine Court	0.06	110	R								NA			NA		03/25/2010
(1204) Woodbine Court	0.09	46	R								NA			NA		03/25/2010
(1205) Glenwood Court	0.09	80	R								NA			NA		03/25/2010
(1206) Northpoint Rd	0.14	130	R								NA			NA		03/25/2010
(1206) Northpoint Rd	0.08	220	R								NA			NA		03/25/2010
(1206) Northpoint Rd	0.07	300	R								NA			NA		03/25/2010
(1206) Northpoint Rd	0.07	410	R								NA			NA		03/25/2010
(1206) Northpoint Rd	0.09	520	R								NA			NA		03/25/2010
(1207) Wakerobin Rd	0.09	110	R								NA			NA		03/25/2010
(1208) Meadow Rue Court	0.04	90	R								NA			NA		03/25/2010
(1209) Crestwood Dr	0.06	60	R								NA			NA		03/25/2010
(1210) Black Oak Dr	0.06	50	R								NA			NA		03/25/2010
(1211) Crownpoint Rd	0.14	120	R								NA			NA		03/25/2010
(1211) Crownpoint Rd	0.12	610	R								NA			NA		03/25/2010
(1211) Crownpoint Rd	0.13	890	R								NA			NA		03/25/2010
(1212) Aspen Court	0.05	70	R								NA			NA		03/25/2010
(1213) Overlook Dr	0.10	580	R								NA			NA		03/25/2010
(1213) Overlook Dr	0.12	150	R								NA			NA		03/25/2010
(1214) Cove Rd	0.18	100	R								NA			NA		03/25/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1215	Acacia Court	0.04	40	R								NA		NA		03/25/2010
1216	Southpoint Dr	0.22	200	R								NA		NA		03/25/2010
1216	Southpoint Dr	0.07	620	R								NA		NA		03/25/2010
1216	Southpoint Dr	0.10	700	R								NA		NA		03/25/2010
1217	Cedar Court	0.06	60	R								NA		NA		03/25/2010
1218	Archer Hope Rd	0.20	180	R								NA		NA		03/25/2010
1218	Archer Hope Rd	0.03	230	R								NA		NA		03/25/2010
1218	Pinepoint Rd	0.27	180	R								NA		NA		03/25/2010
1219	Archers Court	0.06	60	R								NA		NA		03/25/2010
1220	Fieldstone Pkwy	0.78	1100	R								NA		NA		10/25/2007
1220	Fieldstone Pkwy	1.17	NA									NA		NA		
1221	Mill Pond Run	1.42	960	R								NA		NA		10/25/2007
1221	Mill Pond Run	0.53	430	R								NA		NA		03/25/2010
1222	Heartwood Crossing	0.17	50	R								NA		NA		10/25/2007
1223	Leatherleaf Dr	0.32	100	R								NA		NA		10/25/2007
1224	Turning Leaf Dr	0.06	70	R								NA		NA		10/25/2007
1225	Ridge Dr	0.62	320	R								NA		NA		10/25/2007
1226	Mountain Berry Ct	0.05	110	R								NA		NA		10/25/2007
1227	Mountain Berry Ct	0.08	90	R								NA		NA		10/25/2007
1228	Hollowoak Dr	0.26	150	R								NA		NA		10/25/2007

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1229 Hidden Nest Dr	0.12	60	R											NA		10/25/2007
1230	0.24	210	R											NA		10/25/2007
1231	0.54	190	R											NA		10/25/2007
1232	0.09	80	R											NA		10/25/2007
1233	0.39	80	R											NA		10/25/2007
1234	0.13	70	R											NA		10/25/2007
1235	0.30	150	R											NA		10/25/2007
1236	0.23	170	R											NA		10/25/2007
1237	0.37	50	R											NA		10/25/2007
1238	0.16	40	R											NA		10/25/2007
1239	0.16	30	R											NA		10/25/2007
1240	0.17	40	R											NA		10/25/2007
1241	0.56	60	R											NA		10/25/2007
1242	0.17	280	R											NA		10/25/2007
1243	0.19	120	R											NA		10/25/2007
1244	0.24	130	R											NA		10/25/2007
1245	0.11	110	R											NA		10/25/2007
1246	0.20	70	R											NA		10/25/2007
1247	0.06	50	R											NA		10/25/2007

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1248	0.13	150	R									NA		NA		03/25/2010
1249	0.04	10	R									NA		NA		03/25/2010
1250	0.27	140	R									NA		NA		10/25/2007
1260	1.31	310	R									NA		NA		03/25/2010
1261	0.26	120	R									NA		NA		03/25/2010
1262	0.38	NA										NA		NA		
1263	0.16	230	R									NA		NA		03/25/2010
1264	0.57	900	R									NA		NA		03/25/2010
1265	0.18	180	R									NA		NA		03/25/2010
1266	0.06	60	R									NA		NA		03/25/2010
1267	0.07	100	R									NA		NA		03/25/2010
1267	0.07	100	R									NA		NA		03/25/2010
1268	0.58	410	R									NA		NA		03/25/2010
1269	0.44	150	R									NA		NA		03/25/2010
1270	0.07	20	R									NA		NA		03/25/2010
1271	0.04	110	R									NA		NA		03/25/2010
1279	0.43	NA										NA		NA		
1280	0.28	NA										NA		NA		
1281	0.05	NA										NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1282)	0.16	NA					From: Cul-de-Sac/					NA				NA
							To: Cul-de-Sac/									
(1283)	0.08	NA					From: 47-01280(B)/					NA				NA
							To: Cul-de-Sac/									
(1284)	0.24	NA					From: Cul-de-Sac/					NA				NA
							To: Cul-de-Sac/									
(1285)	0.15	NA					From: 47-01279(B)/					NA				NA
							To: Cul-de-Sac/									
(1286)	0.32	NA					From: Cul-de-Sac/					NA				NA
							To: Cul-de-Sac/									
(1289)	0.10	40		R			From: 47-1241					NA				07/30/2010
							To: Cul-de-Sac									
(1290)	0.19	110		R			From: 47-1221 Mill Pond Run					NA				07/30/2010
							To: Cul-de-Sac									
(1291)	0.11	30		R			From: Cul-de-Sac					NA				07/30/2010
							To: 47-1221 Mill Pond Run									
(1292)	0.12	80		R			From: Cul-de-Sac					NA				07/30/2010
							To: 47-1221 Mill Pond Run									
(1293)	0.17	80		R			From: 47-1221 Mill Pond Run					NA				07/30/2010
							To: Cul-de-Sac									
(1294)	0.05	10		R			From: 47-1241					NA				07/30/2010
							To: Cul-de-Sac									
(1295)	0.18	120		R			From: 47-1241					NA				07/30/2010
							To: Cul-de-Sac									
(1296)	0.13	70		R			From: 47-1241					NA				07/30/2010
							To: Cul-de-Sac									
(1297)	0.05	30		R			From: Cul-de-Sac					NA				07/30/2010
							To: 47-1241									
(1298)	0.05	40		R			From: 47-1241					NA				07/30/2010
							To: Cul-de-Sac									
(1299)	Windsormeade Way	0.50	1300		R		From: 47-5000 Monticello Ave					NA				07/30/2010
							To: Cul-de-Sac									
(1301)	Plantation Dr	0.30	670		R		From: US 60 Pocahontas Trail					NA				07/30/2010
							To: 47-1302 E, Indian Circle									
(1301)	Massacre Hill Rd	0.19	60		R		From: 47-1302 E, Indian Circle					NA				07/30/2010
							To: 47-1302 W, Indian Circle									
(1302)	Indian Circle	0.54	320		R		From: 47-1301 E, Massacre Hill Rd; Plantation Dr					NA				07/30/2010
							To: 47-1301 W, Massacre Hill Rd									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1302) Indian Circle	0.09	140	R			From: 47-1301 W, Massacre Hill Rd					NA		NA			07/30/2010
						To: 47-1301 EAST										
(1303) Tarleton Bivouac	0.50	90	R			From: US 60 Pocahontas Trail					NA		NA			03/24/2010
						To: US 60 Pocahontas Trail										
(1304) Endeavor Dr	0.47	120	R			From: Cul-de-Sac					NA		NA			03/24/2010
						To: US 60 Pocahontas Trail										
(1305) Blow Flats Rd	0.45	400	R			From: Cul-de-Sac					NA		NA			03/24/2010
						To: US 60 Pocahontas Trail										
(1306) Fiddlers Ridge Pkwy	0.15	240	R			From: Cul-de-Sac					NA		NA			03/24/2010
(1306) Fiddlers Ridge Pkwy	0.06	290	R			From: 47-1308 East Bay; West Bay					NA		NA			03/24/2010
(1306) Fiddlers Ridge Pkwy	0.03	1200	R			From: 47-1307 South Chase					NA		NA			03/24/2010
						To: 47-1310 Berkeleys Green										
(1307) South Chase	0.06	100	R			From: 47-1306 Fiddlers Ridge Pkwy					NA		NA			03/24/2010
						To: Cul-de-Sac										
(1308) West Bay	0.06	100	R			From: 47-1309 North Chase					NA		NA			03/24/2010
(1308) East Bay	0.07	160	R			From: 47-1306 Fiddlers Ridge Pkwy					NA		NA			03/24/2010
						To: Cul-de-Sac										
(1309) North Chase	0.05	80	R			From: Cul-de-Sac					NA		NA			03/24/2010
(1309) North Chase	0.05	80	R			From: 47-1308 West Bay					NA		NA			03/24/2010
						To: Cul-de-Sac										
(1310) Berkeleys Green	0.07	610	R			From: Cul-de-Sac					NA		NA			03/24/2010
(1310) Berkeleys Green	0.18	1700	R			From: 47-1316 Southport Trail					NA		NA			03/24/2010
(1310) Berkeleys Green	0.20	1100	R			From: 47-1311 Wexford Run					NA		NA			03/24/2010
						To: 47-614 Greensprings Rd										
(1311) Wexford Run	0.04	820	R			From: 47-1310 Berkeleys Green					NA		NA			03/24/2010
(1311) Wexford Run	0.05	420	R			From: 47-1312 Southwald Court					NA		NA			03/24/2010
(1311) Wexford Run	0.06	270	R			From: 47-1313 East Brittington; West Brittington					NA		NA			03/24/2010
(1311) Wexford Run	0.04	200	R			From: 47-1314 Chelsford Way					NA		NA			03/24/2010
(1311) Wexford Run	0.05	170	R			From: 47-1315 Lethbridge Lane					NA		NA			03/24/2010
						To: Cul-de-Sac										
(1312) Southwald Court	0.07	70	R			From: 47-1311 Wexford Run					NA		NA			04/11/2010
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1313) West Brittington	0.05	70	R									NA		NA		04/11/2010
(1313) East Brittington	0.05	70	R									NA		NA		04/11/2010
(1314) Chelsford Way	0.07	60	R									NA		NA		04/11/2010
(1315) Lethbridge Lane	0.07	80	R									NA		NA		04/11/2010
(1316) Southport Trail	0.25	1000	R									NA		NA		04/11/2010
(1317) Camrose Dr	0.08	80	R									NA		NA		04/11/2010
(1318) Stanford Place	0.04	60	R									NA		NA		04/11/2010
(1319) West Tiverton	0.05	320	R									NA		NA		09/11/2007
(1319) East Tiverton	0.10	160	R									NA		NA		04/11/2010
(1320) Ashley Way	0.05	70	R									NA		NA		04/11/2010
(1321) Camden Circle	0.05	40	R									NA		NA		04/11/2010
(1322) Mallard Creek Run	0.16	240	R									NA		NA		04/11/2010
(1322) Mallard Creek Run	0.08	290	R									NA		NA		04/11/2010
(1322) Mallard Creek Run	0.05	720	R									NA		NA		04/11/2010
(1323) Stoney Creek Dr West	0.08	350	R									NA		NA		04/11/2010
(1323) Stoney Creek Dr West	0.07	310	R									NA		NA		04/11/2010
(1323) Stoney Creek Dr	0.06	100	R									NA		NA		04/11/2010
(1324) Cedar Run	0.09	140	R									NA		NA		04/11/2010
(1325) Woods Walk Ct	0.06	80	R									NA		NA		04/11/2010
(1325) Holly Brook Dr	0.08	100	R									NA		NA		04/11/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1326)	0.06	80	R									NA		NA		04/11/2010
(1327)	0.10	110	R									NA		NA		04/11/2010
(1328)	0.06	NA										NA		NA		
(1329)	0.03	90	R									NA		NA		09/11/2007
(1330) Rolling Woods Dr	0.06	90	R									NA		NA		03/18/2010
(1330) Rolling Woods Dr	0.04	360	R									NA		NA		03/18/2010
(1330) Rolling Woods Dr	0.08	380	R									NA		NA		03/18/2010
(1330) Rolling Woods Dr	0.10	400	R									NA		NA		03/18/2010
(1330) Rolling Woods Dr	0.08	300	R									NA		NA		03/18/2010
(1330) Rolling Woods Dr	0.07	360	R									NA		NA		03/18/2010
(1331) Hidden Lake Dr	0.07	180	R									NA		NA		03/18/2010
(1331) Hidden Lake Dr	0.08	180	R									NA		NA		03/18/2010
(1331) Hidden Lake Dr	0.12	170	R									NA		NA		03/18/2010
(1331) Hidden Lake Dr	0.16	210	R									NA		NA		03/18/2010
(1332) Linden Lane	0.21	250	R									NA		NA		03/18/2010
(1332) Linden Lane	0.10	370	R									NA		NA		03/18/2010
(1332) Linden Lane	0.12	140	R									NA		NA		03/18/2010
(1332) Linden Lane	0.12	80	R									NA		NA		03/18/2010
(1333) Mockingbird Dr	0.09	180	R									NA		NA		03/18/2010
(1334) Warbler Place	0.06	140	R									NA		NA		03/18/2010
(1334) Warbler Place	0.08	260	R									NA		NA		03/18/2010
(1335) Nuthatch Dr	0.05	110	R									NA		NA		03/18/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1336) Starling Dr	0.06	110	R			From: Cul-de-Sac; O.06 MW					NA			NA		03/18/2010
(1336) Starling Dr	0.07	30	R			From: 47-1335 Nuthatch Dr					NA			NA		03/18/2010
						To: Cul-de-Sac; O.07 ME										
(1337) Hawthorn Lane	0.05	80	R			From: Cul-de-Sac					NA			NA		03/18/2010
(1337) Hawthorn Lane	0.12	200	R			From: 47-1338 Sassafras Court					NA			NA		03/18/2010
(1337) Hawthorn Lane	0.06	140	R			From: 47-1332 Linden Lane					NA			NA		03/18/2010
						To: Cul-de-Sac										
(1338) Sassafras Court	0.04	70	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: 47-1337 Hawthorn Lane										
(1339) Persimmon Place	0.05	130	R			From: Cul-de-Sac					NA			NA		03/18/2010
(1339) Persimmon Place	0.17	40	R			From: 47-1332 Linden Lane					NA			NA		03/18/2010
						To: Cul-de-Sac										
(1341) The Vineyards	0.21	680	R			From: 47-617 Lake Powell Rd					NA			NA		03/18/2010
						To: 47-1342										
(1342)	1.43	660	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: Cul-de-Sac										
(1343) Goodrich Durfey	0.18	60	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: 47-1342										
(1344) Pates Creek	0.18	110	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: 47-1345; 47-1342										
(1345) Burnwether Lane	0.11	150	R			From: 47-1344; 47-1342					NA			NA		03/18/2010
						To: Dead End										
(1346) Campbell Close	0.14	60	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: 47-1345 Burnwether Lane										
(1347) Richard Bolling	0.11	80	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: 47-1342										
(1348) Andre Esteve	0.05	30	R			From: 47-1347 Richard Bolling					NA			NA		03/18/2010
						To: Cul-de-Sac										
(1349) Sarah Spence	0.11	90	R			From: Cul-de-Sac					NA			NA		03/18/2010
						To: 47-1342										
(1350) Two Rivers Rd	0.27	1000	R			From: 47-1351 Two Rivers Rd					NA			NA		03/18/2010
						To: SR 5 John Tyler Memorial Hwy										
(1351) Two Rivers Rd	0.73	810	R			From: 47-1733 Founders Hill North					NA			NA		10/25/2007
(1351) Two Rivers Rd	0.19	1000	R			From: 47-1365 Fowlers Lake Rd					NA			NA		03/18/2010
						To: 47-1362 W, Hornes Lake Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1351) Two Rivers Rd	0.06	1600	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.30	1700	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.34	910	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.15	910	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.21	980	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.09	1300	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.37	890	R								NA			NA		03/18/2010
(1351) Two Rivers Rd	0.03	120	R								NA			NA		10/25/2007
(1352) Whittaker Island Rd	0.08	240	R								NA			NA		03/18/2010
(1352) Whittaker Island Rd	0.06	260	R								NA			NA		03/18/2010
(1352) Whittaker Island Rd	0.13	230	R								NA			NA		03/18/2010
(1352) Whittaker Island Rd	0.04	250	R								NA			NA		03/18/2010
(1352) Whittaker Island Rd	0.05	280	R								NA			NA		03/18/2010
(1353) West Whittaker Close	0.23	110	R								NA			NA		03/18/2010
(1354) East Whittaker Close	0.09	80	R								NA			NA		03/18/2010
(1355) South Freeman Rd	0.22	120	R								NA			NA		03/18/2010
(1356) East Island Rd	0.05	48	R								NA			NA		03/18/2010
(1356) East Island Rd	0.15	180	R								NA			NA		03/18/2010
(1357) Sanctuary Dr	0.20	40	R								NA			NA		03/18/2010
(1357) Sanctuary Dr	0.08	80	R								NA			NA		03/18/2010
(1358) Travis Pond Rd	0.12	150	R								NA			NA		03/18/2010
(1358) Travis Pond Rd	0.12	330	R								NA			NA		03/18/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1359) Travis Close	0.11	80	R									NA		NA		03/18/2010
(1360) West Island Rd	0.19	180	R									NA		NA		03/18/2010
(1360) West Island Rd	0.19	70	R									NA		NA		03/18/2010
(1361) Parkside Lane	0.35	250	R									NA		NA		03/18/2010
(1362) Hornes Lake Rd	0.68	260	R									NA		NA		03/18/2010
(1363) Harpers Mill	0.05	220	R									NA		NA		03/18/2010
(1364) Harpers Mill	0.27	200	R									NA		NA		04/20/2010
(1365) Fowlers Lake Rd	0.24	50	R									NA		NA		04/20/2010
(1366) Hearthstone	0.07	40	R									NA		NA		04/20/2010
(1367) Kitchums Pond Rd	0.15	250	R									NA		NA		04/20/2010
(1367) Kitchums Pond Rd	0.11	210	R									NA		NA		04/20/2010
(1368) Lawnes Creek Rd	0.07	70	R									NA		NA		04/20/2010
(1369) Planters Round	0.18	230	R									NA		NA		04/20/2010
(1370) John Vaughan Rd	0.16	110	R									NA		NA		04/20/2010
(1371) Thomas Smit Lane	0.16	120	R									NA		NA		04/20/2010
(1372) Kitchums Close	0.20	140	R									NA		NA		04/20/2010
(1373) Wingfield Lake Rd	0.64	400	R									NA		NA		04/20/2010
(1374) Wingfield Close	0.07	80	R									NA		NA		04/20/2010
(1375) Ann Johnson Lane	0.04	50	R									NA		NA		04/20/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1376) Elizabeth Champion Ct	0.07	90	R								NA			NA		04/20/2010
(1377) Margret Jones Lane	0.08	80	R								NA			NA		04/20/2010
(1378) River Reach	0.47	90	R								NA			NA		09/12/2007
(1379) Bennetts Pond Rd	0.25	47	R								NA			NA		09/12/2007
(1380) Milden Rd	0.34	420	R								NA			NA		03/31/2010
(1381) Renick Lane	0.06	80	R								NA			NA		03/31/2010
(1382) Lily Lane	0.11	110	R								NA			NA		03/31/2010
(1383) Shady Lane	0.08	90	R								NA			NA		03/31/2010
(1384) Fleetwood Lane	0.06	60	R								NA			NA		03/31/2010
(1385) Shackeltown Lane	0.08	100	R								NA			NA		03/31/2010
(1386) Cherry Walk	0.30	220	R								NA			NA		03/31/2010
(1387) Flavius Court	0.06	60	R								NA			NA		03/31/2010
(1388) Nathaniels Green	0.70	130	R								NA			NA		09/12/2007
(1389) Nathaniels Close	0.07	80	R								NA			NA		09/13/2007
(1390) Bradshaw Dr	0.39	180	R								NA			NA		03/31/2010
(1391) Brannon Lane	0.03	60	R								NA			NA		03/31/2010
(1392) Kathleen Way	0.03	60	R								NA			NA		03/31/2010
(1393) Ernest Lane	0.03	49	R								NA			NA		03/31/2010
(1394) Knott Place	0.04	30	R								NA			NA		03/31/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1395)	0.31	100	R											NA		09/13/2007
(1396) Moses Harper	0.13	140	R											NA		09/13/2007
(1397) Miln House Rd	0.20	90	R											NA		09/13/2007
(1398) Whittles Wood Rd	0.13	140	R											NA		09/13/2007
(1399) North Fowlers Close	0.18	70	R											NA		09/13/2007
(1400) Cardinal Acres Dr	0.10	200	R											NA		03/09/2010
(1401) Spring Rd	0.08	800	R											NA		03/09/2010
(1401) Spring Rd	0.07	720	R											NA		03/09/2010
(1401) Spring Rd	0.01	890	R											NA		03/09/2010
(1401) Spring Rd	0.09	930	R											NA		03/09/2010
(1402) West Kingswood Dr	0.14	140	R											NA		03/09/2010
(1402)	0.11	220	R											NA		03/09/2010
(1402)	0.07	330	R											NA		03/09/2010
(1402)	0.07	500	R											NA		03/09/2010
(1402)	0.07	590	R											NA		03/09/2010
(1403) Royal Court	0.06	80	R											NA		03/09/2010
(1404) Regency Court	0.06	50	R											NA		03/09/2010
(1405) Exeter Court	0.05	50	R											NA		03/09/2010
(1406) South Sulgrave Court	0.02	30	R											NA		09/13/2007
(1406) North Sulgrave Court	0.05	90	R											NA		03/09/2010
(1407) Oak Rd	0.16	380	R											NA		03/09/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1407 Oak Rd	0.24	210	R										NA	NA		03/09/2010
1408 Holly Rd	0.23	110	R										NA	NA		03/09/2010
1408 Holly Rd	0.24	180	R										NA	NA		03/09/2010
1409 Ferry Rd	0.04	40	R										NA	NA		03/09/2010
1409 Ferry Rd	0.08	40	R										NA	NA		03/09/2010
1410 Rickneck Rd	0.11	140	R										NA	NA		09/18/2007
1410 Rickneck Rd	0.08	280	R										NA	NA		03/09/2010
1411 Edgewood Lane	0.16	110	R										NA	NA		03/09/2010
1412 Canham Rd	0.08	90	R										NA	NA		03/09/2010
1415 Old Colony Lane	0.06	1300	R										NA	NA		03/09/2010
1416 Running Cedar Way	0.09	100	R										NA	NA		09/18/2007
1417 Running Cedar Way	0.08	100	R										NA	NA		03/09/2010
1417 Running Cedar Way	0.15	230	R										NA	NA		03/09/2010
1417 Running Cedar Way	0.07	500	R										NA	NA		03/09/2010
1417 Running Cedar Way	0.04	440	R										NA	NA		03/09/2010
1418 Lady Slipper Path	0.13	120	R										NA	NA		04/01/2010
1419 Yarrow Court	0.10	140	R										NA	NA		04/01/2010
1420 Huntington Dr	0.13	220	R										NA	NA		04/01/2010
1420 Huntington Dr	0.05	30	R										NA	NA		04/01/2010
1421 Coventry Rd	0.03	180	R										NA	NA		04/01/2010
1421 Coventry Rd	0.10	90	R										NA	NA		04/01/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1422	Foxcroft Rd	0.19	110	R								NA		NA		04/01/2010
1423	Captain John Smith Rd	0.12	360	R								NA		NA		04/01/2010
1423	Captain John Smith Rd	0.08	280	R								NA		NA		04/01/2010
1423	Captain John Smith Rd	0.31	180	R								NA		NA		04/01/2010
1423	Captain John Smith Rd	0.14	60	R								NA		NA		03/17/2010
1424	Langman Place	0.04	70	R								NA		NA		03/17/2010
1424	Gersham Place	0.05	60	R								NA		NA		03/17/2010
1425	London Company Way	0.09	640	R								NA		NA		03/10/2010
1426	London Company Way	0.31	1500	R								NA		NA		03/10/2010
1427	Mara Park Place	0.05	49	R								NA		NA		03/10/2010
1428	Back River Lane	0.26	120	R								NA		NA		03/10/2010
1429	Vass Lane	0.13	120	R								NA		NA		09/18/2007
1430	Brookhaven Dr	0.41	280	R								NA		NA		03/10/2010
1430	Brookhaven Dr	0.08	300	R								NA		NA		03/10/2010
1431		0.13	80	R								NA		NA		03/16/2010
1431		0.48	170	R								NA		NA		03/16/2010
1432	Penrith Ct	0.05	60	R								NA		NA		03/16/2010
1433		0.21	120	R								NA		NA		03/16/2010
1434	Indigo Terrace	0.21	230	R								NA		NA		03/16/2010
1435	Indigo Dam Rd	0.38	120	R								NA		NA		03/16/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1436) Rothbury Dr	0.10	190	R								NA			NA		03/16/2010
(1436) Rothbury Dr	0.09	210	R								NA			NA		03/16/2010
(1437) Wellington Circle	0.13	420	R								NA			NA		03/16/2010
(1437) Wellington Circle	0.29	260	R								NA			NA		03/16/2010
(1437) Wellington Circle	0.28	260	R								NA			NA		03/16/2010
(1438) Saint Georges Blvd	0.13	800	R								NA			NA		03/17/2010
(1438) Saint Georges Blvd	0.02	430	R								NA			NA		03/17/2010
(1438) Saint Georges Blvd	0.02	920	R								NA			NA		03/17/2010
(1438) Saint Georges Blvd	0.14	590	R								NA			NA		03/17/2010
(1438) Saint Georges Blvd	0.06	1700	R								NA			NA		03/17/2010
(1439) Robertson St	0.38	210	R								NA			NA		03/17/2010
(1439) Robertson St	0.09	200	R								NA			NA		03/17/2010
(1440) Sabre Dr	0.14	90	R								NA			NA		03/17/2010
(1440) Sabre Dr	0.11	170	R								NA			NA		03/17/2010
(1441) Arena St	0.28	210	R								NA			NA		03/17/2010
(1442) Castle Lane	0.08	200	R								NA			NA		03/17/2010
(1442) Castle Lane	0.13	110	R								NA			NA		03/17/2010
(1443) Mace St	0.11	120	R								NA			NA		03/17/2010
(1444) Harbin Court	0.08	90	R								NA			NA		03/17/2010
(1445) Allyson Dr	0.10	610	R								NA			NA		03/17/2010
(1445) Allyson Dr	0.10	270	R								NA			NA		03/17/2010
(1445) Allyson Dr	0.06	200	R								NA			NA		03/17/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1445) Allyson Dr	0.20	220	R								NA			NA		03/17/2010
(1446)	0.10	140	R								NA			NA		03/17/2010
(1447) Rain Tree Way	0.19	330	R								NA			NA		03/17/2010
(1447) Rain Tree Way	0.06	240	R								NA			NA		03/17/2010
(1447) Rain Tree Way	0.07	820	R								NA			NA		03/17/2010
(1448) Winterset Pass	0.29	270	R								NA			NA		03/17/2010
(1448) Winterset Pass	0.07	40	R								NA			NA		03/17/2010
(1449) Indian Summer Lane	0.22	170	R								NA			NA		03/17/2010
(1449) Indian Summer Lane	0.04	90	R								NA			NA		03/16/2010
(1450) Constance Ave	0.09	200	R								NA			NA		03/16/2010
(1450) Constance Ave	0.11	350	R								NA			NA		03/16/2010
(1450) Constance Ave	0.16	330	R								NA			NA		03/16/2010
(1451) Discovery Lane	0.23	160	R								NA			NA		03/16/2010
(1451) Discovery Lane	0.09	310	R								NA			NA		03/16/2010
(1452) Morgan Dr	0.08	160	R								NA			NA		03/16/2010
(1453) Godspeed Lane	0.21	250	R								NA			NA		03/16/2010
(1454) Lavelle Court	0.04	40	R								NA			NA		03/16/2010
(1454) Lavelle Court	0.04	40	R								NA			NA		03/16/2010
(1455) Lands End Dr	0.10	200	R								NA			NA		03/16/2010
(1455) Lands End Dr	0.12	130	R								NA			NA		03/16/2010
(1456) Hiawatha Court	0.09	110	R								NA			NA		03/16/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1457) Gatehouse Blvd	0.28	610	R				47-682 Neck-O-Land Rd				NA			NA		09/20/2007
							Cul-de-Sac									
(1458) Smokehouse Lane	0.26	420	R				Cul-de-Sac				NA			NA		09/20/2007
							47-1457 Gatehouse Blvd									
(1459) Guesthouse Court	0.03	140	R				Cul-de-Sac				NA			NA		09/20/2007
							47-1458 Smokehouse Lane									
(1460) Branscome Blvd	0.21	160	R				Cul-de-Sac				NA			NA		03/16/2010
							47-1451 Discovery Lane									
(1460) Branscome Blvd	0.11	760	R				Cul-de-Sac				NA			NA		03/16/2010
							47-682 Neck-O-Land Rd									
(1460) Williamsburg Glade	0.42	480	R				Cul-de-Sac				NA			NA		03/16/2010
							47-1461 Howa									
(1460) Williamsburg Glade	0.18	120	R				Cul-de-Sac				NA			NA		03/16/2010
							47-1423 Captain John Smith Rd									
(1461) Howa	0.10	60	R				Cul-de-Sac				NA			NA		03/16/2010
							47-1460 Williamsburg Glade									
(1462)	0.92	700	R				Cul-de-Sac				NA			NA		09/20/2007
							SR 31 Jamestown Rd; FR-663									
(1463)	0.10	90	R				Cul-de-Sac				NA			NA		09/20/2007
							47-1462									
(1464) Old Meadows Rd	0.12	110	R				Cul-de-Sac				NA			NA		09/20/2007
							47-1465 Old Field Rd									
(1465) Old Field Rd	0.22	980	R				47-615 N, Ironbound Rd				NA			NA		03/31/2010
							47-1466 N, Sharps Rd									
(1465) Old Field Rd	0.08	440	R				Cul-de-Sac				NA			NA		03/31/2010
							47-1467 Frond Court									
(1465) Old Field Rd	0.06	240	R				Cul-de-Sac				NA			NA		03/31/2010
							47-1466 S, Sharps Rd									
(1465) Old Field Rd	0.07	250	R				Cul-de-Sac				NA			NA		03/31/2010
							47-1469 Whistle Walk									
(1465) Old Field Rd	0.18	410	R				Cul-de-Sac				NA			NA		03/31/2010
							47-615 S, Ironbound Rd									
(1466) Sharps Rd	0.23	180	R				47-1465 S, Old Field Rd				NA			NA		03/31/2010
							47-1468 Tendral Court									
(1466) Sharps Rd	0.24	530	R				Cul-de-Sac				NA			NA		03/31/2010
							47-1465 N, Old Field Rd									
(1467) Frond Court	0.10	100	R				47-1465 Old Field Rd				NA			NA		03/31/2010
							Cul-de-Sac									
(1468) Tendral Court	0.11	120	R				47-1466 Sharps Rd				NA			NA		03/31/2010
							Cul-de-Sac									
(1469) Whistle Walk	0.17	200	R				47-1465 Old Field Rd				NA			NA		03/31/2010
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1472) Whitehaven Circle	0.04	20	R									NA		NA		03/31/2010
(1473) Toddington Circle	0.05	40	R									NA		NA		03/31/2010
(1474) Whithorn Circle	0.04	40	R									NA		NA		03/31/2010
(1475) Bridgewater Dr	0.06	610	R									NA		NA		03/31/2010
(1475) Bridgewater Dr	0.08	230	R									NA		NA		03/31/2010
(1475) Bridgewater Dr	0.11	200	R									NA		NA		03/31/2010
(1475) Bridgewater Dr	0.07	170	R									NA		NA		03/31/2010
(1475) Bridgewater Dr	0.07	140	R									NA		NA		03/31/2010
(1475) Bridgewater Dr	0.19	90	R									NA		NA		03/31/2010
(1476) Burnley Dr	0.32	260	R									NA		NA		03/31/2010
(1476) Burnley Dr	0.04	120	R									NA		NA		03/31/2010
(1477) Camberly Circle	0.05	60	R									NA		NA		03/31/2010
(1478) Greyabbey Circle	0.08	80	R									NA		NA		03/31/2010
(1480) Powhatan Secondary	0.45	1500	R									NA		NA		03/31/2010
(1480) Powhatan Secondary	0.04	1500	R									NA		NA		03/31/2010
(1480) Powhatan Secondary	0.17	1200	R									NA		NA		03/31/2010
(1480) Powhatan Secondary	0.29	630	R									NA		NA		03/31/2010
(1480) Powhatan Secondary	0.73	700	R									NA		NA		03/31/2010
(1481) Old Cart Rd	0.15	130	R									NA		NA		03/31/2010
(1481) Old Cart Rd	0.10	400	R									NA		NA		03/31/2010
(1481) Old Cart Rd	0.01	530	R									NA		NA		03/31/2010
(1481) Old Cart Rd	0.07	820	R									NA		NA		03/31/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1482) First Patent Court	0.08	110	R								NA			NA		03/31/2010
(1483) Barley Mill Place	0.10	120	R								NA			NA		03/31/2010
(1484) Oak Ridge Court	0.12	130	R								NA			NA		03/31/2010
(1485) Charter House Lane	0.26	650	R								NA			NA		03/31/2010
(1485) Charter House Lane	0.09	250	R								NA			NA		03/31/2010
(1486) Jones Mill Rd	0.05	110	R								NA			NA		03/31/2010
(1486) Jones Mill Rd	0.10	130	R								NA			NA		03/31/2010
(1487) Old Carriage Way	0.05	80	R								NA			NA		03/31/2010
(1487) Old Carriage Way	0.09	240	R								NA			NA		03/31/2010
(1487) Old Carriage Way	0.07	470	R								NA			NA		03/31/2010
(1487) Old Carriage Way	0.19	250	R								NA			NA		03/31/2010
(1488) Grist Mill Court	0.04	90	R								NA			NA		03/31/2010
(1489) Martins Ridge	0.08	100	R								NA			NA		03/31/2010
(1490) New Castle Dr	0.25	250	R								NA			NA		03/31/2010
(1490) New Castle Dr	0.04	1100	R								NA			NA		03/31/2010
(1491) Bristol Circle	0.19	830	R								NA			NA		03/31/2010
(1491) Bristol Circle	0.17	350	R								NA			NA		03/31/2010
(1491) Bristol Circle	0.32	170	R								NA			NA		03/31/2010
(1491) Bristol Circle	0.17	410	R								NA			NA		03/31/2010
(1492) Durham Court	0.05	60	R								NA			NA		03/31/2010
(1493) Evesham Court	0.04	70	R								NA			NA		04/01/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1494) Isle of Wright Court	0.08	100	R								NA			NA		04/01/2010
(1495) Dartmoor Court	0.12	160	R								NA			NA		04/01/2010
(1496) Sir Thomas Way	0.44	80	R								NA			NA		09/25/2007
(1497) Sir Gilbert Loop	0.37	90	R								NA			NA		09/25/2007
(1498) Prince Trevor Dr	0.22	90	R								NA			NA		09/25/2007
(1499) Lauren Court	0.04	47	R								NA			NA		09/25/2007
(1500)	0.54	790	R								NA			NA		03/18/2010
(1501) Country Club Dr	0.14	120	R								NA			NA		03/18/2010
(1501) Country Club Dr	0.39	390	R								NA			NA		03/18/2010
(1502) Birdella Dr	0.44	400	R								NA			NA		03/18/2010
(1504)	0.07	40	R								NA			NA		09/25/2007
(1505) Colby Rd	0.09	520	R								NA			NA		03/18/2010
(1505) Colby Rd	0.27	420	R								NA			NA		03/18/2010
(1506) Forest Court	0.08	220	R								NA			NA		03/18/2010
(1507) Forest Glen Dr	0.03	1300	R								NA			NA		03/18/2010
(1507) Forest Glen Dr	0.11	1300	R								NA			NA		03/18/2010
(1507) Forest Glen Dr	0.05	810	R								NA			NA		03/18/2010
(1507) Forest Glen Dr	0.05	430	R								NA			NA		03/18/2010
(1507) Forest Glen Dr	0.06	190	R								NA			NA		03/18/2010
(1508) Williamson Dr	0.18	210	R								NA			NA		03/18/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1510) Canterbury Place	0.23	240	R									NA		NA		03/18/2010
(1511) King Henry Way	0.25	320	R									NA		NA		03/16/2010
(1511) King Henry Way	0.23	130	R									NA		NA		03/16/2010
(1511) King Henry Way	0.05	280	R									NA		NA		03/16/2010
(1512) Queen Mary Court	0.21	170	R									NA		NA		03/16/2010
(1513) Logan Place	0.05	90	R									NA		NA		03/16/2010
(1513) King William Dr	0.05	300	R									NA		NA		03/16/2010
(1513) King William Dr	0.17	300	R									NA		NA		03/16/2010
(1514) Chisel Run Rd	0.42	1000	R									NA		NA		03/16/2010
(1514) Chisel Run Rd	0.10	1300	R									NA		NA		03/16/2010
(1515) Digges Court	0.07	130	R									NA		NA		03/16/2010
(1516) Tempsford Lane	0.14	160	R									NA		NA		04/22/2010
(1517) Devon Rd	0.09	720	R									NA		NA		04/22/2010
(1517) Devon Rd	0.14	600	R									NA		NA		04/22/2010
(1517) Devon Rd	0.36	1000	R									NA		NA		04/22/2010
(1517) Devon Rd	0.08	1200	R									NA		NA		04/22/2010
(1517) Devon Rd	0.08	1200	R									NA		NA		04/22/2010
(1517) Devon Rd	0.07	2000	R									NA		NA		04/22/2010
(1518) Waterford Court	0.09	140	R									NA		NA		04/22/2010
(1519) Somerset Court	0.11	90	R									NA		NA		04/22/2010
(1520) Sheffield Rd	0.18	280	R									NA		NA		04/22/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1520) Sheffield Rd	0.06	240	R				From: 47-1522 Hastings Lane					NA		NA		04/22/2010
							To: 47-1538 Kensington Court									
(1520) Sheffield Rd	0.14	560	R				From: 47-1522 Hastings Lane					NA		NA		04/22/2010
							To: 47-1524; 47-1527									
(1520) Sheffield Rd	0.05	1000	R				From: 47-1524 Hempstead Rd; 47-1527 Hempstead Court					NA		NA		04/22/2010
							To: 47-1528 Clarendon Court									
(1520) Sheffield Rd	0.04	1200	R				From: 47-612 Longhill Rd					NA		NA		04/22/2010
							To: 47-1555 Mayfair Lane									
(1521) Buford Rd	0.13	650	R				From: 47-1517 Devon Rd					NA		NA		04/22/2010
							To: Dead End									
(1521) Buford Rd	0.07	330	R				From: 47-1523 Bransford Court					NA		NA		04/22/2010
							To: 47-1522 Hastings Lane									
(1521) Buford Rd	0.23	420	R				From: 47-612 Longhill Rd					NA		NA		04/22/2010
							To: 47-1520 Sheffield Rd									
(1522) Hastings Lane	0.12	240	R				From: 47-1521 Buford Rd					NA		NA		04/22/2010
							To: Cul-de-Sac									
(1523) Bransford Court	0.05	70	R				From: 47-1521 Buford Rd					NA		NA		04/22/2010
							To: Cul-de-Sac									
(1524) Hempstead Rd	0.10	90	R				From: 47-1555 Mayfair Lane					NA		NA		04/22/2010
							To: 47-1520 S, Sheffield Rd									
(1524) Hempstead Rd	0.38	230	R				From: 47-1529 Whitehall Court					NA		NA		04/22/2010
							To: 47-1520 N, Sheffield Rd									
(1525) Fenwyck Court	0.05	110	R				From: 47-1524 Hempstead Rd					NA		NA		04/22/2010
							To: 47-1526 Tyndal Court									
(1525) Fenwyck Court	0.05	60	R				From: Cul-de-Sac					NA		NA		04/22/2010
							To: 47-1525 Fenwyck Court									
(1526) Tyndal Court	0.05	49	R				From: Cul-de-Sac					NA		NA		04/22/2010
							To: 47-1520; 47-1524									
(1527) Hempstead Court	0.07	40	R				From: Cul-de-Sac					NA		NA		04/22/2010
							To: Cul-de-Sac									
(1528) Clarendon Court	0.17	180	R				From: 47-1520 Sheffield Rd					NA		NA		04/22/2010
							To: Cul-de-Sac									
(1529) Whitehall Court	0.09	180	R				From: 47-1524 Hempstead Rd					NA		NA		04/22/2010
							To: 47-612 Longhill Rd									
(1530) Seasons Trace	0.35	2800	R				From: 47-1531 Fall East					NA		NA		04/22/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1530) Seasons Trace	0.12	2700	R									NA		NA		04/22/2010
						From: 47-1531 Fall East										
(1530) Seasons Trace	0.26	2700	R									NA		NA		04/22/2010
						From: 47-1537 Winter East										
(1530) Seasons Trace	0.16	990	R									NA		NA		04/22/2010
						From: 47-1539 Southeast Trace; North Trace										
(1530) Seasons Trace	0.12	570	R									NA		NA		04/22/2010
						From: 47-1541 Mattaponi Court										
						To: 47-1542 Teal Way										
(1531) Fall East	0.15	200	R									NA		NA		04/22/2010
						From: 47-1530 Seasons Trace										
						To: Cul-de-Sac										
(1532) DeLafayette Place	0.13	280	R									NA		NA		04/22/2010
						From: 47-1507 Forest Glen Dr										
(1532) DeLafayette Place	0.06	330	R									NA		NA		05/11/2010
						From: 47-1534 Old Colonial Dr										
						To: 47-1533 Walker Dr										
(1533) Walker Dr	0.06	45	R									NA		NA		05/11/2010
						From: Dead End										
(1533) Walker Dr	0.11	150	R									NA		NA		05/11/2010
						From: 47-1507 Forest Glen Dr										
(1533) Walker Dr	0.16	260	R									NA		NA		05/11/2010
						From: 47-1534 Old Colonial Dr										
						To: 47-1532 DeLafayette Place										
(1534) Old Colonial Dr	0.10	180	R									NA		NA		05/11/2010
						From: 47-1532 DeLafayette Place										
						To: 47-1533 Walker Dr										
(1535) Mildred Court	0.13	230	R									NA		NA		05/11/2010
						From: 47-1536 Tara Court										
(1535) Mildred Court	0.05	60	R									NA		NA		05/11/2010
						From: 47-1507 Forest Glen Dr										
						To: Cul-de-Sac										
(1536) Tara Court	0.04	60	R									NA		NA		05/11/2010
						From: 47-1535 Mildred Court										
						To: Cul-de-Sac										
(1537) Winter East	0.21	290	R									NA		NA		05/11/2010
						From: 47-1530 Seasons Trace										
						To: Cul-de-Sac										
(1538) Kensington Court	0.07	80	R									NA		NA		05/11/2010
						From: 47-1520 Sheffield Rd										
						To: Cul-de-Sac										
(1539) North Trace	0.10	130	R									NA		NA		04/22/2010
						From: Dead End										
(1539) Southeast Trace	0.06	220	R									NA		NA		04/22/2010
						From: 47-1530 Seasons Trace										
(1539) Southeast Trace	0.10	130	R									NA		NA		04/22/2010
						From: 47-1540 Seasons Court										
						To: Cul-de-Sac										
(1540) Seasons Court	0.06	100	R									NA		NA		04/22/2010
						From: Cul-de-Sac										
						To: 47-1539 Southeast Trace										
(1541) Mattaponi Court	0.25	300	R									NA		NA		04/22/2010
						From: Cul-de-Sac										
						To: 47-1530 Seasons Trace										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1542) Teal Way	0.19	310	R								NA			NA		04/22/2010
(1542) Teal Way	0.13	360	R								NA			NA		04/22/2010
(1543) Pintail Trace	0.17	190	R								NA			NA		04/22/2010
(1544) Puffin Lane	0.07	100	R								NA			NA		04/22/2010
(1545) Heron Court	0.12	120	R								NA			NA		04/22/2010
(1546) Kestrel Court West	0.06	80	R								NA			NA		09/27/2007
(1546) Kestrel Court East	0.07	310	R								NA			NA		04/22/2010
(1547)	0.14	100	R								NA			NA		09/27/2007
(1548)	0.29	60	R								NA			NA		04/22/2010
(1549) Lafayette Blvd	0.12	2400	R								NA			NA		04/22/2010
(1550) Windsor Way	0.20	210	R								NA			NA		04/22/2010
(1550) Seton Hill Rd	0.04	330	R								NA			NA		04/22/2010
(1550) Seton Hill Rd	0.27	140	R								NA			NA		04/22/2010
(1551) Berkshire Rd	0.11	400	R								NA			NA		04/22/2010
(1551) Berkshire Rd	0.16	280	R								NA			NA		04/22/2010
(1552) Sussex Court (JC)	0.11	140	R								NA			NA		04/22/2010
(1553) Wetherburn Lane	0.02	70	R								NA			NA		04/22/2010
(1553) Wetherburn Lane	0.07	140	R								NA			NA		04/22/2010
(1554) Prentis Place	0.06	90	R								NA			NA		04/22/2010
(1555) Mayfair Lane	0.13	450	R								NA			NA		04/22/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1556) Flowerdew Court	0.13	110	R									NA		NA		09/27/2007
(1557) Deliverance Dr	0.10	80	R									NA		NA		09/27/2007
(1558)	0.04	100	R									NA		NA		09/27/2007
(1559)	0.37	130	R									NA		NA		04/22/2010
(1560) Wood Violet Lane	0.08	110	R									NA		NA		04/22/2010
(1561) Springhill Dr	0.07	330	R									NA		NA		04/22/2010
(1562) Driftwood Way	0.25	140	R									NA		NA		04/22/2010
(1563) Rosewood Court	0.10	140	R									NA		NA		04/22/2010
(1564) Boxwood Lane	0.24	130	R									NA		NA		10/03/2007
(1564) Boxwood Lane	0.11	170	R									NA		NA		04/22/2010
(1565) Teakwood Dr	0.13	380	R									NA		NA		04/22/2010
(1565) Teakwood Dr	0.23	100	R									NA		NA		10/03/2007
(1566) Cedarwood Lane	0.11	80	R									NA		NA		04/22/2010
(1567) Scotts Pond Dr	0.09	560	R									NA		NA		04/22/2010
(1567) Scotts Pond Dr	0.18	570	R									NA		NA		04/22/2010
(1567) Scotts Pond Dr	0.28	NA										NA		NA		
(1568) Benjamin Court	0.03	60	R									NA		NA		04/22/2010
(1569) Ginger Court	0.13	140	R									NA		NA		04/22/2010
(1570) Longhill Gate	0.26	1000	R									NA		NA		04/22/2010
(1571) Oakwood Dr	0.11	160	R									NA		NA		04/22/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1572) Stonewood Lane	0.12	150	R			From: 47-1564 Boxwood Lane					NA			NA		10/03/2007
						To: 47-1565 Teakwood Dr										
(1573) Silverwood Dr	0.08	150	R			From: 47-1564 Boxwood Lane					NA			NA		10/03/2007
						To: 47-1565 Teakwood Dr										
(1574) Earl Lee Cove	0.03	40	R			From: 47-1564 Boxwood Lane					NA			NA		10/03/2007
						To: Cul-de-Sac										
(1575) Massena Dr	0.38	350	R			From: 47-607 Croaker Rd					NA			NA		04/13/2010
						To: Cul-de-Sac										
(1576) Marmont Lane	0.41	250	R			From: 47-1575 Massena Dr					NA			NA		04/13/2010
						To: Cul-de-Sac										
(1577) Ney Court	0.07	80	R			From: Cul-de-Sac					NA			NA		04/13/2010
						To: 47-1576 Marmont Lane										
(1578)	0.22	250	R			From: Cul-de-Sac					NA			NA		04/13/2010
						To: 47-617 Lake Powell Rd										
(1579)	0.11	90	R			From: 47-756					NA			NA		10/03/2007
						To: Cul-de-Sac										
(1580) Lancaster Lane	0.03	240	R			From: 47-615 Ironbound Rd					NA			NA		03/17/2010
						To: 47-1581 Wimbledon Way										
(1580) Lancaster Lane	0.12	180	R			From: 47-1581 Wimbledon Way					NA			NA		03/17/2010
						To: Cul-de-Sac										
(1581) Wimbledon Way	0.07	160	R			From: 47-1580 Lancaster Lane					NA			NA		03/17/2010
						To: 47-1582 Oxmor Court										
(1581) Wimbledon Way	0.12	190	R			From: 47-1582 Oxmor Court					NA			NA		03/17/2010
						To: 47-615 Ironbound Rd										
(1582) Oxmor Court	0.05	60	R			From: 47-1581 Wimbledon Way					NA			NA		03/17/2010
						To: Cul-de-Sac										
(1583)	0.10	48	R			From: 47-1480 Powhatan Secondary					NA			NA		03/17/2010
						To: 47-1480 Powhatan Secondary										
(1584)	0.12	80	R			From: 47-1480 Powhatan Secondary					NA			NA		03/17/2010
						To: 47-1480 Powhatan Secondary										
(1585) Powhatan Crossing	0.12	110	R			From: Cul-de-Sac					NA			NA		03/17/2010
						To: 47-1587 WEST										
(1585) Powhatan Crossing	0.16	220	R			From: 47-1587 WEST					NA			NA		03/17/2010
						To: 47-1589 Deerlope Trail										
(1585) Powhatan Crossing	0.06	430	R			From: 47-1589 Deerlope Trail					NA			NA		03/17/2010
						To: 47-1587 EAST										
(1585) Powhatan Crossing	0.07	840	R			From: 47-1587 EAST					NA			NA		03/17/2010
						To: 47-1586 Foxridge Rd										
(1585) Powhatan Crossing	0.11	920	R			From: 47-1586 Foxridge Rd					NA			NA		03/17/2010
						To: 47-615 Ironbound Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1586) Foxridge Rd	0.06	70	R			From: 47-1585 Powhatan Crossing					NA			NA		03/17/2010
						To: Cul-de-Sac										
(1587)	0.58	460	R			From: 47-1585 W, Powhatan Crossing					NA			NA		03/17/2010
						To: 47-1585 E, Powhatan Crossing										
(1588) Indian Path	0.15	170	R			From: Cul-de-Sac					NA			NA		03/17/2010
						To: 47-1587										
(1589) Deerlope Trail	0.13	160	R			From: 47-1585 Powhatan Crossing					NA			NA		03/17/2010
						To: Cul-de-Sac										
(1590) Fox Run	0.41	290	R			From: 47-614 Centerville Rd					NA			NA		03/11/2010
						To: Cul-de-Sac										
(1591) Red Fox Circle	0.04	60	R			From: 47-1590 Fox Run					NA			NA		03/11/2010
						To: Cul-de-Sac										
(1592) Fox Hill Rd	0.04	250	R			From: 47-1590 Fox Run					NA			NA		03/11/2010
						To: 47-1593 Fox Hollow										
(1592) Fox Hill Rd	0.18	120	R			From: 47-1593 Fox Hollow					NA			NA		03/11/2010
						To: 47-614 Centerville Rd										
(1593) Fox Hollow	0.14	100	R			From: Cul-de-Sac					NA			NA		03/11/2010
						To: 47-1592 Fox Hill Rd										
(1594) Fox Hunt Trail	0.08	120	R			From: Cul-de-Sac					NA			NA		03/11/2010
						To: 47-1595 Fox Den										
(1594) Fox Hunt Trail	0.14	240	R			From: 47-1595 Fox Den					NA			NA		03/11/2010
						To: 47-1592 Fox Hill Rd										
(1595) Fox Den	0.09	30	R			From: Cul-de-Sac					NA			NA		03/11/2010
						To: 47-1594 Fox Hunt Trail										
(1596)	0.50	140	R			From: Cul-de-Sac					NA			NA		10/03/2007
						To: 47-1597										
(1597)	0.10	90	R			From: 47-658 Olde Towne Rd					NA			NA		10/03/2007
						To: 47-1596										
(1600) Timberwood Dr	0.50	180	R			From: 47-1617 Stonehouse Rd					NA			NA		04/13/2010
						To: Cul-de-Sac										
(1601) Woodland Rd	0.35	900	R			From: 47-607 Croaker Rd					NA			NA		04/13/2010
						To: 47-1602 Croaker Circle										
(1601) Woodland Rd	0.15	610	R			From: 47-1602 Croaker Circle					NA			NA		04/13/2010
						To: 47-1603 Landing Circle										
(1601) Woodland Rd	0.23	480	R			From: 47-1603 Landing Circle					NA			NA		04/13/2010
						To: 0.23 ME 47-1603										
(1601) Woodland Rd	0.11	130	R			From: 0.23 ME 47-1603					NA			NA		04/13/2010
						To: 47-1616 Deere Circle										
(1601) Woodland Rd	0.09	580	R			From: 47-1616 Deere Circle					NA			NA		04/13/2010
						To: 47-1617 Stonehouse Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1602 Croaker Circle	0.10	60	R			From: 47-1601 Woodland Rd					NA			NA		04/13/2010
						To: Cul-de-Sac										
1603 Landing Circle	0.23	110	R			From: 47-1601 Woodland Rd					NA			NA		04/13/2010
						To: Cul-de-Sac										
1604 Pasture Circle	0.09	40	R			From: Cul-de-Sac					NA			NA		04/13/2010
						To: 47-1601 Woodland Rd										
1605 Elmwood Lane	0.17	620	R			From: 47-609 Cedar Point Lane					NA			NA		04/13/2010
						To: 47-1606 S, Tanbark Lane										
1605 Elmwood Lane	0.13	450	R			From: 47-1607 Birch Circle					NA			NA		04/13/2010
						To: 47-1608 Chinkapin Lane										
1605 Elmwood Lane	0.12	370	R			From: 47-1608 Chinkapin Lane					NA			NA		04/13/2010
						To: 47-1606 N, Tanbark Lane										
1605 Elmwood Lane	0.19	140	R			From: 47-1605 S, Elmwood Lane					NA			NA		04/13/2010
						To: 47-1606 N, Tanbark Lane										
1606 Tanbark Lane	0.64	140	R			From: 47-1605 S, Elmwood Lane					NA			NA		04/13/2010
						To: 47-1605 N, Elmwood Lane										
1606 Tanbark Lane	0.03	130	R			From: 47-1605 N, Elmwood Lane					NA			NA		03/09/2010
						To: Dead End										
1607 Birch Circle	0.05	100	R			From: Cul-de-Sac					NA			NA		03/09/2010
						To: 47-1605 Elmwood Lane										
1608 Chinkapin Lane	0.33	120	R			From: 47-1605 Elmwood Lane					NA			NA		03/09/2010
						To: 47-1609 Locust Place										
1609 Locust Place	0.08	48	R			From: Dead End					NA			NA		03/09/2010
						To: 47-1608 Chinkapin Lane										
1609 Locust Place	0.05	40	R			From: 47-1608 Chinkapin Lane					NA			NA		03/09/2010
						To: Dead End										
1610 Nina Lane	0.10	620	R			From: Begin Loop					NA			NA		03/09/2010
						To: 47-1635 Herstad Court										
1610 Nina Lane	0.10	590	R			From: 47-1635 Herstad Court					NA			NA		03/09/2010
						To: 47-1632 Sandstad Court										
1610 Nina Lane	0.05	650	R			From: 47-1632 Sandstad Court					NA			NA		03/09/2010
						To: 47-1633 Drammen Court										
1610 Nina Lane	0.12	1000	R			From: 47-1633 Drammen Court					NA			NA		03/09/2010
						To: 47-1634 Kroken Court										
1610 Nina Lane	0.04	990	R			From: 47-1634 Kroken Court					NA			NA		03/09/2010
						To: End Loop										
1610 Nina Lane	0.10	950	R			From: End Loop					NA			NA		03/09/2010
						To: 47-1619 Haradd Lane										
1610 Nina Lane	0.07	280	R			From: 47-1619 Haradd Lane					NA			NA		03/09/2010
						To: 47-1618 Astrid Court										
1610 Nina Lane	0.14	910	R			From: 47-1618 Astrid Court					NA			NA		03/09/2010
						To: 47-1615 Talmark Dr										
1610 Nina Lane	0.05	910	R			From: 47-1615 Talmark Dr					NA			NA		03/09/2010
						To: 47-1614 Torea Court										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1610) Nina Lane	0.07	1000	R			From: 47-1614 Torea Court					NA			NA		03/09/2010
(1610) Nina Lane	0.17	1300	R			From: 47-1612 Trolls Path					NA			NA		03/10/2010
(1610) Nina Lane	0.05	380	R			From: 47-1611 Kristiansan Dr					NA			NA		03/10/2010
(1610) Nina Lane	0.12	680	R			From: 47-1613 Rondane Place					NA			NA		03/10/2010
(1611) Kristiansan Dr	0.11	1000	R			From: US 60 Richmond Rd					NA			NA		03/10/2010
(1612) Trolls Path	0.14	140	R			From: 47-1613 Rondane Place					NA			NA		03/10/2010
(1613) Rondane Place	0.04	180	R			From: 47-1615 Talmark Dr					NA			NA		03/10/2010
(1613) Rondane Place	0.06	310	R			From: 47-1614 Torea Court					NA			NA		03/10/2010
(1613) Rondane Place	0.07	470	R			From: 47-1612 Trolls Path					NA			NA		03/10/2010
(1614) Torea Court	0.13	160	R			From: 47-1613 Rondane Place					NA			NA		03/10/2010
(1615) Talmark Dr	0.12	160	R			From: 47-1613 Rondane Place					NA			NA		03/10/2010
(1616) Deere Circle	0.10	40	R			From: 47-1601 Woodland Rd					NA			NA		03/10/2010
(1617) Stonehouse Rd	0.25	230	R			From: Dead End					NA			NA		03/10/2010
(1617) Stonehouse Rd	0.20	270	R			From: 47-1601 Woodland Rd					NA			NA		03/10/2010
(1617) Stonehouse Rd	0.08	240	R			From: 0.20 ME 47-1601					NA			NA		03/10/2010
(1617) Stonehouse Rd	0.10	60	R			From: 47-1600 Timberwood Dr					NA			NA		03/10/2010
(1618) Astrid Court	0.03	60	R			From: Cul-de-Sac					NA			NA		03/10/2010
(1618) Astrid Court	0.14	290	R			From: 47-1619 Haradd Lane					NA			NA		03/10/2010
(1619) Haradd Lane	0.11	180	R			From: 47-1610 Nina Lane					NA			NA		03/10/2010
(1619) Haradd Lane	0.04	90	R			From: 47-1630 Torea Court					NA			NA		03/10/2010
(1619) Haradd Lane	0.05	140	R			From: 47-1631 Stavenger Court					NA			NA		03/10/2010
(1619) Haradd Lane	0.10	120	R			From: 47-1618 Astrid Court					NA			NA		03/10/2010
						From: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1620)	0.20	110	R									NA		NA		03/10/2010
(1620)	0.20	110	R									NA		NA		03/10/2010
(1621)	0.04	140	R									NA		NA		03/10/2010
(1622) Meadow Circle	0.18	110	R									NA		NA		03/10/2010
(1623) White Acre Rd	0.13	50	R									NA		NA		03/10/2010
(1624) Welstead St	0.14	90	R									NA		NA		03/10/2010
(1625) Sand Dr West	0.17	110	R									NA		NA		03/10/2010
(1625) Sand Dr	0.12	70	R									NA		NA		03/10/2010
(1626) Barn Elm Rd	0.05	210	R									NA		NA		03/10/2010
(1626) Barn Elm Rd	0.13	180	R									NA		NA		03/10/2010
(1627) Water Oak Court	0.09	30	R									NA		NA		03/10/2010
(1628) Crosscut Court	0.05	120	R									NA		NA		03/10/2010
(1629) Timber Lane	0.11	100	R									NA		NA		03/10/2010
(1629) Timber Lane	0.05	70	R									NA		NA		03/10/2010
(1630) Torea Court	0.03	90	R									NA		NA		03/10/2010
(1631) Stavenger Court	0.04	40	R									NA		NA		03/10/2010
(1632) Sandstad Court	0.03	100	R									NA		NA		03/10/2010
(1633) Drammen Court	0.04	60	R									NA		NA		03/10/2010
(1634) Kroken Court	0.05	80	R									NA		NA		03/10/2010
(1635) Herstad Court	0.05	80	R									NA		NA		03/10/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1636)	0.57	210	R								NA			NA		03/10/2010
(1637)	0.89	370	R								NA			NA		03/10/2010
(1638)	0.10	60	R								NA			NA		03/10/2010
(1638)	0.17	60	R								NA			NA		10/10/2007
(1639)	0.17	80	R								NA			NA		03/10/2010
(1640)	Mirror Lake Dr	0.12	270	R							NA			NA		03/31/2010
(1640)	Mirror Lake Dr	0.06	110	R							NA			NA		03/31/2010
(1641)	Reflection Dr	0.40	520	R							NA			NA		03/31/2010
(1641)	Reflection Dr	0.11	170	R							NA			NA		03/31/2010
(1641)	Reflection Dr	0.28	60	R							NA			NA		03/31/2010
(1642)	Meadowcrest Trail	0.12	620	R							NA			NA		03/31/2010
(1642)	Meadowcrest Trail	0.09	190	R							NA			NA		03/31/2010
(1642)	Meadowcrest Trail	0.12	170	R							NA			NA		03/31/2010
(1642)	Meadowcrest Trail	0.08	280	R							NA			NA		03/31/2010
(1643)	Plains View Rd	0.25	120	R							NA			NA		03/31/2010
(1643)	Plains View Rd	0.10	80	R							NA			NA		03/31/2010
(1644)	Lock Haven Dr	0.12	350	R							NA			NA		03/31/2010
(1644)	Lock Haven Dr	0.13	430	R							NA			NA		03/31/2010
(1644)	Lock Haven Dr	0.10	220	R							NA			NA		03/31/2010
(1644)	Lock Haven Dr	0.12	250	R							NA			NA		03/31/2010
(1644)	Lock Haven Dr	0.12	210	R							NA			NA		03/31/2010
(1644)	Lock Haven Dr	0.10	110	R							NA			NA		03/31/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1645) Lakepoint Court	0.12	80	R			From: 47-1642 Meadowcrest Trail					NA			NA		03/31/2010
(1645) Lakepoint Court	0.08	50	R			To: 47-1646 Fairview Dr					NA			NA		03/31/2010
						From: Cul-de-Sac										
(1646) Fairview Dr	0.13	80	R			To: 47-1645 Lakepoint Court					NA			NA		03/31/2010
						From: 47-1647 Point OWoods										
(1647) Point OWoods	0.10	300	R			To: 47-1644 Lock Haven Dr					NA			NA		03/31/2010
(1647) Point OWoods	0.57	850	R			From: 47-1646 Fairview Dr					NA			NA		04/06/2010
						To: 47-607; 47-758										
(1648) Fairmont Dr	0.08	150	R			From: 47-1641 Reflection Dr					NA			NA		04/06/2010
(1648) Fairmont Dr	0.22	200	R			To: 47-1644 Lock Haven Dr					NA			NA		04/06/2010
						From: 47-1680 Knollwood Dr										
(1649) Nice Dr	0.24	170	R			To: Cul-de-Sac					NA			NA		04/06/2010
						From: 47-1644 Lock Haven Dr										
(1650) William Bedford	0.07	590	R			From: 47-1657 John Proctor E; John Proctor W					NA			NA		03/18/2010
(1650) William Bedford	0.08	600	R			To: 47-1655 Francis Chapman W					NA			NA		03/18/2010
(1650) William Bedford	0.07	460	R			From: 47-1654 Richard Grove N; Richard Grove S					NA			NA		03/18/2010
(1650) William Bedford	0.07	290	R			To: 47-1653 Richard Buck N; Richard Buck S					NA			NA		03/18/2010
(1650) William Bedford	0.08	60	R			From: 47-1652 Richard Pace N; Richard Pace S					NA			NA		03/18/2010
(1650) William Bedford	0.04	430	R			To: 47-1651 Robert Hunt N; Robert Hunt S					NA			NA		03/18/2010
						From: 47-615; 47-629										
(1651) Robert Hunt South	0.06	40	R			To: Cul-de-Sac					NA			NA		03/18/2010
(1651) Robert Hunt North	0.08	60	R			From: 47-1650 William Bedford					NA			NA		03/18/2010
						To: Cul-de-Sac										
(1652) Richard Pace South	0.10	110	R			From: Cul-de-Sac					NA			NA		03/18/2010
(1652) Richard Pace North	0.13	100	R			To: 47-1650 William Bedford					NA			NA		03/18/2010
						From: Cul-de-Sac										
(1653) Richard Buck South	0.15	120	R			To: Cul-de-Sac					NA			NA		03/18/2010
(1653) Richard Buck North	0.10	110	R			From: 47-1650 William Bedford					NA			NA		03/18/2010
						To: Cul-de-Sac										
(1654) Richard Grove South	0.07	30	R			From: Cul-de-Sac					NA			NA		03/18/2010
(1654) Richard Grove South	0.15	120	R			To: 47-1657 John Proctor East					NA			NA		03/18/2010
						From: 47-1650 William Bedford										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1654	Richard Grove North	0.08	40	R				From: 47-1650 William Bedford					NA		NA	03/18/2010
								To: Cul-de-Sac								
1655	Francis Chapman West	0.07	60	R				From: Cul-de-Sac					NA		NA	03/18/2010
1655	Francis Chapman West	0.06	160	R				From: 47-1656 Francis Chapman North					NA		NA	03/18/2010
								To: 47-1650 William Bedford								
1656	Francis Chapman North	0.05	100	R				From: 47-1655 Francis Chapman West					NA		NA	03/18/2010
								To: Cul-de-Sac								
1657	John Proctor West	0.11	110	R				From: Cul-de-Sac					NA		NA	03/18/2010
1657	John Proctor East	0.10	70	R				From: 47-1650 William Bedford					NA		NA	03/18/2010
								To: 47-1654 Richard Grove South								
1658		0.03	20	R				From: 47-694 Lake Dr					NA		NA	03/18/2010
								To: Cul-de-Sac								
1660	Village Park Dr	0.02	570	R				From: 47-615 Ironbound Rd					NA		NA	03/17/2010
								To: 47-1661 Village Park Dr East								
1661	Village Park Dr West	0.09	80	R				From: Cul-de-Sac					NA		NA	03/17/2010
1661	Village Park Dr East	0.13	520	R				From: 47-1660 Village Park Dr					NA		NA	03/17/2010
1661	Village Park Dr East	0.17	430	R				From: 47-1662 Maplewood Place					NA		NA	03/17/2010
								To: Cul-de-Sac								
1662	Maplewood Place	0.05	250	R				From: 47-1661 Village Park Dr East					NA		NA	03/17/2010
1662	Maplewood Place	0.07	140	R				From: 47-1663 Misty Court					NA		NA	03/17/2010
								To: Cul-de-Sac								
1663	Misty Court	0.06	120	R				From: 47-1662 Maplewood Place					NA		NA	03/17/2010
								To: Cul-de-Sac								
1665		0.11	110	R				From: 47-830					NA		NA	10/10/2007
								To: Dead End								
1666		0.23	130	R				From: 47-1665					NA		NA	10/10/2007
								To: 47-1668								
1667		0.06	80	R				From: 47-1666					NA		NA	10/10/2007
								To: Dead End								
1668		0.10	70	R				From: 47-830					NA		NA	10/10/2007
								To: 47-1669								
1669		0.06	60	R				From: Dead End					NA		NA	10/10/2007
1669		0.07	60	R				From: 47-1668					NA		NA	10/10/2007
								To: Dead End								

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1670) Saddletown Rd	0.49	150	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-606 Riverview Rd										
(1671)	0.20	80	R			From: Cul-de-Sac					NA			NA		10/10/2007
						To: 47-646 Newman Rd										
(1672)	0.86	150	R			From: Cul-de-Sac					NA			NA		10/10/2007
						To: 47-1671										
(1672)	0.32	90	R			From: 47-1671					NA			NA		10/10/2007
						To: 47-1673										
(1672)	0.30	60	R			From: 47-1673					NA			NA		04/06/2010
						To: Cul-de-Sac										
(1673)	0.15	45	R			From: Cul-de-Sac					NA			NA		10/10/2007
						To: 47-1672										
(1674)	0.46	120	R			From: 47-1675					NA			NA		04/06/2010
						To: 47-1672										
(1675)	0.40	50	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: Cul-de-Sac										
(1677) Meadow Lake Dr	0.77	220	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-746										
(1678) Thomas Higgs Court	0.08	40	R			From: 47-1677 Meadow Lake Dr					NA			NA		04/06/2010
						To: Cul-de-Sac										
(1679) Oak Lawn Way	0.16	60	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-1677 Meadow Lake Dr										
(1680) Knollwood Dr	0.09	140	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-1644 Lock Haven Dr										
(1680) Knollwood Dr	0.08	120	R			From: 47-1644 Lock Haven Dr					NA			NA		04/06/2010
						To: 47-1648 Fairmont Dr										
(1681)	0.14	80	R			From: 47-1496 Sir Thomas Way					NA			NA		04/06/2010
						To: End Loop										
(1682)	0.08	50	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: 47-1681 Gap										
(1685)	0.63	110	R			From: SR 5 John Tyler Mem Hwy					NA			NA		04/06/2010
						To: 47-615 Ironbound Rd										
(1686)	0.12	210	R			From: Dead End					NA			NA		10/10/2007
						To: Dead End										
(1687)	0.05	180	R			From: 47-1695 Mill Stream Way					NA			NA		04/06/2010
						To: Cul-de-Sac										
(1688) Holly Ridge Lane	0.17	240	R			From: Cul-de-Sac					NA			NA		04/06/2010
						To: SR 31 Jamestown Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1689 Taber Park	0.08	90	R									NA		NA		04/06/2010
1690 Level Way	0.03	410	R									NA		NA		04/06/2010
1691 Lakewood Dr	0.38	400	R									NA		NA		04/06/2010
1691 Lakewood Dr	0.18	590	R									NA		NA		10/10/2007
1692 Mill View Circle	0.14	60	R									NA		NA		04/06/2010
1693 Wood Pond Circle	0.09	120	R									NA		NA		04/06/2010
1694 Hearthside Lane	0.09	100	R									NA		NA		04/06/2010
1694 Hearthside Lane	0.14	50	R									NA		NA		04/06/2010
1695 Mill Stream Way	0.11	160	R									NA		NA		04/06/2010
1695 Mill Stream Way	0.44	100	R									NA		NA		04/06/2010
1695 Mill Stream Way	0.29	470	R									NA		NA		04/06/2010
1696 Holly Grove	0.05	80	R									NA		NA		04/06/2010
1696 Holly Grove	0.08	70	R									NA		NA		04/06/2010
1697 Harvest Circle	0.11	50	R									NA		NA		04/06/2010
1698 Spring Branch	0.11	110	R									NA		NA		04/06/2010
1699	0.07	90	R									NA		NA		04/06/2010
1710 Longhill Station Rd	0.37	670	R									NA		NA		04/06/2010
1711 Allegheny Rd	0.05	760	R									NA		NA		04/06/2010
1711 Allegheny Rd	0.45	420	R									NA		NA		04/06/2010
1711 Allegheny Rd	0.04	40	R									NA		NA		04/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1712) Shenandoah Court	0.07	90	R									NA		NA		04/06/2010
(1713) Pine Bluff Court	0.07	70	R									NA		NA		04/06/2010
(1714) Blue Ridge Court	0.07	80	R									NA		NA		04/06/2010
(1715)	0.16	180	R									NA		NA		10/10/2007
(1716)	0.08	80	R									NA		NA		10/10/2007
(1717)	0.28	70	R									NA		NA		04/06/2010
(1718)	0.05	45	R									NA		NA		04/06/2010
(1719)	0.13	140	R									NA		NA		04/06/2010
(1720) Thomas Court	0.12	150	R									NA		NA		04/06/2010
(1721) West Grace Court	0.12	140	R									NA		NA		04/06/2010
(1722)	0.12	70	R									NA		NA		04/06/2010
(1723)	0.05	60	R									NA		NA		04/06/2010
(1724)	0.50	48	R									NA		NA		04/06/2010
(1725)	0.05	70	R									NA		NA		04/06/2010
(1726)	0.06	70	R									NA		NA		04/06/2010
(1730) John Hancock	0.14	220	R									NA		NA		10/10/2007
(1731) Old Woods Court	0.06	80	R									NA		NA		10/10/2007
(1732) Founders Way South	0.04	150	R									NA		NA		10/10/2007
(1732) Founders Way North	0.04	150	R									NA		NA		10/10/2007

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1733) Founders Hill North	0.37	210	R			From: 47-1351 Two Rivers Rd					NA		NA			10/10/2007
						To: Cul-de-Sac										
(1734) Founders Way South	0.27	200	R			From: 47-1735 River Oaks Rd					NA		NA			10/10/2007
						To: Cul-de-Sac										
(1735) River Oaks Rd	0.34	180	R			From: Cul-de-Sac					NA		NA			10/18/2007
						To: 47-1351 Two Rivers Rd										
(1735) River Oaks Rd	0.21	150	R			From: Cul-de-Sac					NA		NA			10/18/2007
						To: Cul-de-Sac										
(1736) River Ridge	0.38	150	R			From: 47-1735 River Oaks Rd					NA		NA			10/18/2007
						To: Cul-de-Sac										
(1745)	0.27	80	R			From: 47-1462					NA		NA			04/06/2010
						To: 47-1462										
(1750)	0.44	210	R			From: 47-1190 Eagle Way					NA		NA			10/18/2007
						To: 47-1753										
(1751)	0.04	70	R			From: 47-1750					NA		NA			10/18/2007
						To: Cul-de-Sac										
(1752)	0.09	80	R			From: 47-1750					NA		NA			10/18/2007
						To: Cul-de-Sac										
(1753)	0.42	80	R			From: Cul-de-Sac					NA		NA			10/18/2007
						To: 47-1750 NORTH										
(1760)	0.04	220	R			From: Cul-de-Sac					NA		NA			04/06/2010
						To: 47-1481 Old Cart Rd										
(1761)	0.09	100	R			From: Cul-de-Sac					NA		NA			04/06/2010
						To: 47-1486 Jones Mill Rd										
(1762)	0.05	110	R			From: 47-1485 Charter House Lane					NA		NA			04/06/2010
						To: Cul-de-Sac										
(1763)	0.07	120	R			From: Cul-de-Sac					NA		NA			04/06/2010
						To: 47-1485 Charter House Lane										
(1764)	0.07	180	R			From: Cul-de-Sac					NA		NA			04/06/2010
						To: 47-1485 Charter House Lane										
(1765)	0.37	550	R			From: 47-1778; 47-1777					NA		NA			04/06/2010
						To: 47-742 Old News Rd										
(1766)	0.13	310	R			From: 47-1765					NA		NA			04/06/2010
						To: 47-1777										
(1767)	0.24	90	R			From: Cul-de-Sac					NA		NA			04/06/2010
						To: 47-1480 Powhatan Secondary										
(1768)	0.18	80	R			From: Cul-de-Sac					NA		NA			04/06/2010
						To: 47-1767										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
1769	0.07	130	R											NA		04/06/2010
1770	0.20	140	R											NA		04/06/2010
1771	0.14	70	R											NA		04/06/2010
1771	0.14	60	R											NA		04/06/2010
1772	0.04	70	R											NA		04/06/2010
1773	0.07	70	R											NA		04/06/2010
1775	0.26	220	R											NA		04/06/2010
1776	0.05	90	R											NA		04/06/2010
1777	0.24	110	R											NA		04/06/2010
1778	0.32	150	R											NA		04/06/2010
1779	0.18	100	R											NA		04/06/2010
1780	0.16	80	R											NA		04/06/2010
1781	0.06	100	R											NA		04/06/2010
1782	0.31	240	R											NA		04/06/2010
1783	0.05	100	R											NA		04/06/2010
1784	0.13	100	R											NA		04/06/2010
1785	0.06	100	R											NA		04/06/2010
1786	0.15	200	R											NA		04/06/2010
1787	0.16	250	R											NA		04/06/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(1788)	0.07	80	R											NA		04/06/2010
(1789)	0.31	250	R											NA		04/06/2010
(1789)	0.15	80	R											NA		04/06/2010
(1790)	0.04	60	R											NA		04/06/2010
(1791)	0.06	190	R											NA		04/06/2010
(1791)	0.04	80	R											NA		04/06/2010
(1792)	0.05	110	R											NA		04/06/2010
(1793)	0.07	120	R											NA		04/06/2010
(1800)	0.38	NA												NA		
(1801)	0.04	NA												NA		
(1802)	0.18	NA												NA		
(1802)	0.05	NA												NA		
(1803)	0.28	NA												NA		
(1804)	0.21	NA												NA		
(1805)	0.05	NA												NA		
(1806)	0.04	NA												NA		
(1807)	0.04	NA												NA		
(1808)	0.04	NA												NA		
(5000) Monticello Ave	0.54	750	R											NA		10/18/2007
(5000) Monticello Ave	0.59	NA												NA		

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
James City County																
(9632) Rawls Byrd Elementary School		700	R								NA			NA		04/06/2010
(9634) Norge Elementary School	0.17	850	R								NA			NA		04/06/2010
(9649)	0.46	2000	R								NA			NA		04/06/2010
(9652)	0.24	280	R								NA			NA		04/06/2010
City of Williamsburg																
(7075/137) Richmond Rd	0.37	18000	G	98%	0%	1%	0%	0%	0%	C	0.084	F	0.503	19000	G	2011
(7075/137) Richmond Rd	0.95	13000	G	98%	0%	1%	0%	0%	0%	C	0.084	F	0.593	14000	G	2011
(7075/137) Francis St	0.91	6000	G	99%	0%	1%	0%	0%	0%	C	0.083	F	0.545	6400	G	2011
(7077/137) Lafayette St	0.12	8200	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.592	8800	G	2011
(7077/137) Lafayette St	0.82	9300	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.534	9900	G	2011
(7079/137) Second St	0.19	13000	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.512	14000	G	2011
(7079/137) Second St	0.22	14000	G	98%	0%	1%	0%	0%	0%	C	0.090	F	0.545	15000	G	2011
(7081/137) Iron Bound Rd	0.57	9100	G	99%	0%	0%	0%	0%	0%	C	0.087	F	0.5	9700	G	2011
(7081/137) Iron Bound Rd	0.05	14000	G	99%	0%	0%	0%	0%	0%	F	0.076	F	0.513	15000	G	2011
(7082/137) Longhill Rd	0.63	3900	G	99%	0%	0%	0%	0%	0%	C	0.081	F	0.623	4200	G	2011
(7083/137) Monticello Ave	0.35	16000	G								0.086	F	0.561	17000	G	2011
(7086/137) Penniman Rd	0.49	2700	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.621	2800	G	2011
James City County																
Mounts Bay Rd		9000	G								NA			9000	G	2011
City of Williamsburg																
Carters Grove Country Rd		390	G								NA			390	G	2011
Holly Hills Dr		680	G								NA			680	G	2011

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 James City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Williamsburg																
Matoaka Court		840	G			From: Mount Vernon Avenue				0.107	F	0.603	840	G	2011	
						To: Richmond Road										
Patrick Henry Dr		590	G			From: Piney Creek Dr				NA		590	G	2011		
						To: Waltz Dr										
Quarterpath Rd		550	G			From: SR 199				0.101	F	0.536	580	G	2011	
						To: York St										
S England St		1800	G			From: Williamsburg Avenue				0.103	F	0.533	1800	G	2011	
						To: Francis Street										