

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**289**

Town of Rich Creek

Information in this report is included in Report

**35**

(Giles County)

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Rich Creek

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
219 Federal St	From: US 460 Virginia Ave															
	Town of Rich Creek (Maint: 35)	0.57	9000	F	97%	0%	1%	1%	1%	0%	C	0.091	F	9400	F	
	To: ECL Rich Creek															
460	From: WCL Rich Creek															
	Town of Rich Creek (Maint: 35)	0.65	9700	N	90%	1%	1%	1%	8%	0%	N	0.089	N	10000	N	
	To: US 219 Rich Creek															
460 Virginia Ave	From: US 219 Rich Creek: Island St															
	Town of Rich Creek (Maint: 35)	0.73	11000	F	90%	1%	1%	1%	8%	0%	F	0.091	F	11000	F	
	To: 35-712 Riverside Dr															
460	From: 35-712 Riverside Dr															
	Town of Rich Creek (Maint: 35)	0.18	11000	N	90%	1%	1%	1%	8%	0%	N	0.096	N	12000	N	
	To: ECL Rich Creek															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Rich Creek

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Rich Creek</b>																
647 35 Powell Mtn Rd	0.29	180	N			From: NCL Rich Creek					NA			NA		04/22/2011
						To: 35-1024 Powell Mtn Rd										
712 35 Riverside Dr	0.52	190	R			From: US 460 S, Virginia Ave					NA			NA	04/26/2011	
						To: 35-1021 Old Virginia Ave										
712 35 Old Va Ave	0.08	4900	R			From: US 460 N, Virginia Ave					NA			NA	05/24/2011	
						To: 35-1006 Woodland St										
726 35 Old Peterstown Rd	0.14	250	R			From: NCL Rich Creek					NA			NA	04/26/2011	
						To: WCL Rich Creek										
806 35 Virginia Ave	0.04	8	R			From: 35-1018 Powells Lane					NA			NA	04/22/2011	
						To: 35-1025 Summit Dr										
806 35 Virginia Ave	0.04	120	R			From: 35-1024 Powell Mtn Rd					NA			NA	04/21/2011	
						To: 35-1010 Spruce St										
806 35 Virginia Ave	0.14	490	R			From: 35-1010 Spruce St					NA			NA	04/22/2011	
						To: 35-1020 North St										
806 35 Virginia Ave	0.09	860	R			From: US 219 Federal St					NA			NA	04/22/2011	
						To: US 219 Federal St										
806 35 Virginia Ave	0.15	1200	R			From: US 219 Federal St					NA			NA	04/22/2011	
						To: 0.20 MN US 219										
1001 35 Church St	0.20	230	R			From: Dead End					NA			NA	04/22/2011	
						To: 35-1023 Federal St										
1001 35 Church St	0.42	240	R			From: 35-1023 Federal St					NA			NA	04/22/2011	
						To: 35-1021 Old Virginia Ave										
1002 35 Knob St	0.04	1400	R			From: 35-1019 Giles Ave					NA			NA	04/28/2011	
						To: 35-1003 Shumate Ave										
1002 35 Knob St	0.05	500	R			From: 35-1003 Shumate Ave					NA			NA	04/22/2011	
						To: 35-1002 Knob St										
1002 35 Knob St	0.06	190	R			From: 35-1006 Woodland St					NA			NA	04/22/2011	
						To: 35-1006 Woodland St										
1003 35 Shumate Ave	0.05	50	R			From: 35-1006 Woodland St					NA			NA	04/22/2011	
						To: 35-1006 Woodland St										
1005 35 Mercer Rd	0.25	90	R			From: Dead End					NA			NA	05/10/2011	
						To: 35-1012 Highland Court										
1006 35 Woodland St	0.04	40	R			From: 35-1014 E, Greenbrier Dr					NA			NA	08/15/2008	
						To: 35-1014 W, Greenbrier Dr										
1006 35 Woodland St	0.14	60	R			From: 35-1014 W, Greenbrier Dr					NA			NA	04/26/2011	
						To: 35-1014 W, Greenbrier Dr										
1006 35 Woodland St	0.17	110	R			From: 35-1014 W, Greenbrier Dr					NA			NA	04/26/2011	
						To: 35-726 Old Peterstown Rd										
1006 35 Woodland St	0.15	310	R			From: 35-726 Old Peterstown Rd					NA			NA	04/26/2011	
						To: 35-1005 E, Mercer Rd										
1006 35 Woodland St	0.08	480	R			From: 35-1005 E, Mercer Rd					NA			NA	04/28/2011	
						To: 35-1005 E, Mercer Rd										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Rich Creek

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Rich Creek</b>																
(1006/35) Woodland St	0.05	480	R								NA			NA		04/28/2011
From: 35-1005 E, Mercer Rd																
To: 35-1005 W, Mercer Rd																
(1006/35) Woodland St	0.36	650	R								NA			NA		04/28/2011
From: 35-1003 Shumate Ave																
To: 35-1019 Giles Ave																
(1006/35) Woodland St	0.06	670	R								NA			NA		04/28/2011
From: 35-1019 Giles Ave																
To: 35-1021 Old Virginia Ave																
(1006/35) Federal St	0.04	170	R								NA			NA		04/28/2011
From: 35-1023 Federal St																
To: 35-712 Riverside Dr																
(1007/35) Hilltop St	0.10	50	R								NA			NA		04/26/2011
From: 35-712 Riverside Dr																
To: Dead End																
(1008/35) Walnut St	0.15	60	R								NA			NA		04/26/2011
From: 35-712 Riverside Dr																
To: Dead End																
(1009/35) Locust St	0.10	49	R								NA			NA		04/26/2011
From: 35-712 Riverside Dr																
To: Dead End																
(1010/35) Spruce St	0.07	390	R								NA			NA		04/22/2011
From: 35-806 Virginia Ave																
To: 35-1022																
(1010/35) Spruce St	0.01	130	R								NA			NA		04/22/2011
From: 35-1020 North St																
To: 35-712 Riverside Dr																
(1011/35) Pleasant St	0.12	46	R								NA			NA		04/26/2011
From: 35-712 Riverside Dr																
To: Dead End																
(1012/35) Highland Court	0.04	30	R								NA			NA		04/26/2011
From: 35-1015 Pine Place																
To: 35-1013 Taylor Court																
(1012/35) Highland Court	0.04	30	R								NA			NA		04/26/2011
From: 35-1013 Taylor Court																
To: 35-1006 Woodland St																
(1013/35) Taylor Court	0.09	50	R								NA			NA		04/26/2011
From: 35-1012 Highland Court																
To: 35-1014 Greenbrier Dr																
(1014/35) Greenbrier Dr	0.05	170	R								NA			NA		04/26/2011
From: 35-1006 Woodland St																
To: 35-1015 Pine Place																
(1014/35) Greenbrier Dr	0.04	80	R								NA			NA		04/26/2011
From: 35-1015 Pine Place																
To: 35-1013 Taylor Court																
(1014/35) Greenbrier Dr	0.04	30	R								NA			NA		04/26/2011
From: 35-1013 Taylor Court																
To: 35-1006 Woodland St																
(1015/35) Pine Place	0.23	46	R								NA			NA		04/26/2011
From: Cul-de-Sac																
To: 35-1012 Highland Court																
(1015/35) Pine Place	0.10	60	R								NA			NA		04/26/2011
From: 35-1012 Highland Court																
To: 35-1014 Greenbrier Dr																
(1016/35) Cherry Ave	0.05	30	R								NA			NA		08/15/2008
From: Dead End																
To: 35-712 Riverside Dr																
(1017/35) Park Lane	0.15	10	R								NA			NA		04/26/2011
From: Dead End																
To: 35-726 Old Peterstown Rd																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Rich Creek

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Rich Creek</b>																
1018 35 Powells Lane	0.25	60	R									NA		NA		04/22/2011
1019 35 Giles Ave	0.05	470	R									NA		NA		04/22/2011
1019 35 Giles Ave	0.05	630	R									NA		NA		04/22/2011
1020 35 North St	0.20	190	R									NA		NA		04/22/2011
1021 35 Old Virginia Ave	0.10	6900	R									NA		NA		05/24/2011
1021 35 Old Virginia Ave	0.07	5700	R									NA		NA		05/27/2011
1021 35 Old Virginia Ave	0.06	5800	R									NA		NA		05/24/2011
1022 35 Rt 1022	0.05	80	R									NA		NA		04/22/2011
1023 35 Federal St	0.06	130	R									NA		NA		04/28/2011
1023 35 Federal St	0.08	40	R									NA		NA		08/15/2008
1024 35 Powell Mtn Rd	0.14	320	R									NA		NA		04/22/2011
1024 35 Powell Mtn Rd	0.04	270	R									NA		NA		04/22/2011
1025 35 Summit Dr	0.30	50	R									NA		NA		04/22/2011