### 2014

# Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

# Special Locality Report 255

Town of Lovettsville

Information in this report is included in Report

**53** 

(Loudoun County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

#### Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

#### Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

#### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck**: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck**: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:


- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

### Route Shield Legend

#### Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	



(600) Secondary Route
-----------------------

Virginia State Route

#### Special Routes

Bus - Business Route Bypas - Bypass Route Truck - Truck Route ALT - Alternate Route Wye - Wye Route connector		
	Bypas - Bypass Route Truck - Truck Route ALT - Alternate Route	Bypas - Bypass Route Truck - Truck Route ALT - Alternate Route

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

#### Virginia Department of Transportation Traffic Engineering Division 2014

#### Annual Average Daily Traffic Volume Estimates By Section of Route Town of Lovettsville

Route	Jurisdiction	Longth	AADT	04	4Tiro	Due		Trι	ıck		QC	K	QK	Dir		0\\
	Junsuiction	Length	AADT	QA	4Tire	Dus	2Axle 3+Axle		1Trail	2Trail	QU	Factor	QK	Factor	AAWDT	QW
	From:	SC	L Lovettsv	ille												
(287) Berlin Tpke	Town of Lovettsville (Maint: 53)	0.77	6200	N	97%	1%	1%	1%	1%	0%	Ν	0.076	Ν	0.618	6400	Ν
	To: From:	SR 287 I	Par; Town C	Center D	r		$\neg$ $\vdash$									
287 Berlin Tpke	Town of Lovettsville (Maint: 53)	0.06	3800	F	97%	1%	1%	1%	1%	0%	F	0.082	F		4100	F
	Combined Traffic Estimates for 2 Parallel Roadways on t	his Route:	7800	F	96%	1%	1%	1%	1%	0%	F	0.094	F	0.606	8300	F
	To:	53-673	S, East Bro	ad Way			_									
287 Berlin Tpke	Town of Lovettsville (Maint: 53)	0.05	6200	N	97%	1%	1%	1%	1%	0%	Ν	0.076	Ν	0.618	6400	Ν
	Combined Traffic Estimates for 2 Parallel Roadways on t	his Route:	10000	N	96%	1%	1%	1%	1%	0%	Ν	NA			11000	Ν
	To From S	SR 287 Par; 53	3-673 N, W	est Broa	d Way											
287 Berlin Tpke	Town of Lovettsville (Maint: 53)	0.58	4400	N	97%	1%	1%	1%	1%	0%	Ν	0.098	Ν	0.577	4700	Ν
$\smile$	То:	NO	L Lovettsv	ille												
	From:	SR 287; 53-	1388 S, Tov	vn Cente	r Dr											
287 Berlin Tpke	Town of Lovettsville (Maint: 53)	0.05	4200	F	95%	1%	1%	1%	1%	0%	F	0.120	F		4500	F
P	Combined Traffic Estimates for 2 Parallel Roadways on t	his Route:	10000	N	96%	1%	1%	1%	1%	0%	Ν	NA			11000	Ν
	To	53-1388	N, Town C	enter Di												
287 Berlin Tpke	Town of Lovettsville (Maint: 53)	0.06	3900	F	95%	1%	1%	1%	1%	0%	С	0.115	F		4200	F
P	Combined Traffic Estimates for 2 Parallel Roadways on t	his Route:	7800	F	96%	1%	1%	1%	1%	0%	F	0.094	F	0.606	8300	F
	To:	SR 287 N	; 53-673 B	road Wa	y											

4/21/2015 7

## Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Lovettsville

						TOWITO	Loveits	SVIIIC									
Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
Town of Lovettsville																	
O Lawattawilla Dd	0.00	From	<u> </u>	050/	10/		Broad Way		00/			_	0.540	0500	_	0014	
672 Lovettsville Rd	0.08	2300 <sub>та</sub>	F	95%	1%	2%	1% Lovettsvill	1%	0%	С	0.106	F	0.548	2500	F	2014	
		Fron															
673) Broad Way W	0.30	1500	N	94%	2%	2%	Lovettsvil 1%	1%	0%	N	0.094	N	0.655	1500	N	2014	
673 Broad Way W	0.00	1000		O+70	270				070		0.004		0.000	1000		2014	
673) Broad Way E	0.18	3500 From	<u>†</u> F	96%	1%	SR 287	7 Berlin Tr 1%	1%	0%	С	0.108	F	0.675	3700	F	2014	
673 Broad Way E	0.10	3300		30 /6	1 /0	1 /0	1 /0	1 /0	0 78		0.100	'	0.075	3700	'	2014	
Prood Way Fact	0.07	Fron	<u> </u>	069/	10/		5 Loudoun		00/	F	0 114	F	0.693	2600	F	2014	
673 Broad Way East	0.07	3400	F	96%	1%	1%	1%	1%	0%	'	0.114	'	0.093	3600	'	2014	
O Burnel Mary Fresh	0.05	Fron		000/	40/		03 Locust		00/			_	0.7	4000		004.4	
673 Broad Way East	0.25	4100 <sub>To</sub>	<u>, F</u>	96%	1%	1%	1%	1%	0%	F	0.11	F	0.7	4300	F	2014	
			1				CL Lovett										
675) Church St S	0.10	170	`L			WCL	Lovettsvil	lle			I NA			NA		01/27/20	
675 Church St S	0.10	170												INA		01/21/20	
Ohumah Ct C	0.10	Fron				53-1648	8 Milhover	n Dr						NIA		04/07/05:	
675 Church St S	0.18	320	R								NA			NA		01/27/20	
		Fron	11			53-1644 I	Fox Meado	ow Dr			<b>□</b> :::						
675 Church St S	0.10	570	R			an					NA			NA		12/08/20	
		10	):			SR 28	7 Berlin Tp	pke									
	0.00	Fron		000/	00/		7 Berlin Tr		00/			_	0.500	4000	_	004.4	
796 Loudoun St	0.66	1700	F	96%	2%	1%	0%	0%	0%	С	0.123	F	0.528	1800	F	2014	
			1				Broadway										
Quarter Branch Rd	0.17	From	<u> </u>			SR 287	7 Berlin Tr	pke						NA		01/27/20	
	0.17	390 <sub>то</sub>	, n			NCI	Lovettsvil	le			NA T			INA		01/21/20	
		From															
1380) Lovett Dr	0.22	420	R			SK 28	7 Berlin Tp	рке			NA			NA		09/21/20	
(1380) Lovett Dr		т.	,			Н	ouser Dr				— <u>;                                    </u>						
		Fron	1:				83 Stocks	St									
1381) Potterfield Dr	0.23	200	R			00 10	o brooks	51			NA			NA		09/21/20	
Potterfield Dr		To				D	ead End										
		Fron	1:			53-13	83 Stocks	St									
1382 Tritapoe PI	0.17	160	R								NA			NA		09/21/20	
53		To	53-1380 Lovett Dr														
_		Fron	1:			53-1381	Potterfield	d Dr									
1383 Stocks St	0.09		R								NA			NA		09/21/20	
		To	53-1382 Tritapoe Pl														
$\sim$		Fron	1:			53-150	01 Church	St									
1388 Town Center Dr	0.04	190	R								NA			NA		02/10/20	
		T <sub>e</sub> Fron	SR 287 Berlin Tpke														
1388 Town Center Dr	0.02	180	R											NA		02/10/20	
		To	):			D	ead End										
O		From				SR 287	7 Berlin Tr	oke									
1501 Church St	0.13	950	R								NA			NA		01/27/20	
<u> </u>		Te	"				3 Broad W										
O Dear and and	0.00	From				53-15	03 Locust	St						NIA		04/07/00	
1502 Pennsylvania Ave	0.22	190	53-1501 Church St								NA			NA		01/27/201	
			<del>!                                    </del>								_						
O Loouat Ct	0.10	From	<u> </u>			53-796	6 Loudoun	St						NIA		04/07/00	
Locust St	0.18	930 To	R			50 (7)	2 Drag J W	lov			NA			NA		01/27/20	
			J				3 Broad W										
Podbud Long	0.10	From				53-1505	Redbud I	Lane						NIA		02/06/20	
Redbud Lane	0.13	<b>90</b>	R			CD 202	7 Dorlin T	ako			NA			NA		02/06/20	
			<u> </u>			SK 28	7 Berlin Tr	рке									

4/21/2015 8

## Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Lovettsville

Route	Length	AADT	QA	4Tire	Bus			ruck e 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Lovettsville		From	1			,	Dead End				1					
(1505) Redbud Lane	0.09	30	R			-	Deau Eliu				NA			NA		01/24/2014
(1505) Redbud Lane		To				53-150	04 Redbud	Lane						1 17 1		
		From:				53-673	Broad Wa	y East								
1590 Park Place	0.15	400	R								NA			NA		01/27/2014
\(\frac{1}{3}\)		To				(	Cul-de-Sac									
		From				53-67	75 Church	St S								
1644 Fox Meadow Dr	0.13	120	R								NA			NA		06/10/2010
		To					Dead End									
<u> </u>		From	<u> </u>			53-673	Broad Wa	y East			<u> </u>					
N Light St	0.09	410	R				7-1 4- C				NA			NA		01/27/2014
			1				Cul-de-Sac									
Woodbriar Dr	0.04	40	L			(	Cul-de-Sac				NA			NA		12/17/2013
	0.04	40											101			12/11/2010
Manadhuinu Du	0.05	From:	ᆫ			53-1644	Fox Mea	dow Dr						NIA		00/10/0010
1647 Woodbriar Dr	0.05	60 To:	R			52 16	56 Oakfie	ld De			NA			NA		06/10/2010
		From:	! :													
(1648) Milhoven Dr	0.06	130	R		53-0	6/5 Chui	rch St S; F	ry Farm R	d		NA			NA		06/10/2010
(1648) Milhoven Dr	0.00	To	rii-			53-16	549 Mills C	Court			—i"			INA		00/10/2010
		From:					Cul-de-Sac				1					
(1649) Mills Court	0.04	70	R				zur-uc-bac				NA			NA		12/17/2013
(1649) Mills Court		To				52 16	48 Milhov	Du			_					
1649 Mills Court	0.05	80	R			33-104	46 MIIIIOV	en Di			NA			NA		12/17/2013
1649	0.00	To	<u> </u>			(	Cul-de-Sac				<b>—</b>					12/11/2010
		From					7 Woodbr				i					
(1656) Oakfield Dr	0.07	60	R								NA			NA		01/27/2014
Oakfield Dr		To					Dead End									
<del></del>		From				53-79	6 Loudour	St S								
(9236) Lovettesville Elemer	ntary <b>Sch</b> ool	230	R								NA			NA		12/08/2014
53		To				53-79	6 Loudour	St S								

4/21/2015 9