2014

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 281

Town of Pennington Gap

Information in this report is included in Report

52

(Lee County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:


- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	



(600) Secondary Route

Virginia State Route

Special Routes

Bus 29 ALT 220	Bus - Business Route Bypas - Bypass Route Truck - Truck Route ALT - Alternate Route Wve - Wve Route connector
\bigcirc	

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Pennington Gap

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru	ck		QC	K	QK	Dir	AAWDT	ΟW
Houte	ourisdiction.	Longin	AADI	чA	41110	Duo	2Axle	3+Axle	1Trail	2Trail	QU	Factor	QIV	Factor	7011101	Q.
ALT	From:	WCL	Pennington	ı Gap												
(58) Morgan Ave	Town of Pennington Gap (Maint: 52)	1.79	8100	N	96%	0%	1%	1%	2%	0%	Ν	0.092	Ν	0.56	8500	Ν
ALT	To- From:	US 42	1 W, Old Z	ion Rd												
(58) (421) E Morgan Ave	Town of Pennington Gap (Maint: 52)	0.40	12000	G	96%	0%	1%	1%	2%	0%	F	0.087	F	0.521	12000	G
ALT	To: From:	US 42	E, Woody	vay Rd			\Box \vdash									
ALT 58 Trail of the Lonesome Pine	Town of Pennington Gap (Maint: 52)	0.23	6400	G	96%	0%	1%	1%	2%	0%	С	0.09	F	0.542	6700	G
	To:	ECL	Pennington	Gap												
-	From:	NCL	Pennington	Gap												
421	Town of Pennington Gap (Maint: 52)	0.77	4000	N	94%	1%	1%	2%	3%	0%	Ν	0.085	Ν	0.552	4200	Ν
<u> </u>	To	A	LT US 58 V	N			\neg \vdash									
ALT 421 58 E Morgan Ave	Town of Pennington Gap (Maint: 52)	0.40	12000	G	96%	0%	1%	1%	2%	0%	F	0.087	F	0.521	12000	G
421 (30)	To:		LT US 58	E												
	From: A	LT US 58 E	Trail of the	Loneson	ne Pine											
421	Town of Pennington Gap (Maint: 52)	0.18	5200	G	95%	1%	1%	2%	2%	0%	F	0.1	F	0.517	5500	G
\searrow	To:	SCL	Pennington	Gap												

4/21/2015 7

					10		enningto									
Route	Length	AADT	QA	4Tire	Bus		Trı 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Pennington Gap		From	J			CCI D		~			-					
633 S Fork River Rd	0.45	40	R			SCL PE	nnington (зар			NA			NA		09/30/201
552		Te				NCL Pe	ennington (Gap								
<u> </u>		From					106 Ford S				J				_	
640 Shavers Ford Rd	0.11	500	G	97%	0%	1%	1%	0%	0%	F	0.104	F	0.613	530	G	2014
640 Shavers Ford Rd	0.25	570 From	G	97%	0%	1%	23 Media 1%	0%	0%	F	0.107	F	0.603	600	G	2014
	0.20	1000	G	97%	0%	52-111 1%	7 Hospital 1%	Dr 0%	0%	F	0.094	F	0.58	1100	G	2014
640 Harrell St	0.20	To		31 /0	0 /6		It US 58	0 /6	0 /6	- '	0.094	'	0.56	1100	G	2014
		From	c			Alt US	58 ; 52-11	111								
706 Kentucky Rd	0.67	2100	R								NA			NA		09/30/201
		To From				ī	JS 421									
706 Fairground St	0.08	120	R								NA			NA		09/11/201
		To	I .				ead End	~								
(721) Combs Rd	0.11	1600	R			WCL P	ennington	Gap			NA			NA		10/07/201
(721) Combs Rd	0.11	To	<u> </u>			A	lt US 58							1471		10/07/201
		From	c			I	JS 421									
764 Johnson Rd	0.66	430	R								NA			NA		09/11/201
		To From				52-110-	4 Anderson	n St								
764 Johnson Rd	0.20	130	R								NA			NA		09/11/201
		To From				52-111	4 Forest A	ve								
764 Johnson Rd	0.26	670	, R			50.707	17 . 1	D.1			NA			NA		09/11/201
		From	1				Kentucky									
(1100) Smithfield Dr	0.06	40	R			52-111	6 Herndor	St			NA			NA		08/08/201
Smithfield Dr		Te				D	ead End									
		From	i:			A	lt US 58									
(1101) Cecil St	0.20	390	R								NA			NA		10/02/201
		From				52-113	33 Bailey l	Rd								
Cecil St	0.10	40	R			NG P		~			NA			NA		10/02/201
		From	1				ennington (<i>J</i> ар								
Leona St	0.14	360	R			A	lt US 58				NA			NA		10/02/201
52		To				D	ead End									
		From	d			D	ead End									
Leigh St	0.27	110	R								NA			NA		10/02/201
		From				52-11	01 Cecil S	St			\supset					
Leigh St	0.50	210	R								NA			NA		10/02/201
	0.10	From	_			52-11	02 Leona	St			⊒					10/00/001
Leigh St	0.18	70	R			D	ead End				NA			NA		10/02/201
		From					Johnson 1	Dd								
(1104) Anderson St	0.06	140	R			32-70-	JUIIISUII	Ku			NA			NA		09/11/201
52		To				A	lt US 58									
1104 Anderson St	0.12	150 From	R								NA			NA		09/11/201
52		To				52-111	4 Forest A	ve								
Anderson St	0.06	160	R								NA			NA		09/11/201
		To					134 EAST									
1104 Anderson St	0.11	80	R			32-1	134 WES	ı			NA			NA		09/30/201
52)		To				5	2-1136									

					10	JWII OI	rennin	gion Gar)							
Route	Length	AADT	QA	4Tire	Bus			Truck de 1Trai		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Pennington Gan		Fron	1-			52-7	64 Johnso	on Rd			1					
Johnson St	0.28	90	R			32-10	04 JUIIIS	on Ku			NA			NA		09/30/201
52		T	n-			52-11	13 Robin	ette St								
\bigcirc		Fron			5	52-640 S	CL Penni	ngton Gap								
1106 Ford St	0.28	110	R				D 15				NA			NA		10/02/201
							Dead En				_					
1108 Church Ave	0.25	170	`L			52-11	04 Ander	rson St			NA			NA		09/30/201
Church Ave	0.20	170					****							1471		00/00/201
1108) Church Ave	0.17	140 From	R				US 421				NA			NA		09/30/201
Church Ave	· · · ·	т.					Dead En	d			TÎ.					00/00/20
		Fron	1:				Dead En									
1109 Oakwood Dr	0.33	170	R								NA			NA		09/30/201
52		T. Fron	-				US 421									
1109 Oakwood Dr	0.26	350	R								NA			NA		09/30/201
52		Te):			52-11	37 Indust	rial Dr								
<u> </u>		Fron				52-1	1103 Leig	gh St								
1110 Cross St	0.06	20	R								NA			NA		08/08/201
<u> </u>		Te):				Dead En				_					
Loolun Avo	0.69	1200	* <u>L</u>			52-70	6 Kentuc	ky Rd			NA			NA		10/02/201
Joslyn Ave	0.09	1200 Te	, n				Alt US 5	8						IVA		10/02/201
		Fron	1.				111 Josly									
1112 Liberty St	0.05	790	R			32-11	111 JUSIY	II AVC			NA			NA		10/02/201
Liberty St		т	2				Alt US 5	0								
Liberty St	0.04	49 From	R			<u> </u>	All US 3	0			NA			NA		10/02/201
52		Te):				Dead En	d								
		Fron	1.				Dead En	đ								
Robinette St	0.18	100	R								NA			NA		08/08/201
32)		Te):				US 421									
O =		Fron				52-70	64 Johnso	on Rd								00/00/00
Forest Ave	0.12	90	R			<i>E</i> ′	1104 C				NA			NA		09/30/201
		Fron	1:				2-1104 G JS 421 G									
Forest Ave	0.25	140	R								NA			NA		09/30/201
52)		Te):				Dead En	d								
\sim		Fron				52-11	116 Hern	don St								
1115 Nolan Ave	0.08	100	R								NA			NA		10/02/201
		Te					1101 Cec									
1116) Herndon St	0.22	270	" <u></u> R				Alt US 5	8			NA			NA		10/02/201
Herndon St	0.22	210 Te					Dead En	d.						INA		10/02/201
		Fron	1:				Dead En									
Hospital Dr	0.12	140	R				Deua Em				NA			NA		09/30/201
52		Te	١.			52-640) Skaggs	Hill Rd								
		Fron	1:			52-11	17 Hosp	ital Dr								
Willow Ave	0.06	60	R								NA			NA		09/30/201
		Te	03			52-11	119 Willo	w Rd								
	0.07	Fron	لــِــا				Dead En	d						NI A		00/00/00:
Willow Ave	0.07	40	R			52 11	18 Willo	w Ava			NA			NA		09/30/201
		Fron														
1120 Ford St	0.06	20	'∟				Dead En	u			NA			NA		10/02/201
(1120) Ford St	0.00		, · · ·				1102 * :	1.0						. •/ (. 5, 52, 201
1120 Ford St	0.07	70 From	R R			52-1	1103 Leis	gn St			NA			NA		10/02/201
1550) . 5.4 51	0.07	т.					Alt US 5	8			¬"``			. •/ ١		. 5, 52, 201

										gion e										
Route	Length	AADT	QA	4Tire	Br	lus				Truck- kle 1T		ЭC	K Factor	QK	Dir Facto	or A	AWDT	QW	' \	Y ear
Town of Pennington Gap		From						A1t I	US 58	Q										
1120 Ford St	0.05	220	R					7111	05 50	,			NA				NA		10/0	2/201
	0.06	150	В				52-	·1111 J	Joslyr	n Ave			NA				NA		10/0)2/201
1120 Ford St	0.06	150 To	R					Dead	d End	d							INA		10/0	12/201
		From							d End											
Summit Ave	0.25	240	R										NA				NA		10/0	2/201
32)		To						1116 I												
1123) Media St	0.10	60	R				52-6	40 Ska	aggs I	Hill Rd			 NA				NA		10/0)2/201
Media St	0.10	To	n				52	2-1140	Med	lia St							INA		10/0	12/20
		From						-764 Jo												
1124 52 Lee St	0.08	90	R										NA				NA		09/3	30/20
52		To						Alt U	US 58	3										
	0.00	Fron					52-1	1104 A	Ander	rson St									00/0	
Doris Ave	0.26	780	R				IIS	S 421;	A1t I	IC 50			NA				NA		09/3	30/20
		Fron							US 58				+							
1126 Duff St	0.17	350	R					Ait	03 30	,			NA				NA		10/0	2/201
557		To						Dead	d End	d										
		Fron					52-	·1111 J	Joslyr	n Ave										
1127 Burke St	0.04	120	R										NA				NA		10/0)2/20
<u> </u>		10							US 58											
1128) Calvary St	0.06	400	R		—	—		Alt l	US 58	3			 NA				NA		10/0)2/20
Calvary St	0.00	т.					52	2-1103	B Leig	gh St			Τ̈́				INA		10/0	2/20
		Fron								Hill Rd										
Constitution Rd	0.16	240	R										NA				NA		09/3	30/20
52)		To						Dead	d End	ı										
7: 4	0.04	Fron					52-7	706 K	entucl	ky Rd							NIA.		00/0	20/00
Zion Ave	0.04	210	R				5′	2-1141	1 Mai	in St			NA				NA		09/3	30/20 ⁻
		Fron								ch Ave										
1131 Walnut St	0.04	80	R				32-1	1100 €	citare	II / IVC			NA				NA		09/3	30/20 ⁻
52		To			_	_	52-11	109 Oa	akwo	ood Ave										
O		Fron			_	_	52-11	109 Oa	akwo	ood Ave										
Allen St	0.05	160	R					11141					NA				NA		09/3	30/20
		Fron								st Ave										
1133) Bailey St	0.25	100	R					2-1101	i Ceci	11 St			NA				NA		10/0)2/20 ⁻
Bailey St		To						Dead	d End	d										
		Fron					52-1	1138 S	Squirre	el Ave										
Squirrel Ave	0.09	90	R										NA				NA		12/0)4/20
		To			_	_	52	-1135												
1135) Locust St	0.11	50	R		—	—		52-	1136				 NA				NA		00/3	30/20 ⁻
Locust St	0.11	30	<u> </u>		—	—	52-1	1134 S	Sauirre	el Ave							INA		09/3	,0/20
		From								rson St										
1136	0.05	45	R					-017					NA				NA		09/3	30/20 ⁻
52		Tr					52	-1135	Locu	ıst St										
O 1 1 2 2 2 5		Fron						US	S 58				<u> </u>							
1137 Industrial Dr	0.48	1100 To	R					P	4 P. 1	4			NA				NA		09/3	30/201
		From					<i>5</i> 0 ·		d End				 							
Squirrel Ave	0.08	50	R				52-1	1134 S	quirre	rel Ave			NA				NA		00/3	30/201
52	0.00	Т						Dead	d End	d			╗.						33,0	

						own of r chinington da	<u> </u>							
Route	Length	AADT	QA	4Tire	Bus	Truck 2Axle 3+Axle 1Tra		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Pennington Gap		From	el .			Dead End			ı					
1139 Burke St	0.16	60	R			Dead End			NA			NA		08/08/201
52		Te				52-1103 Leigh St								
		From				Dead End			1					
Media St	0.05	40	R						NA			NA		10/02/20
52		To	c			52-1123 Media St								
		From	·			US 58								
1141 Main St	0.16	190	R						NA			NA		09/30/20
		To From	_			52-1130 Zion Ave								
1141 Main St	0.17	220	R						NA			NA		09/30/20
52		To	с			Dead End								
		From	i:			52-706 Kentucky Rd								
N Kentuck St	0.01	70	R						NA			NA		09/30/20
52)		To	c			Dead End								
		From	:			Alt US 58								
Edwards St	0.05	70	R						NA NA			NA		10/02/20
		To	c			52-1103 Leigh St								
$\widehat{}$		From	:			52-640 Skaggs Hill Rd								
Constitution Dr	0.14	40	R						NA			NA		09/30/20
<u> </u>		To				Dead End								
		From	<u> </u>			52-721 Combs Rd			<u> </u>					
Terrace Dr	0.04	160 _т	R			D 1E 1			NA			NA		10/07/20
			1			Dead End								
Caireman d Dd	0.00	From	Ц			52-706 Fairground St			—			NA		04/07/00
Fairground Rd	0.38	40 Tr	R		5	2-621 Right Poor Valley Rd			NA			INA		01/27/20
		From			J.									
Bank St	0.05	140	`L R			52-1111 Joslyn Ave			NA			NA		10/02/20
1149 Bank St	0.00	i →U To	- n			Alt US 58 WEST						INA		10/02/20
		From							1					
0050	0.16	480	`			Alt US 58			NA			NA		10/02/20
9659	0.10	To				Pennington Gap School						1471		. 3, 32, 20
						g Sup Sensor								