## 2018

## Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

# **Special Locality Report**

### 259

Town of Middleburg

Information in this report is included in Report



(Loudoun County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

**U.S. Department of Transportation Federal Highway Administration** 

#### Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- **F** Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck**: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- **F** Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

### Route Shield Legend

#### Route Systems

North	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.									
29	US Route										
7	Virginia State Route										
(F241)	Frontage Road (F precedes frontage route number)										
600	Secondarv Route										
		Special Routes									
Bus 29 ALT 220	Bus - Business Ro Bvpas - Bvpass R Truck - Truck Rou ALT - Alternate Ro Wve - Wve Route	oute te oute									
		Southbound or Westbound direction lanes of a numbered route a different road facility than the other direction.									
600		inenance Jurisdiction number is displayed below the Secondary Rount ntenance Jurisdiction is different than the jurisdiction in the title of the									

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

#### Virginia Department of Transportation Traffic Engineering Division 2018 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Middleburg

Route	Jurisdiction	Longth	h <b>AADT</b>	~	4Tire	Bus		Truck			QC	К	QK	Dir	AAWDT	0.00
noule	Junsaiction	Length	AADT	QA			2Axle	3+Axle	1Trail	2Trail	QU	Factor	QR	Factor	AAVUU	QW
	From:	WC	L Middleb	urg												
50 Washington St W	Town of Middleburg (Maint: 53)	0.61	9400	G	97%	1%	1%	0%	1%	0%	С	0.105	F	0.777	9500	G
	Tai From	W 53-6	526 The Pla	ins Rd												
50 Washington St	Town of Middleburg (Maint: 53)	0.65	9200	G	97%	1%	1%	0%	1%	0%	F	0.102	F	0.696	9300	G
$\bigcirc$	To:	EC	L Middleb	ırg												

#### Virginia Department of Transportation Traffic Engineering Division 2018 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Middleburg

			<u> </u>	47			f Middlel				К		Dir		<u> </u>	
Route	Length	AADT	QA	4Tire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QK	Factor	AAWDT	QW	Year
Town of Middleburg		From				SCL	Middlebur	g								
626 The Plains Rd	0.21	1500 To	Ν	97%	1%	1%	1% In S Mosby	0%	0%	Ν	0.153	F	0.537	1500	Ν	2018
626) Foxcroft Rd	0.20	1500 <sup>From</sup>	R								NA			NA		05/12/2010
		To:					Middlebur									
(776) Landmark School Rd	0.25	From <b>400</b>	N			SCL	Middlebur	g			NA			NA		02/10/2014
(776) Landmark School Rd	0.20	To:				US 50 Joh	n S Mosby	/ Hwy								02/10/2011
		From:				53-120	04 Federal	St								
(1201) Jay St	0.10	520	R								NA			NA		06/14/2010
(1201) Jay St	0.06	From: 110	R		53-1	202 Stone	wall Ave; I	Marshall	St		NA			NA		01/27/2014
(1201) 53 Jay St	0.00	To:				D	ead End							1473		01/21/2014
		From:				53-12	12 Maple	St								
(1202) Stonewall Ave	0.05	150	R								NA			NA		01/27/2014
		To: From:	_			53-1215	5 Sycamore	e St								
(1202) Stonewall Ave	0.45	390	R								NA			NA		06/14/2010
(1202) Marshall St	0.17	910	R			53-120	9 Pickering	g St			NA			NA		06/14/2010
(1202) 53 Marshall St	0.17	510				52 626	Fovoroft	Dal						1473		00/14/2010
(1202) Marshall St	0.13	From: <b>700</b>	R			33-020	Foxcroft	ĸu			NA			NA		06/14/2010
53		To				53-121	0 Hamiltor	n St								
(1202) Marshall St	0.08	510	R								NA			NA		06/14/2010
		To: From:				53-1	201 Jay St									
(1202) Marshall St	0.10	210	R								NA			NA		06/14/2010
		To From				0.10 MN	53-1201 J	ay St								/
(1202) Marshall St	0.02	<b>7</b>	R			D	ead End				NA			NA		11/09/2015
		From:					ead End									
(1203) Pendleton St	0.08	640	R			D					NA			NA		06/14/2010
53		To: From:				US 50 W	ashington	St E			<b>—</b> —					
(1203) Pendleton St	0.05	760	R								NA			NA		06/14/2010
		To:					2 Marshall									
(1204) Federal St	0.19	From: 1100	G	97%	0%	53-626 1%	The Plains 1%	Rd 0%	0%	С	0.127	F	0.671	1100	G	2018
(1204) Federal St	0.10	1100	ŭ	01 /0					070	0	0.127	•	0.071	1100	ŭ	2010
(1204) Federal St	0.22	From: <b>770</b>	G	98%	0%	<u>1%</u>	dmark Sch 0%	0%	0%	С	0.143	F	0.589	770	G	2018
53		To:					201 Jay St									
		From:					04 Federal			_		_				
Liberty St	0.05	260	G	96%	1%	2%	0%	0%	0%	С	0.114	F	0.531	260	G	2018
(1205) Liberty St	0.00	From:				US 50 W	ashington	St E						NIA		00/14/2010
	0.06	280 To:	R			53-120	2 Marshall	St			NA			NA		06/14/2010
		From					ashington									
Locust St	0.19	180	R								NA			NA		06/14/2010
		To					Stonewall									
(1207) Chestnut St	0.20	From: 340	R			US 50 W	ashington	St W			NA			NA		06/14/2010
(1207) Chesthut St	0.20	<b>340</b>				<u>53-1</u> 202	Stonewall	Ave								50, 17, 2010
		From:					ashington									
Reed St	0.12	230	R								NA			NA		06/14/2010
		To:				53-1202	Stonewall	Ave								

#### Virginia Department of Transportation Traffic Engineering Division 2018 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Middleburg

Route	Length	AADT	QA	4Tire	Bus			ruck e 1Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Middleburg															
Diskaring Ct	0.05	From	L_			US 50 W	Vashingto	n St E					NIA		00/14/001/
(1209) Pickering St	0.05	630 To	R			53-120	)2 Marsha	11 St		NA			NA		06/14/2010
		From	I				04 Federa			1					
(1210) Hamilton St	0.10	230	R			33-120	04 Feuera	151		NA			NA		06/14/201
(1210) Hamilton St		To				53-120	2 Marsha	ll St							
		From				53-121	5 Sycamo	re St							
(1211) Martin Ave	0.25	60	R							NA			NA		06/14/201
33		To				53-12	208 Reed	St							
		From				53-1214	Blue Ridg	ge Ave							
1212 53 Maple St	0.11	80 <sup>To</sup>	R			50 1000				NA			NA		06/14/201
0			1				Stonewal	ll Ave							
Lincoln Rd	0.09	From	R			D	ead End			NA			NA		12/15/2013
Lincoln Rd	0.09	<b>30</b> To				53-626	The Plain	is Rd					NA.		12/13/2016
		From					212 Maple								
(1214) Blue Ridge Ave	0.25	60	R			55-12		. 51		NA			NA		06/14/2010
Blue Ridge Ave		То				53-121	6 Walnut	Ave							
		From				53-12	11 Martir	n St	 						
(1215) Sycamore St	0.07	80	R							NA			NA		06/14/2010
		To				53-1214	Blue Ridg	ge Ave							
(1215) Sycamore St	0.09	60	R							NA			NA		06/14/2010
53		То				53-1202	Stonewal	ll Ave							
$\sim$		From				US 50 W	ashingtor	n St W							
(1216) Walnut St	0.17	90	R				~ .			NA			NA		06/14/2010
<b>)</b>		18					Stonewal								
(1217) Chinn Lane	0.13	From 110	R			53-120	2 Marsha	11 St		NA			NA		01/27/2014
(1217) Chinn Lane	0.13	То	R.			C	ul-de-Sac						INA		01/27/2014
		From	1				ohn Mosby	u Uww							
(1218) Windy Hill Rd	0.13	180	R			03 30 30	Jul WOSD	y 11W y		NA			NA		01/27/2014
(1218) Windy Hill Rd		То				D	ead End								
		From				53-626	6 Foxcroft	Rd				-			
9232	0.05	1500	R							NA			NA		11/09/2015
<u></u>		To				53-626	6 Foxcroft	Rd							