2018

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report

299

Town of Shenandoah

Information in this report is included in Report

69

(Page County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- **F** Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- **F** Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
600	Secondarv Route	
		Special Routes
Bus 29 ALT 220	Bus - Business Ro Bvpas - Bvpass R Truck - Truck Rou ALT - Alternate Ro Wve - Wve Route	oute te oute
		Southbound or Westbound direction lanes of a numbered route a different road facility than the other direction.
600		inenance Jurisdiction number is displayed below the Secondary Rount ntenance Jurisdiction is different than the jurisdiction in the title of the

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Route	Jurisdiction	Length AAD	T QA	4Tire	Bus		Truck			QC	К	QK	Dir		0.11
Houle	Junsaiction	Length AAD	I QA	41110	DUS	2Axle	3+Axle	1Trail	2Trail	QU	Factor	QR	Factor	AAWDT QW	QW
	From:	SCL Shena	ndoah												
340	Town of Shenandoah (Maint: 69)	1.22 600) N	97%	1%	1%	0%	2%	0%	Ν	0.087	F	0.569	5900	Ν
	To: From:	69-706 Junior Ave													
Fifth St	Town of Shenandoah (Maint: 69)	0.65 680) F	96%	0%	1%	1%	2%	0%	F	0.086	F	0.562	6800	F
\searrow	To:	NCL Shenandoah													

						Shehan	uoan								
Length	AADT	QA	4Tire	Bus					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
		r				~									
0.37	4400	F	99%	0%	0%	0%	0%	0%	С	0.090	F	0.617	4400	F	2018
0.42	From 2400 To	F	99%	0%	0%	1%	0%	0%	С	0.090	F	0.567	2400	F	2018
	From									1					
0.38	820 To	F	99%	0%	1%	0%	0%	0%	С	0.108	F	0.583	820	F	2018
0.35	350 From	R								NA			NA		05/04/2015
0.73	From 360	R								NA			NA		06/04/2018
	From	· · · · ·													
0.27	150 To	R								NA			NA		05/09/2012
0.15	210 From	B			69-602	Maryland .	Ave			NA			NA		05/09/2012
0.10	То				69-100	6 Denver A	Ave								00/00/2012
	From				D	ead End									
0.28	330 To	R			I	IS 340				NA			NA		07/22/2015
0.12		R				55 540				NA			NA		04/29/2015
	To				ECL	Shenandoa	h								
	From				N S	Second St									
0.25	250 ^{To}	F	99%	0%	1% US 3	0% 40 Fifth S	0%	0%	С	0.110	F	0.533	250	F	2018
	From					1st St									
0.21	260	R								NA			NA		05/04/2015
0.36	From 470	F	100%	0%	0%	0%	0%	0%	С	0.098	F	0.585	470	F	2018
		1					ıdoah								
0.21					N	V 1st St							ΝΔ		05/04/2015
0.31	240				US 3	40 Fifth S	•						NA		05/04/2015
	From														
0.10	210	R			07-700, L	CE Shena	luban			NA			NA		05/09/2012
	To				69-602	Maryland	Ave								
0.10	130	R			07 002	i i i i i i i i i i i i i i i i i i i				NA			NA		05/09/2012
	То			(69-1016 P	ennsylvani	a Ave								
	From				D	ead End									
0.34	130	R								NA			NA		06/04/2018
	From				69-602	Maryland .	Ave								
0.18		R								NA			NA		06/04/2018
		1													
0.00					69-72) Seventh	St						NIA		05/00/2012
0.09	130 To				ECLS	Shenandoa	h						NA		05/09/2012
	From									1					
0.18	120	R								NA			NA		06/04/2018
0.10	From				69-712	2 Senior A	ve						NIA		05/04/2015
0.10	80 ^{To}	n			69-720	Williams	Ave			AIN			INA		05/04/2015
		<u> </u>			09-1020	J Central A	ive			<u> </u>			N1.4		05/04/0015
0.12	100	R								NA			NA		05/04/2015
	0.37 0.42 0.38 0.35 0.73 0.73 0.73 0.27 0.15 0.28 0.27 0.25 0.21 0.25 0.21 0.21 0.25 0.21 0.21 0.21 0.25 0.21 0.21 0.31 0.34 0.31	0.42 2400^{10} 0.38 820^{10} 0.35 350^{10} 0.35 350^{10} 0.73 360^{10} 0.73 360^{10} 0.27 150^{10} 0.28 330^{10} 0.15 250^{10} 0.28 330^{10} 0.28 330^{10} 0.25 250^{10} 0.25 250^{10} 0.26 240^{10} 0.36 470^{10} 0.31 240^{10} 0.31 240^{10} 0.31 240^{10} 0.31 240^{10} 0.31 240^{10} 0.31 240^{10} 0.31 240^{10} 0.33 130^{10} 0.34 130^{10} 0.38 130^{10} 0.39 130^{10} 0.38 120^{10}	0.37 4400 Form 0.42 2400 F 0.42 2400 F 0.38 820 F 0.38 820 F 0.38 820 F 0.38 350 R 0.38 360 R 0.37 360 R 0.38 360 R 0.73 260 R 0.15 210 R 0.16 250 F 0.27 260 R 0.12 260 R 0.28 270 R 0.21 260 R 0.21 260 R 0.31 240 R 0.31 130 R 0.33 130 R 0.34 130 R 0.35 130 R	Profe Profe 99% 0.37 2400 F 99% 0.42 2400 F 99% 0.38 820 F 99% 0.38 820 F 99% 0.38 820 F 99% 0.38 820 F 99% 0.35 350 R	Length AADT QA 4Tire Bus 0.37 4400 F 99% 0% 0.42 2400 F 99% 0% 0.42 2400 F 99% 0% 0.42 700 F 99% 0% 0.38 820 F 99% 0% 0.38 820 F 99% 0% 0.35 350 R	Length AADT QA 4Tire Bus $\frac{2}{2}$ (a) 0.37 4400 F 99% 0% 0% 0.42 2400 F 99% 0% 1% 0.33 820 F 99% 0% 1% 0.35 350 R - - - 0.73 360 R - - - - 0.12 710 R - - - - - - 0.12 750 R - - - - - - - 0.12 750 F 99% 0% 1% - - <			$ \begin{array}{c c c c c c } & AADT & AADT & AADT & ATT & $	$ \begin{array}{c c c c c c } eq:approximate of a state of $	AADT QA 4Tire Bus Image: Constraint of the second	Length AADT QA 4Tire Bus Intermediate of the second seco	AADT AADT AADT Bus $\frac{1}{2Ade} 3+Ade 1$ Trail Cr K R Dir 0.37 4400 F 99% 0%	AADT QA 4Tire Bus $\frac{1}{2Axle}$ 3/Axle Truck CC K QK Dir Factor AWDT 0.37 4000 F 99% 0% <td>Length AADT OA 4 Tire Bus </td>	Length AADT OA 4 Tire Bus

Devite	الدينية ا	A A D T	<u> </u>	AT:				Truck			00	K	<u> </u>	Dir	A A \ A / D		Vee
Route	Length	AADT	QA	4Tire	Bus	2Ax	kle 3+A	Axle 1Tra	ail 2 ⁻	Trail	QC	Factor	QK	Factor	AAWD [.]	i QW	Year
Town of Shenandoah		From				69-	-706 Juni	ior Ave									
728 North Fourth St	0.20	40	R			60 7	20 37:11:	ame Area				NA			NA		05/04/2015
0		From	1				-780 N F	ams Ave									
(729) Williams Ave	0.23	190	R			09	-780 141	list St				NA			NA		05/04/2015
		To From:				U	JS 340 Fi	ifth St				⊐—					
(729) Williams Ave	0.12	240	R				D 10					NA			NA		07/22/2015
<u> </u>		From				0	Dead E										
780 N First St	0.19	130	R			05	9-683; 69	9-700				NA			NA		05/09/2012
		To				69-7	29 Willia	ams Ave									
	0.01	From				(69-683 1	st St							NIA		05/04/0015
(1004) Virginia Ave	0.21	1000	R									NA			NA		05/04/2015
(1004) Virginia Ave	0.15	460	R				US 34	.0				NA			NA		04/29/2015
(1004) Thigh a tro	0.110	То				69	9-1008 Si	ixth St									0
<u> </u>		From				69-	-706 Juni	ior Ave									
(1005) A St	0.09	60 To	R			(0)	712 6					NA			NA		05/04/2015
		From					-712 Seni -1015 Tl										
Denver Ave	0.08	250	R			07	-1015 11	ind St				NA			NA		05/04/2015
		To					US 340;										
Denver Ave	0.42	350	R			c	69-1009;	Gap				NA			NA		04/29/2015
		To				69	9-692; 69	9-745									
<u> </u>		From					Dead E	nd									
(1007) Pulaski Ave	0.26	250	R									NA			NA		07/22/2015
(1007) Pulaski Ave	0.06	310	R				US 34	.0				NA			NA		07/22/2015
(1007) Pulaski Ave	0.00	То					Dead E	ind							IN/A		0772272013
		From				Sł	henvadal	e Ave									
1008 Sixth St	0.20	110	R									NA			NA		05/09/2012
	0.00	From	Ĺ,			69-60	02 Mary	land Ave									05/00/0040
(1008) Sixth St	0.20	130 ^{To}	R			69-1	004 Virg	ginia Ave				NA			NA		05/09/2012
		From				0, 1	Dead E										
(1009) Fifth St	0.42	45	R									NA			NA		07/22/2015
		To				69-1	004 Virg	ginia Ave									
(1009) Fifth St	0.04	40	R			(0.1	100(D					NA			NA		04/29/2015
		From					1006 Den	Shenandoah									
(1010) Marcus St	0.07	180	R			03 340	J, NCL 5	nenanuoan				NA			NA		04/09/2009
69		To				69-1	1011 Gre	egory St				–					
(1010) Marcus St	0.02	70	R									NA			NA		04/09/2009
		To					Dead E										
(1011) Gregory St	0.14	From: 70	R			69-10	12 Edge	Wood Dr				NA			NA		04/07/2009
(1011) Gregory St	0.11	То				69-	1010 Ma	arcus St							10.		01/01/2000
		From				U	JS 340 Fi	ifth St									
1012 Edge Wood Dr	0.10	180	R									NA			NA		04/07/2009
	0.00	From	<u> </u>			69-1	1011 Gre	egory St							K 1 A		04/07/0000
(1012) Edge Wood Dr	0.23	140 To	R				Dead E	ind				NA			NA		04/07/2009
		From	1			69-70		ndoah Ave				<u> </u>					
(1013) Second St	0.08	70	R									NA			NA		05/04/2015
N M		To				69-60	02 Mary	land Ave									

5/8/2019

Route	Length	AADT	QA	4Tire	Bus		Truck Axle 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Shenandoah			ī					211411		T actor		i actor			
(1013) Second St	0.34	250	R			69-602 Mary	land Ave			NA			NA		05/04/2015
(1013) Second St		To				69-683	1st St								
		From				69-708 Shena	ndoah Ave								
(1015) Third St	0.07	170	R							NA			NA		05/04/2015
	0.34	To From:				69-602 Mary	land Ave			NA			NA		05/04/2015
(1015) Third St	0.34	410	R							INA			INA		05/04/2015
(1015) Third St	0.10	260	R			69-1006 De	nver Ave			NA			NA		05/04/2015
(1015) Third St		To				69-683 Railroa	d St; 2nd St								
		From				69-683	lst St								
(1016) Pennsylvania Ave	0.07	280	R							NA			NA		05/09/2012
		From				69-1013 Se	econd St			<u> </u>					
(1016) Pennsylvania Ave	0.08	460	R							NA			NA		05/04/2015
(1016) Pennsylvania Ave	0.07	From 860	R			69-1015 T	'hird St			NA			NA		05/04/2015
(1016) Pennsylvania Ave	0.07	000	n				10						NA		03/04/2013
(1016) Pennsylvania Ave	0.07	370	R			US 3	40			NA			NA		05/09/2012
(1016) Pennsylvania Ave		To				69-1009 I	Fifth St			- <u> </u>					
Pennsylvania Ave	0.07	270 From:	R			09-1009 1	nui St			NA			NA		05/09/2012
69		To				69-1008 S	Sixth St			_					
1016 Pennsylvania Ave	0.08	220	R							NA			NA		05/09/2012
		From				69-720;	7th St								
(1016) Pennsylvania Ave	0.07	110	R							NA			NA		05/09/2012
		From				69-702 Ei	ghth St								
(1016) Pennsylvania Ave	0.07	100 To:	R			69-719 N	inth St			NA			NA		05/09/2012
		From				Dead l									
Long Ave	0.43	450	R			Deau	End			NA			NA		06/04/2018
		To				69-602 Mary	land Ave								
		From				Cul-de-	-Sac								
(1018) Morrison Rd	0.14	200 To:	R			69-602 Mary	land Ava			NA			NA		05/09/2012
		From				Dead l									
(1019) Warren Ave	0.14	70	R			Deau	End			NA			NA		04/11/2012
(ñ)		To				69-1023, S S	Second St								
		From				69-683 Rai	lroad St								
(1020) Central Ave	0.20	260 _{то}	R			US 3	40			NA			NA		06/04/2018
		From				Dead I									
(1022) Cocoran St	0.13	80	R			Dead	End			NA			NA		04/11/2012
(1022) Cocoran St		To				69-1023, S S	Second St								
<u> </u>		From				Page County L	ine; 69-693								
1023 S Second St	0.21	100	R							NA			NA		06/04/2018
	0.40	From				Liberty	Ave						N I A		06/04/0010
(1023) S Second St	0.12	240 To	R			69-1022; 6	9-1023			NA			NA		06/04/2018
		From				Dead l				1					
(1024) Central Ave	0.06	40	R			Dead				NA			NA		04/11/2012
69		To				69-683 Rai	lroad St								
		From	L			Dead l	End						• • •		0.111.15=
(1026) Liberty Ave	0.19	40	R			US 3	40			NA			NA		04/11/2012
			L			03.3	τU								

Route	Length	AADT	QA	4Tire	Bus	Truck 2Axle 3+Axle 1Trail 2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Shenandoah													
		From				69-692; 69-745; 69-1006							
(1027) Grandios Ave	0.04	220	R					NA			NA		05/04/2015
69		Tr				ECL Shenandoah							