2019

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 113

City of Galax

Information in this report is included in Report

17

(Carroll County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

Special Routes

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	ute

Frontage Road (F precedes frontage route number)

Bus	Bus - Business Route
29	Bypas - Bypass Route
(23)	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector
()	

Secondary Route

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2019 Annual Average Daily Traffic Volume Estimates By Section of Route City of Galax

		Oity Oi	Galax				Tru	al.			V		Div		
Route	Jurisdiction	Length AA	DT QA	4Tire	Bus		3+Axle	-		QC	K Factor	QK		AAWDT	Q۷
	From:	WCL	Galax			Zitalo	OTTIALO	TTTGII	ZIIGII		1 40101		Factor 0.537 9500 0.556 8300 0.574 12000 0.533 16000 0.504 20000 0.54 16000 0.566 6500 0.564 5300 0.561 3200 0.561 3200 0.561 2700 0.537 9500 0.556 8300 0.574 12000 0.574 12000 0.533 16000 0.504 20000		
58) (221) Reserve Blvd	City of Galax	0.47 88	300 G	96%	0%	1%	1%	2%	0%	С	0.094	F	0.537	9500	G
<i></i>	To: From:	Greenville Ro	d W Stuart Dr												
(221) Reserve Blvd; W Stuart Dr	City of Galax	1.10 76	600 G	96%	0%	1%	1%	2%	0%	F	0.084	F	0.556	8300	(
~ ~	To: From:														
(221) W Stuart Dr	City of Galax	0.20 110	000 G	96%	0%	1%	1%	2%	0%	F	0.088	F	0.574	12000	(
~ ~	To: From:	State Stat													
E Stuart Dr	City of Galax	0.34 140	000 G	96%	0%	1%	1%	3%	0%	F	0.094	F	0.533	16000	(
~~~	From:			2221	221			221	221			_	0.504		
Second Parameter   City of Galax   1.81   1900   G   96%   0%   1%   1%   3%   0%   F   0.078   F   0.58	0.504	20000	(												
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				000/	00/	10/	40/	00/	00/		0.070		0.54	6500 G 6800 G	
58 (221) E Stuart Dr				96%	0%	1%	1%	3%	0%	C	0.079	F	0.54	16000	(
	From														
Main St				98%	0%	1%	0%	1%	0%	С	0.091	F	0.566	6500	(
	To:														
gg) Main St	Hom		•	99%	0%	1%	0%	0%	0%	С	0.086	F	0.559	6800	(
<u> </u>	To	Maroon	Tide Dr												
89) Main St	City of Galax			99%	0%	1%	0%	0%	0%	F	0.083	F	0.564	5300	(
\smile	To: From:	Oldto	own St												
89) Main St	City of Galax	0.64 30	000 G	98%	1%	1%	0%	0%	0%	С	0.102	F	0.561	3200	(
<u> </u>		US 58 S	Stuart Dr												
D: 0 D.	From:			200/	00/		00/	00/	00/	_	0.005	_	0.011	0700	
97) Pipers Gap Rd	City of Galax			99%	0%	0%	0%	0%	0%	C	0.095	F	0.611	2700	(
	From:														
221 (58) Reserve Blvd	City of Galax			96%	0%	1%	1%	2%	0%	С	0.094	F	0.537	9500	(
	To	Oldto	wn Rd												
221 (58) Reserve Blvd; W Stuart Dr	City of Galax			96%	0%	1%	1%	2%	0%	F	0.084	F	0.556	8300	(
	To: From:	Frie	s Rd												
221 (58) W Stuart Dr	City of Galax	0.20 110		96%	0%	1%	1%	2%	0%	F	0.088	F	0.574	12000	(
~~~ <u>~</u>	То	SR 89 N	MAIN ST												
21) (58) E Stuart Dr	City of Galax		000 G	96%	0%	1%	1%	3%	0%	F	0.094	F	0.533	16000	(
~	To: From:	Mead	low St			$\neg$ $\vdash$									
221 (58) E Stuart Dr	City of Galax		000 G	96%	0%	1%	1%	3%	0%	F	0.078	F	0.504	20000	(
$\sim$	To: From	Hayn	es Rd												
221 (58) E Stuart Dr	City of Galax	1.10 <b>15</b> 0	000 G	96%	0%	1%	1%	3%	0%	С	0.079	F	0.54	16000	(
~ ~	To:	ECL	Galax												

7 4/16/2020

# Virginia Department of Transportation Traffic Engineering Division 2019 Annual Average Daily Traffic Volume Estimates By Section of Route City of Galax

						City of Gala	ax								
Route	Length	AADT	QA	4Tire	Bus	T 2Axle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Galax															
2 Calhoun St	0.07	1700	G	96%	2%	Jefferson St 2% 0%	0%	0%	F	0.090	F	0.552	1800	G	2019
2 Calhoun St	0.07	To	Ť	0070	270	SR 89 Main 3		070		0.000	•	0.002	1000	u	2010
		From				US 58 Stuart				i					
3 Fries Rd	0.58	1000	G	99%	0%	1% 0%	0%	0%	С	0.082	F	0.629	1100	G	2019
<u> </u>		To				Sherry Lane									
3 Fries Rd	1.03	1300 From	G	99%	0%	1% 0%	0%	0%	F	0.097	F	0.588	1400	G	2019
3)		То				NCL Galax									
		From	:		1	13-3 Fries Rd, Leo	nard Rd								
4 Iron Bridge Rd	0.21	950	G	98%	0%	1% 1%	0%	0%	F	0.108	F	0.586	1000	G	2019
		To	c			38-607 NCL G	alax								
		From	:			SCL Galax									
Branch St/Chestnut Dr	0.43	580	G	98%	0%	1% 1%	0%	0%	С	0.121	F	0.582	630	G	2019
<u> </u>		То	c			SR 89 Main S	St								
		From				WCL Galax									
Greenville Rd	0.37	950	G	99%	0%	0% 0%	0%	0%	С	0.097	F	0.558	1000	G	2019
$\overline{}$		To				US 58									
Stuart Dr	0.48	2500	<u> </u>	98%	0%	US 58 Bypas 1% 1%	0%	0%	F	0.099	F	0.501	3800	G	2019
Stuart Dr	0.40	3500	G	3070	U 7/0			U 7/0	r	0.099	Г	0.301	3000	G	2019
O 01 D	0.00	From	<u> </u>	0000	0-1	Alderman S		051				0.511	4600		0015
4052 Stuart Dr	0.29	3700 To	G	98%	0%	1% 1%	0%	0%	F	0.099	F	0.514	4000	G	2019
		From				Stanford St US 58; W Stuar									
4052) Mac Arthur St	0.19	2700	G	98%	0%	1% 1%	0%	0%	С	0.082	F	0.542	3000	G	2019
									-						_
Mac Arthur St	0.31	2500 From	G	98%	0%	Circle Dr 1% 1%	0%	0%	F	0.09	F	0.564	2700	G	2019
Mac Arthur St	0.51	<b>2300</b> To	_	30 /6	0 /6	SR 89 Main S		0 /6		0.03	•	0.504	2700	ч	2013
		From													
4053) Lineberry Rd	1.21	4700	G	98%	0%	SR 89 Main 9	1%	0%	С	0.089	F	0.564	5100	G	2019
4053		To	<u> </u>	0070		113-4056 Poplar K		070	<u> </u>	0.000	•	0.001	0.00	G	20.0
		From	:			Grayson St	inoo rea								
4053) Meadow St	0.59	8100	G	98%	0%	1% 0%	1%	0%	F	0.087	F	0.502	8800	G	2019
<u> </u>		To	c			US 58 E Stuart	Dr								
_		From				113-4055 Jeffers	on St								
4054) Grayson St	0.38	2200	G	98%	0%	1% 1%	1%	0%	С	0.112	F	0.596	2400	G	2019
$\smile$		To	c		-	113-4053 Meado	ow St	-							
		From				Calhoun St									
Jefferson St	0.12	520	G	97%	0%	2% 0%	0%	0%	F	0.130	F	0.5	570	G	2019
$\overline{}$		To From				Grayson St				<u> </u>					
4055) Jefferson St	0.29	1000	G	97%	0%	2% 0%	0%	0%	С	0.113	F	0.701	1100	G	2019
$\bigcirc$		То	c			US 58 Stuart 1	Dr								
		From	-		-	Meadow St								-	
4056) Poplar Knob Rd	0.14	2000	G	99%	0%	0% 0%	0%	0%	С	0.095	F	0.590	2200	G	2019
$\cup$		To				Oak St									
4056) Poplar Knob Rd	1.08	1500	G	99%	0%	0% 0%	0%	0%	F	0.106	F	0.615	1600	G	2019
		То		/ •		ECL Galax			-						
		From				SECL Galax				1	_			_	_
4057) Country Club Lane	0.21	1100	G	100%	0%	0% 0%	0%	0%	F	0.099	F	0.534	1100	G	2019
, 4 4 4 4 4		To								<b>—</b>					_
4057) Country Club Lane	0.78	2700	G	100%	0%	Poplar Knob I	Rd 0%	0%	С	0.096	F	0.543	2900	G	2019
4057 Country Club Lane	0.70	2100		100 /6	U /0			0 /0	U	0.090	'	0.545	2300	u	2019
		From		10000	•	US 58 E Stuart		0					,		
Larkspur Lane	0.32	1300 _{To}	G	100%	0%	0% 0%	0%	0%	F	0.093	F	0.550	1400	G	2019
			<u> </u>			Glendale Ro									
		From	ــــــــــــــــــــــــــــــــــــــ	000		US 58 E Stuart					_	0.07:			
4058) Glendale Rd	0.62	7100	G	98%	0%	0% 1%	0%	0%	F	0.094	F	0.614	7700	G	2019
		To	C			Cliffview Ro	d								

4/16/2020 8

# Virginia Department of Transportation Traffic Engineering Division 2019 Annual Average Daily Traffic Volume Estimates By Section of Route City of Galax

						City	UI Galaz	`								
Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Galax		From	1			Clid	ffview Rd				1					
4058) Glendale Rd	1.05	6500	G	98%	0%	0%	1%	0%	0%	С	0.099	F	0.536	7100	G	2019
(4058) Glendale Rd	1.03	0300		30 /6	0 /6			0 /6	0 78	0	0.033	'	0.550	7100	u	2013
		From					aynes Rd									
(4058) Glendale Rd	1.02	4000	G	98%	0%	0%	1%	0%	0%	F	0.092	F	0.531	4300	G	2019
$\overline{}$		To				NO	CL Galax									
		From					endale Rd									
(4059) Cliffview Rd	0.39	4300	G	98%	0%	1%	1%	1%	0%	С	0.092	F	0.606	4700	G	2019
$\bigcirc$		To				NO	CL Galax									
		From:				Gle	endale Rd									
(4060) Cranberry Rd	0.24	3800	G	98%	0%	1%	0%	1%	0%	С	0.094	F	0.574	4100	G	2019
$\bigcirc$		To				IIC 5	8 Stuart Di									
(4060) Cranberry Rd	0.30	2100 From:	G	98%	0%	1%	0%	1%	0%	F	0.101	F	0.609	2300	G	2019
4060) Granderry Hu	0.00	Z 100 To:		30 70	0 70		CL Galax	1 /0	170 070 1	-		'	0.003	2000	a	_010
		From:									1					
Calloway St		240	G			Ea	stview St				0.122	F	0.633	260	G	2019
Galloway St		240 To:				T	Ianks St				0.122	Г	0.000	200	J	201
01 01		From:	<u> </u>			St	anley Dr					_	0.000	4000	•	004
Clover St		1100 To:	G			_					0.12	F	0.606	1200	G	2019
		10.					alley St									
		From:				Count	ry Club Laı	ne				_			_	
Forrest Ave		110	G								0.157	F	0.522	120	G	2019
		To				Bı	urwell St									
		From					ctors Park									
Hospital Dr		3100	G	99%	0%	1%	0%	0%	0%	С	0.087	F	0.613	3100	G	2019
		To				V	alley St									
		From:				Piin	e Knoll Dr									
Kenbrook Dr		240	G								0.111	F	0.5	260	G	2019
		To				Sco	otland Dr									
		From:				113-405	8 Glendale	Rd								
Valley St		4700	G	99%	0%	1%	0%	0%	0%	С	0.087	F	0.587	4700	G	2019
•		To									_					
Valley St		1300	G	97%	1%	1%	ospital Dr 0%	1%	0%	С	0.099	F	0.659	1300	G	2019
vancy St		To:		31 /0	1 /0			1 /0	U /0	U	0.099	'	0.009	1300	G	2018
		To:				C	lover St									

4/16/2020 9