2019

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 177

Town of Broadway

Information in this report is included in Report

82

(Rockingham County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
$\overline{}$		

Frontage Road (F precedes frontage route number)

(600) Secondary Route

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector

Virginia State Route

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2019

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Broadway

Route	Jurisdiction	Length AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K	QK	Dir	AAWDT	QW
	From	SCL Broadw	2037			ZAXIE	3+Axie	TITALI	ZITAII		Factor		Factor		
(42) S Main St	Town of Broadway (Maint: 82)	0.81 9200	N N	96%	1%	1%	1%	1%	0%	Ν	0.102	F	0.667	9100	N
ALT	To: From:	ALT SR 259 Broad	way Ave)											
ALT (42) (259) S Main Street	Town of Broadway (Maint: 82)	0.32 5700	G	96%	1%	1%	1%	1%	0%	С	0.09	F	0.593	6100	G
	To: From:	SR 259 W Le	e St			_									
(42) (259) W Lee St	Town of Broadway (Maint: 82)	0.33 7400	G	96%	1%	1%	1%	1%	0%	F	0.083	F	0.577	7900	G
	To:	ECL Broadw	ay										0.667 0.593		
-	From:	ECL Broadw	ay												
(259) Mayland Rd	Town of Broadway (Maint: 82)	0.45 8900	N	93%	1%	1%	1%	4%	0%	Ν	0.092	F	0.571	8900	Ν
	To:	SR 42 East of Br	_												
	From:	CL Broadw	,	2021	1.57				221	_		_			_
(259) (42) W Lee St	Town of Broadway (Maint: 82)	0.33 7400	G	96%	1%	1%	1%	1%	0%	F	0.083	F	0.5//	7900	G
<u> </u>	To: From	SR 42 BROAD	WAY												
259 Brocks Gap Rd	Town of Broadway (Maint: 82)	0.36 9300	G	93%	1%	1%	1%	4%	0%	F	0.088	F	0.633	10000	G
$\overline{}$	To:	WCL Broady	vay												
ALT	From:	SR 259 SOU	TH												
(259) (42) S Main Street	Town of Broadway (Maint: 82)	0.32 5700	G	96%	1%	1%	1%	1%	0%	С	0.09	F	0.593	6100	G
	To:	SR 42													
ALT	From:	SR 42 Main													
(259)Broadway Ave	Town of Broadway (Maint: 82)	0.72 1400	G	98%	1%	1%	0%	0%	0%	С	0.093	F	0.511	1500	G
$\overline{}$	To:	SR 259 Mayland Rd,	Γimber V	Vay											

4/16/2020 7

						TOWIT	of Broad	way								
Route	Length	AADT	QA	4Tire	Bus		Tr e 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Broadwav																
617 S Sunset Rd	0.24	800	N	97%	1%	1%		0%	0%	N	0.110	F	0.646	850	N	2019
617 N Sunset Dr	0.66	1200 From	G	98%	1%	1%	E Springbr 0% L Broadwa	0%	0%	С	0.13	F	0.562	1300	G	2019
Spar Mine Rd	0.10	2000 To	G	96%	1%	SR 259 1 1%	E, Brocks C 1% L Broadwa	iap Rd 1%	0%	С	0.093	F	0.6	2100	G	2019
(801) Holsinger Rd	0.15	From 820	R			SR 4	2 Timber W	/ay			NA			NA		03/07/201
803 Brethren Rd	0.12	From 1200	G	96%	1%	EC 0%	L Broadwa 1% E Springbr	y 2%	0%	F	0.142	F	0.656	1200	G	2019
(1401) Cline St	0.09	70 From	R				Alt SR 259 Dead End				NA			NA		03/24/2009
(1402) Linville St	0.11	From 210	R				Dead End Alt SR 259				NA			NA		03/24/2009
(1403) Atlantic Ave	0.29	440 To	G	99%	1%	0%	Alt SR 259 0% ee St, Timbo	0% er Way	0%	С	0.121	F	0.661	470	G	2019
(1403)	0.15	190 To	R			SR 4	2 Timber W Dead End				NA			NA		08/01/2012
(1404) Linden Ave	0.07	90 To	R				Dead End Alt SR 259				NA			NA		03/24/200
1405 High St	0.11	From 160	R				Alt SR 259				NA			NA		11/01/2012
(1405) (82)	0.07	130 From	R				408 Miller				NA			NA		11/01/201
High St	0.10	370 From	R				407 Mason 2 Timber W				NA			NA		11/01/2012
(1406) Central St	0.16	From 450	R				1426 Rock				NA			NA		05/02/2018
(1406) Central St	0.11	580 From	R			F	Alt SR 259				NA			NA		05/02/2018
(1406) Central St	0.07	450 From	R				408 Miller 407 Mason				NA			NA		05/02/2018
(1407) Mason St	0.12	430 To	R			SR 4	2 Timber W	/ay			NA			NA		05/02/2018
(1407) Mason St	0.12	230 To	R			82-14	05 W, High	n St			NA			NA		11/01/2012
(1408) Miller St	0.04	From 280	R				2 Timber W				NA			NA		05/02/2018
(1408) Miller St	0.06	320 From	R				406 Central				NA			NA		05/02/2018
(1408) Miller St	0.14	220 From	R				1405 High S				NA			NA		10/26/2012

Route	Length	AADT	QA	4Tire	Bus		Truck +Axle 1Trai		$\cap C$	K ctor	אר	Dir actor	AAWDT	QW	Year
Town of Broadway		From	-I			SR 42 Tin	abor Way								
1409 82 Louisa St	0.13	110	R			SK 42 1111	ibei way		N	IA			NA		08/01/201
82		Tr	,			82-1410	Carrie St								
O Comio Ct	0.00	From				SR 42 Tin	nber Way			1.4			NIA		05/00/001
(1410) Carrie St	0.09	80	R			82-1409 I	ouisa St		<u> </u>	IA			NA		05/02/201
		From				SR 259 Broo									
1411 Shenandoah Ave	0.07	150	R				•		N	IA			NA		03/07/201
$\widehat{}$	2.12	From			0.0	7 MN SR 259	Brocks Gap R	d							00/07/00/
Shenandoah Ave	0.13	140	R							IA			NA		03/07/201
1411) Shenandoah Ave	0.05	70 From	R		0.2	0 MN SR 259	Brocks Gap R	d		IA			NA		03/07/201
Shenandoah Ave	0.00	To				NCL Bro	oadway			., ,			1471		00/07/201
		Fron	c			Dead	End								
1412 82	0.22	700	R						N	IA			NA		03/07/201
		To	c			SR 259 Broo	cks Gap Rd								
1413) Holly Hill St	0.43	Fron	<u> </u>			82-1414 T	urner Ave			IA			NA		03/07/201
Holly Hill St	0.43	500	R			SR 259 Broo	cks Gan Rd		1	IA			INA		03/07/201
		Fron	:			82-617, N			1						
Turner Ave	0.41	1200	R						N	IA			NA		03/07/201
82		Te From				82-1413 Ho	olly Hill St		-						
1414 82 Turner Ave	0.14	2500	R						N	IA			NA		03/07/201
		Tr				SR 42 Tin									
Carly Dd	0.10	From				SCL Bro	oadway			1.4			NIA		00/07/001
Early Rd	0.18	510	N			82-1421, E Sp	ringbrook Rd		11	IA			NA		03/07/201
		From				SR 42 Tin									
1416 82 Third St	0.16	220	R			511 12 111			N	IA			NA		08/01/201
82		To	-			82-1424 Li	ndsay Ave								
1416 82 Third St	0.21	160	R				•		N	IA			NA		08/01/201
62)		To				82-141									
1416) Third St	0.07	80	R			82-142	з Сар		N	IA			NA		08/01/201
(1416) Third St		To	c			82-1425 Cr	estover Dr								
		From				Cul-de	e-Sac								
1417 East Ave	0.02	200	R						N	IA			NA		08/01/201
O =		Fron				82-1433	Fifth St								00/01/00/
1417 East Ave	0.08	290	R							IA			NA		08/01/201
Cast Aug	0.00	Fron				82-1428	3 4th St			1.4			NIA		00/01/001
East Ave	0.06	390	R						N	IA			NA		08/01/201
	0.06	510 From	R			82-1416	Third St			IA			NA		08/01/201
East Ave	0.00	310								i/\			INA		00/01/201
1417) East Ave	0.07	540 From	R			82-1418 S	Second St			IA			NA		08/01/201
East Ave	0.07	0-10				92 1422	Einst Ct			., ,			1471		00/01/201
1417) East Ave	0.06	630 From	R			82-1422	THSt St			IA			NA		08/01/201
Last Ave		To				82-1421, E Sp	ringbrook Rd								
		From				Dead	End								
1418 2nd St	0.12	170	R				. ~		N	IA			NA		08/01/201
<u> </u>		Fron	:			82-142 Dead Er			-						
(1418) Second St	0.07	60	R			Doud Li	.,p		N	IA			NA		08/01/201
82/		To	c			82-1417 I	East Ave								

							Dioaux	··u,								
Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle	-	2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Broadway		Fron														
(1421) E Springbrook Rd	0.20	90	R				ad End				NA			NA		03/07/2018
E Springbrook Rd	0.42	1300 From	G	99%	0%	82-617 1 %	Sunset R 0%	0%	0%	С	0.128	F	0.834	1300	G	2019
(1421) E Springbrook Rd	0.24	1100	G	99%	0%	82-141 1 %	5 Early D 0%	0%	0%	С	0.115	F	0.825	1200	G	2019
(1421) E Springbrook Rd	0.43	6500 To	G	93%	1%	SR 42 1% Broadway;	2 Main St 1%	3%	0%	С	0.116	F	0.550	7000	G	2019
		Fron	1:		ECL		ad End	oreunen i	Xu							
1422 First St	0.10	180	R			82-141	7 East Av	/e			NA			NA		08/01/201
1423) Elm St	0.22	Fron	R			82-1429 B	roadmoor	Lane			NA			NA		08/01/201
(1423) Elm St		T.	2			82-141	16 Third S	St								
1423 Elm St	0.19	630 To	R								NA			NA		08/01/201
		Fron					Brethren 1 8 Fourth 5									
1424 Lindsay Ave	0.06	70	R			82-142	o rounn	31			NA			NA		08/01/201
1424 Lindsay Ave	0.06	190 Fron	R			82-141	16 Third S	St			NA			NA		08/01/201
1424 Lindsay Ave	0.13	380 From	R			82-141	8 Second	St			NA			NA		08/01/201
02)		To): 		8	32-1421, E		ok Rd								
1425 Crestover Dr	0.12	40	R			De	ad End				NA			NA		08/01/201
O a	0.06	70 From	R			82-141	16 Third S	St			NA			NA		08/01/201
Grestover Dr		To				NCL	Broadway	/								
1426) Rock St	0.03	210	R			SR 42 7	Γimber W	ay			NA			NA		03/07/201
Rock St	0.00	Z10 T/	· · ·			82 140	6 Central	St.						14/4		00/01/20
1426 Rock St	0.06	80 From	R			62-140	o Centrar	SI.			NA			NA		03/07/201
		To					ad End									
1427) Morningside Dr	0.18	260	" R			82-1431	Skymont	Dr			NA			NA		08/01/201
Morningside Dr		Te				82-1414	Turner A	ve								
(14b, C4	0.10	Fron				SR 42 T	Γimber W	ay						NIA		00/01/00
1428 4th St	0.16	350	R								NA			NA		08/01/201
1428) 4th St	0.21	310 Fron	R			82-1424	Lindsay A	Ave			NA			NA		08/01/201
4428) 4th St		Te	0:			82-141	7 East Av	/e								
<u> </u>		Fron	<u> </u>			82-14	23 Elm St	t			<u> </u>					
Broadmoor Lane	0.13	110	R								NA —			NA		08/01/20
Broadmoor Lane	0.04	20 From	R			82-1430 S	howater (Court			NA			NA		08/01/20
82		Te	1*			De	ad End									
1430 Showater Court	0.11	From	R			82-1429 B	roadmoor	Lane			NA			NA		08/01/20
(1430) Showater Court	2	Te				Cul	-de-Sac									
Claument D.	0.00	Fron				82-1414	Turner A	ve						NIA		00/04/004
(1431) Skymont Dr	0.08	110	· R			82-1427 N		lo Du			NA			NA		08/01/201

						rown or Broadway								
Route	Length	AADT	QA	4Tire	Bus	Truck 2Axle 3+Axle 1Trai		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Broadway														
1432) Fifth St	0.20	260	R			SR 42 Harpine Hwy			 NA			NA		08/01/2012
(1432) Fifth St	0.20	Tor				Dead End			Π΄			1471		00/01/2012
		From:	Ī			Cul-de-Sac			i					
1433 Fifth St	0.06	110	R						NA			NA		08/01/2012
82		To:				82-1417 East Ave								
		From				Dead End								
1434 First St	0.11	270	R						NA			NA		11/01/2012
<u> </u>		To:				82-1424 Lindsay Ave								
	0.09	From:	R			82-1436			NA			NA		03/07/2018
1435	0.09	510	n			SR 42 Timber Way						INA		03/07/2010
		From:	l			Dead End			<u> </u>					
1426	0.16	120	R			Dead End			NA			NA		03/07/2018
1436 82		To:				82-1435								
		From:				Cul-de-Sac								
1438 Trumbo Court	0.04	190	R						NA		N	NA		03/07/2018
82		To:				SR 259 Mayland Rd								
$\widehat{}$		From:				Dead End								
Robin Roost Ct	0.27	180	R						NA			NA		03/07/2018
<u> </u>		To:	<u> </u>			82-1415 Early Rd								
Gap Place	0.07	230	R			SR 42 Timber Way			NA			NA		11/01/2012
	0.07	230 To:	<u> </u>			Cul-de-Sac						INA		11/01/2012
		From	! 			82-1440 Gap Place			<u> </u>					
Meyers Court	0.12	130	R			82-1440 Gap 1 lacc			NA			NA		10/31/2012
82 /		To				Cul-de-Sac								
		From:		82-1421, E Springbrook Rd										
1442 Lilly Square	0.25	1400	R						NA			NA		03/24/2009
· · ·		To:				Cul-de-Sac								
\bigcirc		From:				82-1446; 82-1447								
1443	0.18	430 To:	R			22 1421 F.G. : 1 1 D.I			NA			NA		03/24/2009
		From:	<u> </u>		3	32-1421, E Springbrook Rd								
	0.09	80	R			Cul-de-Sac			 NA			NA		03/24/2009
1444	0.00	To:				82-1443						11/1		00/24/200
		From:	I			82-1443								
1445 82	0.08	90	R			02-17-13			NA			NA		03/24/2009
(<u>82</u> 9		To:				Cul-de-Sac								
		From:				Cul-de-Sac								
1446	0.10	140	R						NA			NA		03/24/2009
uz)		To:				82-1443								
$\overline{}$		From:				82-1443								
1447	0.07	130	R			0-11-0			NA			NA		03/24/2009
						Cul-de-Sac								
	0.18	From: 1800	R		82	2-1421 W, E Springbrook Rd			NA			NA		06/16/2009
9383	0.10	To:	<u> </u>						INA			INA		00/10/2008