### 2019

# Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

# Special Locality Report 278

Town of Parksley

Information in this report is included in Report

01

(Accomack County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

### Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

#### Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

#### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck**: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

### Route Shield Legend

#### Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
$\overline{}$		

Frontage Road (F precedes frontage route number)

(600) Secondary Route

#### Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wve - Wve Route connector

Virginia State Route

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

#### Virginia Department of Transportation Traffic Engineering Division 2019

### Annual Average Daily Traffic Volume Estimates By Section of Route Town of Parksley

Route	Jurisdiction	Length AADT C	<b>QA</b> 4	Tire B	IS	Tri xle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW
(176)Bennett St	Town of Parksley (Maint: 01)	SR 316 Cossatt Ave 0.38 <b>2600</b> (		95% 1	% 2	% 0%	1%	0%	С	0.094	F	0.547	2600	G
	To:	ECL Parksley				<u> </u>								
316 Cossatt Ave	Town of Parksley (Maint: 01)	SCL Parksley 0.07 <b>3800</b> I	<b>N</b> 9	98% 0	% 1	% 0%	1%	0%	N	0.099	F	0.6	3800	N
(316)Cossatt Ave	Town of Parksley (Maint: 01)	SR 176 Parkesley Ro 0.61 <b>2600</b> (		97% 0	% 1	% 0%	1%	0%	С	0.103	F	0.571	2600	G
$\overline{}$	Тα	NCL Parksley												

4/17/2020 7

Length	AADT	QA	4Tire	Bus						QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
								TTTGII	211411		1 40101		1 40101			
0.21	900	G	97%	0%	1	%	0%	1%	0%	С	0.09	F	0.692	910	G	2019
0.20	1300	G	98%	1%	1	%	0%	0%	0%	С	0.095	F	0.584	1300	G	2019
0.10	230	N						Avo			NA			NA		10/18/2017
0.06	150	R				_					NA			NA		10/18/2017
0.06	260 To	R									NA			NA		10/19/2017
0.10	310	R									NA			NA		10/19/2017
0.10	350 From	R									NA			NA		10/19/2017
0.10	420 From	R									NA			NA		10/19/2017
0.01	660 From	R									NA			NA		10/19/2017
0.03	580 From	R									NA			NA		10/19/2017
0.06	530 From	R									NA			NA		10/19/2017
0.10	710	R									NA			NA		10/19/2017
0.15	600	R			01	1-678 C	County R	ld			NA			NA		10/19/2017
0.01	430	R				SCL P	arksley				NA			NA		09/06/2017
0.06	420 From	R									NA			NA		09/06/2017
0.06	590 From	R									NA			NA		09/06/2017
0.07	580 From	R									NA			NA		09/06/2017
0.06	470 From	R									NA			NA		09/06/2017
0.06	370 From	R									NA			NA		09/06/2017
0.06	350 From	R									NA			NA		09/06/2017
0.06	320 From	R									NA			NA		09/06/2017
0.06	360 From	R									NA			NA		09/06/2017
0.01	170	R				Dead E	nd; Gap				NA			NA		09/06/2017
0.06	310 From	R			0	1-1824	Willis S	St			NA			NA		09/06/2017
	0.21 0.20 0.10 0.06 0.06 0.10 0.10 0.10 0.11 0.03 0.06 0.10 0.15 0.01 0.06 0.06 0.06 0.06 0.06 0.06 0.06	0.20 1300  1.0 230  1.0 230  1.0 230  1.0 230  1.0 260  1.0 310  0.10 350  0.10 350  0.10 420  0.01 660  0.03 580  0.10 710  0.15 600  1.0 150  0.06 370  1.0 150	0.21   900   G	0.21   900   G   97%	0.21 900 G 97% 0%    0.20   1300 G 98% 1%	Carrella	Length   AADT   QA   4Tire   Bus   2Axle   3	Carry   Carr	Length   AADT   QA   4Tire   Bus   2Axle 3+Axle 1Trail	O.21   900   G   97%   0%   17%   0%   1%   0%   0%   1%   0%   0%   0	Carry   Carr	Care	Care	Content   Cont	Description   AADT   QA   ATTER   Bus   2Axle 3+Axle   1Trail   2Trail   QC   Factor   CR   Factor	Carpin   AADT   QA   4 Tire   Bus   2AAsle 3+Axle   17rail   2Trail   CT   CT   CT   CT   CT   CT   CT   C

							10001101	Parksley									
Route	Length	AADT	QA	4Tire	В	Sus		Truck- +Axle 17		 Trail	QC F	K actor	QK	Dir Factor	AAWDT	QW	Year
Town of Parkslev		From	1				01 672 1	Jammatt Ct									
Staunton Ave	0.06	320	R				01-0/3 E	sennett St				NA			NA		09/06/2017
<u> </u>	0.07	From	Ę				01-1814 C	atherine St				_			NIA		00/00/001
1803 Staunton Ave	0.07	170	R				01 1000	Mossy Ct				NA TLL			NA		09/06/2017
(1803) Staunton Ave	0.06	320 From	R				01-1808	Mary St				NA			NA		09/06/2017
01)		To					01-674 A	delaide St				]					
(1804) Cooke St	0.06	1700	R				01-1812 I	Dunne Ave				_ NA			NA		09/06/2017
(1804) Cooke St	0.00	To					01-1805 B	rowne Ave							1471		00/00/201
(1804) Cooke St	0.03	1600	R			0	1-1805 W,	Browne Av	e			_ NA			NA		09/06/2013
(1804) Cooke St		To				0	1-1805 E.	Virginia Av	,			<b>—</b>					
(1804) Cooke St	0.06	930 From	R						-			NA			NA		09/06/2017
		From				(	01-1806 Se	a Side Ave									
(1804) Cooke St	0.06	690	R									NA			NA		09/06/2017
(1804) Cooke St	0.07	380 From	R			(	01-1817 H	ckman Ave				NA			NA		09/06/2017
(1804) Cooke St	0.07	To					01-678 C	ounty Rd				<u> </u>					00/00/2011
		From					SR 176 I	Bennett St				]					
(1805) Virginia Ave	0.08	390	R				01.1001.7					NA			NA		09/06/2017
		From					01-1804 E 01-1804 W	, Cooke St									
1805 Browne Ave	0.10	270	R									NA			NA		09/06/2017
		To From					01-674 A	delaide St				]—					
1805 Browne Ave	0.07	440	R									NA			NA		09/06/2017
<u> </u>	0.07	From				0	01-1810 Ch	adbourne S				NA			NA		00/06/201
1805 Browne Ave	0.07	210	R									INA			INA		09/06/2017
(1805) Browne Ave	0.07	130 From	R				01-1820 N	1axwell St				NA			NA		09/06/2017
Browne Ave		To					01-1813	Callen St				<b>—</b>					
1805 Browne Ave	0.06	<b>40</b> From	R				01 1015	cunch st				NA			NA		09/06/2017
(01)		To					01-1811 (	ertrude St									
One Olde Asse	0.00	From					SR 176 I	Bennett St							NIA		00/00/004
(1806) Sea Side Ave	0.08	190	R									NA			NA		09/06/2017
(1806) Sea Side Ave	0.10	260 From	R				01-1804	Cooke St				NA			NA		09/06/2017
(1806) Sea Side Ave	0.10	To					01-674 A	delaide St				j.					00/00/2011
		From					01-673 E	ennett St									
(1807) Woodland Ave	0.06	100	R									NA			NA		09/06/2017
<u> </u>		From					01-1814 C	atherine St				]					
(1807) Woodland Ave	0.07	120	R									NA			NA		09/06/2017
(1807) Woodland Ave	0.06	210 From	R				01-1808	Mary St				NA			NA		09/06/2017
(1807) Woodland Ave	0.00	210					01 1010	11:1 0				TNA			INA		09/00/2017
(1807) Woodland Ave	0.07	80 From	R				01-1819 A	delaide St				NA			NA		09/06/2017
(1807) Woodland Ave		To				0	01-1810 Ch	adbourne S									
		From				0	01-1807 W	odland Ave	;			]					
1808 Mary St	0.10	120	R					2.6				NA			NA		09/06/2017
<u> </u>		From					01-180					+					
(1808) Mary St	0.10	210	R					•				NA			NA		09/06/2017
		To From					01-1823 V	Vilson Ave				]—					
1808 Mary St	0.10	360	R									NA			NA		09/06/2017

							of Parksle					_ :			
Route	Length	AADT	QA	4Tire	Bu	S	Truc 3+Axle 1		C	C K	QK or	Dir Factor	AAWDT	QW	Year
Town of Parkslev		From	r							1					
(1810) Chadbourne St	0.10	60	R			01-1807	Woodland A	ive		NA			NA		09/06/2017
01)		To From	r				Staunton Av								
(1810) Chadbourne St	0.10	190	R			01-074	Adelaide St	•		NA			NA		09/06/2017
Chadbourne St		To	r			01-76	3 Jones Ave								
(1810) Chadbourne St	0.10	180	R							NA			NA		09/06/2017
		T <sub>e</sub> From	10			01-182	3 Wilson Av	e							
(1810) Chadbourne St	0.10	270	R							NA			NA		09/06/2017
(1810) Chadbourne St	0.01	From 60	R			SR 316	Cossatt Ave	e		NA			NA		09/06/2017
(1810) Chadbourne St	0.01	- To				01.10	12 D-44 C4						IVA		03/00/2017
(1810) Chadbourne St	0.10	210 From	R			01-18	12 Patton St			NA			NA		09/06/2017
(819)		To				01-1805	Browne Av	re							
O a a.	2.12	From				01-76	3 Jones Ave								20/20/20/
(1811) Gertrude St	0.10	120	R							NA			NA		09/06/2017
(1811) Gertrude St	0.10	120 From	R			01-182	3 Wilson Ave	e		NA			NA		09/06/2017
(1811) Gertrude St	0.10	To	:			SR	316 Gap						IVA		03/00/2017
Control of Ct	0.10	Fron				01-	1812 Gap						NIA		00/00/0017
Gertrude St 0.10	0.10	60 To	R			01-1805	Browne Av	re.		NA			NA		09/06/2017
		From	1:				6 Bennett St								
Dunne Ave	0.10	540	R							NA			NA		09/07/2017
		Te Fron	Y.			01-180	04 Cooke St								
1812 Dunne Ave	0.10	2800	R			01.674		~.		NA			NA		09/07/2017
		From					E, Adelaide S W, Adelaide								
Patton Ave	0.07	230	R							NA			NA		09/07/2017
		To From	Y.			01-1810	Chadbourne	St							
1812 Patton Ave	0.07	180	R							NA			NA		09/07/2017
(1812) Patton Ave	0.07	200 From				01-182	0 Maxwell S	t		NA			NA		09/07/2017
(1812) Patton Ave	0.07	200	R			01.10	12 6 11 6						INA		09/07/2017
(1812) Patton Ave	0.06	130 From	R			01-18	13 Callen St			NA			NA		09/07/2017
Patton Ave		Te	×			01-181	1 Gertrude S	t							
(1812) Patton Ave	0.05	<b>30</b> From	R			01 101	. Germade B			NA			NA		09/07/2017
		To	00			D	ead End								
(1813) Callen St	0.10	From				01-76	3 Jones Ave			NA			NA		00/07/2017
(1813) Callen St	0.10	100	R			0.1.102				INA			INA		09/07/2017
(1813) Callen St	0.10	160 From	R			01-182	3 Wilson Ave	e		NA			NA		09/07/2017
(1813) Callen St	3.10	To					ossatt Ave; (								32.3.,2011
(1813) Callen St	0.10	80	 R			01-1812 F	Patton Ave; C	Gap		NA			NA		09/07/2017
(1813) Callen St	0.10	Tr	, n			01-1805	5 Browne Av	re		INA			INA		03/01/2017
_		Fron	ı:				Woodland A								
(1814) Catherine St	0.10	180	R							NA			NA		09/07/2017
		From				01-1803	Staunton Av	ve							00/5=1
(1814) Catherine St	0.10	370	R							NA ——			NA		09/07/2017
0 0 11 1 01	0.10	From				01-76	3 Jones Ave			NA			NA		09/07/2017
(1814) Catherine St	0.10	180	R							INA			INA		U3/U1/2U11
(1814) Catherine St	0.10	220 From	R			01-1822	3 Wilson Ave	e		NA			NA		09/07/2017
(1814) Catherine St		To				SR 316	Cassatt Ave	2							

							i oi Pair									
Route	Length	AADT	QA	4Tire	Bus			ruck e 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Parkslev						27 0/10	01700	o i i i a	211411		1 doto:		1 doto:			
	0.00	From				SR 1	76 Benne	tt St								00/07/004
Hickman Ave	0.08	270 To	R			01.19	804 Cook	o St			NA			NA		09/07/2017
_		From	<u> </u>													
(1819) Adelaide St	0.10	360	R			01-1807	7 Woodla	id Ave			NA			NA		09/07/2017
(1819) Adelaide St		To				01-674	4 Stauntor	ı Ave								
		From				01-67	74 Adelaio	le St								
Maxwell St	0.10	430	R								NA			NA		09/07/2017
		To From				01-7	63 Jones .	Ave								
(1820) Maxwell St	0.10	460	R								NA			NA		09/07/2017
		To From				01-182	23 Wilson	Ave								
(1820) Maxwell St	0.10	630	R								NA NA			NA		09/07/2017
		To From					R 316 Ga <sub>l</sub> -1812 Ga									
(1820) Maxwell St	0.10	130	R			- 01	-1012 Ga	Р			NA			NA		09/07/2017
(1820) Maxwell St		To				01-180	)5 Brown	e Ave								
		From				I	Dead End									
(1821) White St	0.10	90	R								NA			NA		09/07/2017
		To				SR 31	6 Cossatt	Ave								
O Bi Oi	0.10	From				01-182	23 Wilson	Ave			<u> </u>					00/07/004
1822 Pine St	0.10	100 To	R			CD 21	( C	A			NA —			NA		09/07/2017
		From					6 Cossatt									
(1823) Wilson Ave	0.06	480	R			01-6	73 Bennet	t St			NA			NA		09/07/2017
(1823) Wilson Ave	0.00	То				01.101	1404	. C.								00/01/2011
(1823) Wilson Ave	0.07	400 From	R			01-181	14 Cather	ne St			NA			NA		09/07/2017
(1823) Wilson Ave	0.0.	To				01.1	000 M	- C4								00/0//2011
(1823) Wilson Ave	0.06	530 From	R			01-1	808 Mary	St			NA			NA		09/07/2017
(1823) Wilson Ave		To				01.67	74 A dalais	lo Ct								
(1823) Wilson Ave	0.06	380 From	R			01-67	4 Adelaic	ie St			NA			NA		09/07/2017
(1823) Wilson Ave		To				01 1016	) Chadha	uma Ct								
(1823) Wilson Ave	0.06	100 From	R			01-1810	) Chadboi	irne St			NA			NA		09/07/2017
(1823) Wilson Ave		To				01.10	20 M	-11 C4								
(1823) Wilson Ave	0.06	110 From	R			01-18.	20 Maxw	eli St			NA			NA		09/07/2017
(1823) Wilson Ave	0.00	To				01.1	012 (7.11	G:								00/0//2011
(1823) Wilson Ave	0.06	220 From	R			01-17	813 Colle	n St			NA			NA		09/07/2017
(1823) Wilson Ave						01.10	11 C	do Ct								
(1823) Wilson Ave	0.05	40 From	R			01-18	11 Gertru	ue St			NA			NA		09/07/2017
(1823) Wilson Ave		To	Ė			01-1	1822 Pine	St								
		From					3 Staunto									
(1824) Willis St	0.10	340	R								NA			NA		09/07/2017
UI)		To				01-7	63 Jones .	Ave								